

SAFETY DATA SHEET

China

Safety Data Sheet according to GB/T 16483-2008 and GB/T 17519-2013

Section 1. Identification

GHS product identifier

HyClone™ prime expression medium (chemically defined), 100L

HyClone[™] prime expression medium (chemically defined), 100L

Catalogue Number SH31198.04

Other means of identification Not available.

Product type Powder.

Relevant identified uses of the substance or mixture and uses advised against

For further manufacturing.

Supplier's details

Supplier/Manufacturer

Cytiva Austria Kremplstr. 5 4061 Pasching AUSTRIA Tel. (+43) 7229 64865 Fax (+43) 7229 64866

Cytiva Singapore 1 Maritime Square #13-01 Harbourfront Centre Singapore 099253 HyClone Laboratories 925 West 1800 South Logan, Utah 84321 Phone: (435) 792-8000

24 hours response advisory service hotline

0532-83889090

Section 2. Hazards identification

Classification of the substance or mixture according to GB 13690-2009 and GB 30000-2013

Emergency overview

Solid. [Powder.]

Off-white.

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

May form explosible dust-air mixture if dispersed.

See Section 12 for environmental precautions.

Classification of the substance or mixture

AQUATIC HAZARD (ACUTE) - Category 3 AQUATIC HAZARD (LONG-TERM) - Category 3

Article Number 31141434 Page: 1/11

GHS label elements

Signal word No signal word.

Hazard statements Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention Avoid release to the environment.

ResponseNot applicable.StorageNot applicable.

Disposal Dispose of contents and container in accordance with all local, regional, national and international

regulations.

Physical and chemical hazards May form explosible dust-air mixture if dispersed.

Health hazards No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following:

irritation redness

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact No specific data.

Ingestion No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Long term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Environmental hazards Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Other hazards which do not result in classification

May form explosible dust-air mixture if dispersed.

Section 3. Composition/information on ingredients

Substance/mixture Mixture
Other means of identification Not available.

Other means of identification Not available.		
Ingredient name	%	Identifiers
sodium chloride	15.404 - 15.405	CAS: 7647-14-5 EC: 231-598-3
L-serine	<2.55	CAS: 56-45-1 EC: 200-274-3
potassium chloride	<2.4	CAS: 7447-40-7 EC: 231-211-8
L-valine	<1.4	CAS: 72-18-4 EC: 200-773-6
aspartic acid	<1.05	CAS: 56-84-8 EC: 200-291-6

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Article Number 31141434 Page: 2/11

Section 4. First aid measures

First aid

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check

for and remove any contact lenses. Get medical attention if irritation occurs.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of Inhalation

inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person

may need to be kept under medical surveillance for 48 hours.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

medical attention if symptoms occur

Ingestion Wash out mouth with water. If material has been swallowed and the exposed person is conscious,

give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the eyes.

Inhalation Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the nose, throat and lungs.

Skin contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact Adverse symptoms may include the following:

irritation redness

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact No specific data. Ingestion No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed

person may need to be kept under medical surveillance for 48 hours.

Specific treatments

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use dry chemical powder.

Unsuitable extinguishing media Avoid high pressure media which could cause the formation of a potentially explosible dust-air

mixture.

Specific hazards arising from the

chemical

May form explosible dust-air mixture if dispersed. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from

being discharged to any waterway, sewer or drain.

Hazardous thermal

Decomposition products may include the following materials: carbon dioxide

decomposition products

carbon monoxide nitrogen oxides sulfur oxides phosphorus oxides halogenated compounds metal oxide/oxides

fighters

Special protective actions for fire- Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for

fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Article Number 31141434 Page: 3/11

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Small spill

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.

Precautionary measures to prevent the occurrence of secondary disasters

Shut off all ignition sources. No flares, smoking or flames in hazard area. Use spark-proof tools and explosion-proof equipment. Prevent entry into sewers, water courses, basements or confined areas.

Section 7. Handling and storage

Precautions for safe handling

Precautions for operating

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid release to the environment. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage

Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment

Article Number 31141434 Page: 4/11

Validation date: 10 September 2025

Version 0.02

Wash hands, forearms and face thoroughly after handling chemical products, before eating, Hygiene measures

smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection Safety eyewear complying with an approved standard should be used when a risk assessment

indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust

concentrations to be produced, use dust goggles.

Skin protection

Body protection

Other skin protection

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all

times when handling chemical products if a risk assessment indicates this is necessary.

Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any

glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Personal protective equipment for the body should be selected based on the task being performed

and the risks involved and should be approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the

task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to

ensure proper fitting, training, and other important aspects of use.

Thermal hazards Not available.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance and physical state

Physical state Solid. [Powder.] Color Off-white. Odor Not available. **Odor threshold** Not available. рΗ 5.2 to 7.4 Melting point/freezing point Not available. Boiling point or initial boiling Not available.

point and boiling range

Flash point Not applicable. **Burning time** Not available. Not available. **Burning rate** Not available. **Evaporation rate** Flammability (solid, gas) Not available. Lower and upper explosive

(flammable) limits

Not applicable.

Vapor pressure Not available. Relative vapor density Not applicable. Relative density Not available. Solubility in water Not available. Partition coefficient: n-octanol/ Not applicable.

water

Auto-ignition temperature Not applicable **Decomposition temperature** Not available SADT Not available

Viscosity Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available.

Flow time (ISO 2431) Not available.

Particle characteristics

Median particle size Not available

> Article Number 31141434 Page: 5/11

Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame).

Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate

static electricity during transfer by grounding and bonding containers and equipment before

transferring material. Prevent dust accumulation.

Reactive or incompatible with the following materials: oxidizing materials

Hazardous decomposition

Incompatible materials

products

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

L-valine

Product/ingredient name Result

L-serine Rat - Oral - LD50

14 g/kg

potassium chloride Rat - Male - Oral - LD50

2600 mg/kg

<u>Toxic effects</u>: Gastrointestinal - Hypermotility, diarrhea Gastrointestinal -

Nausea or vomiting **Rat - Oral - LD50** 2000 mg/kg

aspartic acid Rat - Oral - LD50 5000 mg/kg

Rabbit - Dermal - LD50

5000 mg/kg

Conclusion/Summary

[Product]

Not available.

Skin corrosion/irritation

Not available.

Conclusion/Summary

[Product]

Not available.

Ingredient nameConclusion/SummaryL-serineMay cause skin irritation.L-valineMay cause skin irritation.

Serious eye damage/eye irritation

Not available.

Conclusion/Summary

Not available.

[Product]

Ingredient nameConclusion/SummaryL-serineMay cause eye irritation.L-valineMay cause eye irritation.

Respiratory corrosion/irritation

Not available.

Conclusion/Summary

Not available.

[Product]

Respiratory or skin sensitization

Not available.

Skin

Conclusion/Summary

[Product]

Not available.

Article Number 31141434 Page: 6/11

Validation date: 10 September 2025

Version 0.02

Respiratory

Conclusion/Summary

[Product]

Not available.

Germ Cell Mutagenicity

Not available.

Conclusion/Summary

[Product]

Not available.

Carcinogenicity

Not available.

Conclusion/Summary

[Product]

Not available.

Reproductive toxicity

Not available.

Conclusion/Summary

[Product]

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes

of exposure

Routes of entry anticipated: Oral, Dermal, Eyes.

Potential acute health effects

Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the eyes.

Inhalation Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the nose, throat and lungs.

Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following:

irritation redness

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact No specific data.

Ingestion No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Article Number 31141434 Page: 7/11

Long term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Potential chronic health effects

Not available.

General Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.Reproductive toxicityNo known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
HyClone™ prime expression medium (chemically defined)	42996.7	175553.8	N/A	N/A	N/A
L-serine	14000	N/A	N/A	N/A	N/A
potassium chloride	2600	N/A	N/A	N/A	N/A
L-valine	2000	N/A	N/A	N/A	N/A
aspartic acid	5000	5000	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

L-serine

Product/ingredient name Result

sodium chloride Acute - LC50 - Fresh water

Fish - Striped bass - Morone saxatilis - Larvae

1000 mg/l [96 hours] Effect: Mortality

Chronic - NOEC - Fresh water Daphnia - Water flea - Daphnia pulex

0.314 g/l [21 days] Effect: Reproduction

Chronic - NOEC - Fresh water

Fish - Eastern mosquitofish - Gambusia holbrooki - Adult

100 mg/l [8 weeks] Effect: Reproduction

Chronic - NOEC - Fresh water

OECD

Aquatic plants - Duckweed - Lemna minor

6 g/l [96 hours] Effect: Growth

Acute - EC50 - Fresh water

Daphnia - Water flea - Daphnia magna

402.6 mg/l [48 hours] Effect: Intoxication

Acute - EC50 - Fresh water

Algae - Green algae - Selenastrum capricornutum

28.85 mg/dm³ [72 hours] <u>Effect</u>: Population **Acute - EC50**

Daphnia

83 mg/l [48 hours]
Acute - NOEC

Algae

1000 mg/l [72 hours]

potassium chloride Acute - LC50 - Fresh water

Crustaceans - Water flea - Pseudosida ramosa - Neonate

<u>Age</u>: ≤24 hours 9.68 mg/l [48 hours] <u>Effect</u>: Mortality

Acute - EC50 - Fresh water

ISO

Algae - Green algae - Desmodesmus subspicatus

9.24 g/l [72 hours] Effect: Population

Acute - LC50 - Fresh water Fish - Zebra danio - Danio rerio

509.65 mg/l [96 hours] Effect: Mortality

LC50

L-valine

Article Number 31141434 Page: 8/11

Validation date: 10 September 2025

10000 mg/l [96 hours]

Conclusion/Summary

[Product]

Not available.

Ingredient name

Conclusion/Summary L-serine Naturally occurring substance L-valine Naturally occurring substance aspartic acid Naturally occurring substance

Persistence/degradability

Product/ingredient name Result 82% [28 days] I -valine

Conclusion/Summary

[Product]

Not available.

Ingredient name

L-serine L-valine aspartic acid Conclusion/Summary

Not expected to bioaccumulate. Naturally occurring substance Not expected to bioaccumulate. Naturally occurring substance Not expected to bioaccumulate. Naturally occurring substance

Product/ingredient name Aquatic half-life Biodegradability **Photolysis** L-valine Readily

Bioaccumulation/Accumulation

Potential Product/ingredient name **BCF** LogPow -3.07 I -serine 0.609 I OW L-valine -2.260.846 Low aspartic acid -3.89 Low

Mobility in soil

Soil/Water partition coefficient Not available

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

UN number	GB12268 Not available.	JT/T617 Not available.	IMDG Not available.	IATA Not available.
UN proper shipping name	Not available.	Not available.	Not available.	Not available.
Transport hazard class(es)	Not available.	Not available.	Not available.	Not available.
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Extinguishing media

Article Number 31141434 Page: 9/11 Suitable extinguishing media

Use dry chemical powder.

Unsuitable extinguishing

Incompatible materials

Avoid high pressure media which could cause the formation of a potentially explosible dust-air

Transport in bulk according to **IMO** instruments

Reactive or incompatible with the following materials: oxidizing materials

Not available.

Section 15. Regulatory information

List of Goods banned for Importing

None of the components are listed.

Drug Precursors Requiring an Import/Export License

None of the components are listed.

Inventory of Hazardous Chemicals

None of the components are listed.

List of Explosive Precursors

None of the components are listed.

List of Goods banned for Exporting

None of the components are listed.

List of Toxic Chemicals Severely Restricted for Importing & Exporting by China

None of the components are listed.

Catalogue and classification of drug precursor chemicals

None of the components are listed.

Inventory of Highly Toxic Articles

None of the components are listed.

Catalogue of Hazardous Chemicals of Priority Management

None of the components are listed.

Catalogue of Occupational Disease Hazard Factors - Dust

None of the components are listed.

Catalogue of Occupational Disease Hazard Factors - Chemical Factors

None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

China At least one component is not listed.

United States Not determined. Canada inventory Not determined

Japan Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

Article Number 31141434 Page: 10/11

Validation date: 10 September 2025

Section 16. Other information

History

Date of printing10 September 2025.Date of issue/Date of revision10 September 2025.Date of previous issue18 July 2024.

Version 0.02

sds_author@cytiva.com

Key to abbreviationsATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

Procedure used to derive the classification

Classification Justification

AQUATIC HAZARD (ACUTE) - Category 3 Calculation method AQUATIC HAZARD (LONG-TERM) - Category 3 Calculation method

References Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Article Number 31141434 Page: 11/11

Validation date: 10 September 2025