

# **SAFETY DATA SHEET**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Biotin CAPture Kit

Catalogue Number 28920233

Product description Not available.

Product type Liquid.

Other means of identification Not available.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Analytical chemistry.
Laboratory chemicals
Scientific research and development

Consumer use

1.3 Details of the supplier of the safety data sheet

SupplierCytivaHours of operationAmersham Place08.30 - 17.00

Little Chalfont Buckinghamshire HP7 9NA United Kingdom

+44 1494 508000

Person who prepared the SDS: sds\_author@cytiva.com

1.4 Emergency telephone number

001-352-323-3500 (Calll Collect).

United Kingdom (UK) Cytiva UK Call INFOTRAC 24 Hour number:

Amersham Place Little Chalfont Buckinghamshire HP7 9NA

t: 0870 606 1921

National advisory body/Poison Centre

United Kingdom (UK) Health professionals should contact the National Poisons Information Service (NPIS) by telephone,

or use TOXBASE www.toxbase.org .

NPIS http://www.npis.org/ advise that others seeking specific information on poisons should contact:

In England and Wales: NHS Direct - 0845 4647 or 111

In Scotland: NHS 24 - 08454 24 24 24

In N Ireland: Contact your local GP or pharmacist during normal hours; click here (www.

gpoutofhours.hscni.net/) for GP services Out-of-Hours.

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Product definition** Mixture Classification according to UK CLP/GHS

Kin Corr. 1B, H314 Eye Dam. 1, H318

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

Ingredients of unknown toxicity 4 percent of the mixture consists of component(s) of unknown acute oral toxicity

4 percent of the mixture consists of component(s) of unknown acute dermal toxicity

4 percent of the mixture consists of component(s) of unknown acute inhalation toxicity

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard pictograms



Signal word Danger

**Hazard statements** Causes severe skin burns and eye damage.

**Precautionary statements** 

General Not applicable.

Prevention Wear protective gloves, protective clothing and eye or face protection.

F INHALED: Immediately call a POISON CENTER or doctor. IF SWALLOWED: Immediately call a Response

POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

Not applicable. Storage

Disposal Dispose of contents and container in accordance with all local, regional, national and international

regulations

Not applicable. Supplemental label elements

Annex XVII - Restrictions on the Not applicable. manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

Containers to be fitted with child-resistant fastenings

Not applicable.

Tactile warning of danger Not applicable.

# 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification

None known

# SECTION 3: Composition/information on ingredients

3.2 Mixtures Mixture

 Product/ingredient name
 Identifiers
 %
 Classification
 Type

 Fodium hydroxide
 REACH #: 01-2119457892-27
 4
 Skin Corr. 1A, H314
 [1] [2]

 EC: 215-185-5
 Eye Dam. 1, H318
 Eye Dam. 1, H318
 Eye Dam. 1 (H318)

 CAS: 1310-73-2
 Index: 011-002-00-6
 Eye Dam. 1 (H318)
 Eye Dam. 1 (H318)

See Section 16 for the full text of the H statements

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

Skin contact

[1] Substance classified with a physical, health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a

physician

**Inhalation** Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air

and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Get medical attention immediately. Call a poison center or physician. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Ingestion

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water.

Remove dentures if any. If material has been swallowed and the exposed person is conscious,

Remove dentures it any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders 
No action shall be taken involving any personal risk or without suitable training. If it is suspected

that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear

gloves.

# 4.2 Most important symptoms and effects, both acute and delayed

# Over-exposure signs/symptoms

**Eye contact** Adverse symptoms may include the following:

watering redness

Inhalation No specific data.

**Skin contact** Adverse symptoms may include the following:

pain or irritation redness blistering may occur

**Ingestion** Adverse symptoms may include the following:

stomach pains

# 4.3 Indication of any immediate medical attention and special treatment needed

been ingested or inhaled.

**Specific treatments** No specific treatment.

Validation date 9 September 2025

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media None known.

# 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or fn a fire or if heated, a pressure increase will occur and the container may burst.

mixture

**Hazardous combustion** 

products

Decomposition products may include the following materials:

metal oxide/oxides

#### 5.3 Advice for firefighters

Special precautions for firefighters

Fromptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to British standard BS EN 469 will provide a basic level of protection for chemical incidents.

# SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective

For emergency responders

F specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Kvoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

# 6.3 Methods and material for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

6.4 Reference to other

sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures

₱ut on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

hygiene

Advice on general occupational Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Article Number 28920233 Page: 4/11



Validation date 9 September 2025

7.3 Specific end use(s)

**Recommendations** Analytical chemistry. Laboratory chemicals. Scientific research and development.

Industrial sector specific

solutions

sodium hydroxide

Not available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

# Occupational exposure limits

Product/ingredient name

Exposure limit values EH40/2005 WELs (United Kingdom (UK), 1/2020)

STEL 15 minutes: 2 mg/m<sup>3</sup>.

# **Biological exposure indices**

No exposure indices known.

Recommended monitoring procedures

Reference should be made to monitoring standards, such as the following: British Standard BS EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) British Standard BS EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) British Standard BS EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Product/ingredient name

sodium hydroxide

Result

DNEL - General population - Long term - Inhalation

1 mg/m³ Effects: Local

DNEL - Workers - Long term - Inhalation

1 mg/m³ Effects: Local

#### **PNECs**

Not available.

#### 8.2 Exposure controls

Appropriate engineering controls

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Article Number 28920233

# SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

# 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid. Colour Colourless. Odour Odourless. **Odour threshold** Not available. Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available.

Flammability (solid, gas) Upper/lower flammability or explosive limits

Not available. Not available.

Not applicable. Flash point **Auto-ignition temperature** Not applicable. **Decomposition temperature** Not available.

**Viscosity** Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available.

Kinematic (40°C): Not available.

Solubility(ies)

Media Result Cold water Easily soluble hot water Easily soluble

Solubility in water Partition coefficient: n-octanol/

Not available. Not applicable.

water

Vapour pressure Not available.

Ingredient name	<u>V</u> mm Hg	apour Pres kPa	sure at 20°C Method	mm Hg	<u>Vapour pres</u> kPa	sure at 50°C Method
water	17.5	2.3				
sodium hydroxide	0	0				
Evaporation rate	Not available.					
Relative density	Not available.					
Vapour density	Not available.					
Explosive properties	Not available.					
Oxidising properties	Not available.					
Particle characteristics						
Median particle size	Not applicable.					
9.2 Other information						
Not available.						

**Burning time** Not applicable. **Burning rate** Not applicable. Solubility in water Not available.

# SECTION 10: Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients. 10.1 Reactivity

10.2 Chemical stability The product is stable.

10.3 Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

No specific data. 10.4 Conditions to avoid No specific data. 10.5 Incompatible materials

Article Number 28920233

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

# **Acute toxicity**

Not available.

Conclusion/Summary [Product] Not available.

# **Acute toxicity estimates**

N/A

# Skin corrosion/irritation

# Product/ingredient name

sodium hydroxide

#### Result

Human - Skin - Severe irritant

<u>Duration of treatment/exposure</u>: 24 hours <u>Amount/concentration applied</u>: 10 pph

Conclusion/Summary [Product] Not available.

# Serious eye damage/eye irritation

Not available.

Conclusion/Summary [Product] Not available.

# Respiratory corrosion/irritation

Not available.

Conclusion/Summary [Product] Not available.

# Respiratory or skin sensitization

Not available.

#### Skin

Conclusion/Summary [Product] Not available.

# Respiratory

Conclusion/Summary [Product] Not available.

# Germ cell mutagenicity

Not available.

Conclusion/Summary [Product] Not available.

# Carcinogenicity

Not available.

Conclusion/Summary [Product] Not available.

# Reproductive toxicity

Not available.

Conclusion/Summary [Product] Not available.

# Specific target organ toxicity (single exposure)

Not available.

# Specific target organ toxicity (repeated exposure)

Not available.

# **Aspiration hazard**

Not available.

Information on likely routes of

Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

exposure

#### Potential acute health effects

**Inhalation** Causes serious eye damage.

**Ingestion** No known significant effects or critical hazards.

Skin contact Causes severe burns.

**Eye contact** Causes serious eye damage.

#### Symptoms related to the physical, chemical and toxicological characteristics

Inhalation No specific data

**Ingestion** Adverse symptoms may include the following:

stomach pains

**Skin contact** Adverse symptoms may include the following:

pain or irritation redness

blistering may occur

blistering may occur

Eye contact Adverse symptoms may include the following:

watering redness

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

Long term exposure

Potential immediate effects Not available.

Potential delayed effects Not available.

# Potential chronic health effects

Not available.

Conclusion/Summary [Product] Not available.

General No known significant effects or critical hazards.

Carcinogenicity No known significant effects or critical hazards.

Mutagenicity No known significant effects or critical hazards.

Reproductive toxicity No known significant effects or critical hazards.

Other information Not available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name Result

Sodium hydroxide Acute - LC50 - Fresh water

Fish - Western mosquitofish - Gambusia affinis - Adult

125 ppm [96 hours] Effect: Mortality

Conclusion/Summary [Product] Not available.

#### 12.2 Persistence and degradability

Not available.

Conclusion/Summary [Product] Not available.

# 12.3 Bioaccumulative potential

Not available.

#### 12.4 Mobility in soil

Article Number 28920233

Version 6

Soil/water partition coefficient Not available.

**Mobility** Not available.

12.5 Results of PBT and vPvB assessment

≰odium hydroxide No No No No No No No

**12.6 Other adverse effects** No known significant effects or critical hazards.

# SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

The classification of the product may meet the criteria for a hazardous waste.

**Packaging** 

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	UN1824	UN1824	UN1824	UN1824
14.2 UN proper shipping name	SODIUM HYDROXIDE, SOLUTION	SODIUM HYDROXIDE, SOLUTION	SODIUM HYDROXIDE, SOLUTION	SODIUM HYDROXIDE, SOLUTION
14.3 Transport hazard class(es)	8	8	8	8
14.4 Packing group	II	II	II	II
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for user

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

Not available.

# SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture UK (GB)/REACH

# Annex XIV - List of substances subject to authorisation

**Annex XIV** 

None of the components are listed.

# Substances of very high concern

None of the components are listed.

Article Number 28920233

9 5 2 8 9 2 0 2 3 3

# Ozone depleting substances

Not listed.

#### **Prior Informed Consent (PIC)**

Not listed.

#### **Persistent Organic Pollutants**

Not listed

# Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name % Designation [Usage]

Biotin CAPture Kit ≥90 3

Labelling Not applicable.

# **Seveso Directive**

This product is not controlled under the Seveso Directive.

# **EU regulations**

Industrial emissions Not listed

(integrated pollution prevention and control) - Air

Industrial emissions Not listed

(integrated pollution prevention and control) -

Water

#### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

# Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

# **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

# **Inventory list**

United States

All components are active or exempted.

Canada inventory

All components are listed or exempted.

All components are listed or exempted.

Japan inventory (CSCL): All components are listed or exempted.

Japan inventory (ISHL): Not determined.

15.2 Chemical safety

assessment

This product contains substances for which Chemical Safety Assessments are still required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** ATE = Acute Toxicity Estimate

GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = GB CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

# Procedure used to derive the classification

Classification Justification Kin Corr. 1B, H314 Calculation method Eye Dam. 1, H318 Calculation method

**H**314 Causes severe skin burns and eye damage. Full text of abbreviated H

statements H318 Causes serious eye damage.

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 Full text of classifications

Eye Dam. 1 Skin Corr. 1A SKIN CORROSION/IRRITATION - Category 1A Skin Corr. 1B SKIN CORROSION/IRRITATION - Category 1B

Date of printing 09 September 2025 Date of issue/ Date of revision 09 September 2025

Date of previous issue 19 April 2022

Version

# Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.