



SAFETY DATA SHEET

Republic of Korea

In accordance with the Standard for Classification and Labeling of Chemical Substance and Safety Data Sheet, Article 10 Paragraph 1

Section 1. Chemical product and company identification

A. Product name HyClone™ prime expression medium (chemically

defined)

Catalogue Number SH31198

Article Number SH31198

Recommended use of the chemical

For further manufacturing.

Restrictions on use

Uses advised against C.

Manufacturer HyClone Laboratories 925 West 1800 South Logan, Utah 84321 Phone: (435) 792-8000

Cytiva Singapore 1 Maritime Square #13-01 Harbourfront Centre Singapore 099253

Distributor 유통업자 글로벌 라이프 사이언스 솔루션즈 코리아 유한회사 BRC BLDG., 2동 2층 송도미래로 9, 연수구

인천시 면전시 대한민국 +82 2 3478 4584

Emergency telephone number (with hours of operation)

+82-2-3478-4584

Section 2. Hazards identification

Hazard classification GERM CELL MUTAGENICITY - Category 1B

AQUATIC HAZARD (LONG-TERM) - Category 3

This product is classified in accordance with the Industrial Safety and Health Act and the Chemical

Cytiva Austria

Phone: +43 7229 64865 Fax (+43) 7229 64866

Kremplstr. 5 4061 Pasching **AUSTRIA**

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic

environment: 50.7%

B. GHS label elements, including precautionary statements

Symbol

Signal word Danger

Hazard statements May cause genetic defects.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Article Number SH31198 Page: 1/11 Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves, protective clothing and eye or face protection. Avoid

CAS: 7447-40-7

EC: 231-211-8

≤5

release to the environment.

Response IF exposed or concerned: Get medical advice or attention.

Storage Store locked up.

Disposal Dispose of contents and container in accordance with all local, regional, national and international

regulations.

Mixture

C. Other hazards which do not result in classification

Substance/mixture

POTASSIUM CHI ORIDE

May form explosible dust-air mixture if dispersed.

Section 3. Composition/information on ingredients

Other means of identification	Not available.			
Ingredient name		Common name	Identifiers	%
SODIUM GLUCONATE			CAS: 527-07-1 EC: 208-407-7	≤5
L-BETA-ASPARAGINE			CAS: 70-47-3 EC: 200-735-9	≤5
L-serine L-serine			CAS: 56-45-1 EC: 200-274-3	≤5

L-(+)-LYSINE MONOHYDROCHLORIDE	CAS: 657-27-2	≤5
	EC: 211-519-9	

L-(-)-LEUCINE	CAS: 61-90-5 EC: 200-522-0	≤5
L-valine	CAS: 72-18-4 FC: 200-773-6	≤5

L-(-)-THREONINE	CAS: 72-19-5 EC: 200-774-1	≤5
ASPARTIC ACID	CAS: 56-84-8 EC: 200-291-6	≤5

L-(+)-ARGININE MONOHYDROCHLORIDE CAS: 1119-34-2 ≤5 EC: 214-275-1		LO. 200-231-0	
	L-(+)-ARGININE MONOHYDROCHLORIDE		≤5

MAGNESIUM SULFATE CAS: 7487-88-9 ≤5 EC: 231-298-2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

A.	Eye contact	Immediately flush eyes with plenty of	of water, occasionally lifting the upper and	lower eyelids. Check
		for and remove any contact lenses.	Continue to rinse for at least 10 minutes.	Get medical attention.

B. Skin contact

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash

contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes

thoroughly before reuse.

C. Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing,

if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

D. Ingestion Wash out mouth with water. Remove dentures if any. If material has been swallowed and the

exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

E. Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed

person may need to be kept under medical surveillance for 48 hours.

Specific treatments No specific treatment.

Article Number SH31198 Page: 2/11

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable Use dry chemical powder.

Not suitable Avoid high pressure media which could cause the formation of a potentially explosible dust-air

Specific hazards arising from the chemical

May form explosible dust-air mixture if dispersed. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from

being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides phosphorus oxides halogenated compounds metal oxide/oxides

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Special precautions for fire-

fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

B. Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

C. Methods and materials for containment and cleaning up

Small spill Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust

generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a

closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas.

Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind

dispersal. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

A. Precautions for safe handling

Protective measures

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

B. Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Article Number SH31198 Page: 3/11

Section 8. Exposure controls/personal protection

A. Control parameters

Occupational exposure limits

None

Biological exposure indices

No exposure indices known.

Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-

proof ventilation equipment.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

C. Personal protective equipment

Based on the hazard and potential for exposure, select a respirator that meets the appropriate Respiratory protection

standard or certification. Respirators must be used according to a respiratory protection program to

ensure proper fitting, training, and other important aspects of use.

Eye protection Safety eyewear complying with an approved standard should be used when a risk assessment

> indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree

of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all Hand protection

times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any

glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Skin protection Personal protective equipment for the body should be selected based on the task being performed

and the risks involved and should be approved by a specialist before handling this product.

Wash hands, forearms and face thoroughly after handling chemical products, before eating, Hygiene measures smoking and using the lavatory and at the end of the working period. Appropriate techniques should

be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>

Physical state Solid. [Powder.] Color Off-white. B. Odor Not available. Odor threshold Not available. 5.2 to 7.4 E. Melting/freezing point Not available **Boiling point or initial** Not available. boiling point and boiling

range

G. Flash point Not applicable. Not available Fire point **Burning time** Not available **Burning rate** Not available. H. Evaporation rate Not available. I. Flammability (solid, gas) Not available.

(flammable) limits

Lower and upper explosive

Not applicable.

Not available. Vapor pressure Solubility in water Not available. Vapor density Not applicable. Relative density Not available

> Article Number SH31198 Page: 4/11

Partition coefficient: n-

octanol/water

Not applicable.

P. Auto-ignition temperature Q. Decomposition

SADT

Not applicable. Not available.

temperature

Not available

R. Viscosity Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available.

Not available.

Flow time (ISO 2431) S. Molecular weight Not applicable.

Particle characteristics

Median particle size Not available.

Section 10. Stability and reactivity

A. Chemical stability

The product is stable.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

B. Conditions to avoid

Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate

static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.

Incompatible materials

Reactive or incompatible with the following materials:

oxidizing materials

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be

Section 11. Toxicological information

Information on the likely routes of exposure

Routes of entry anticipated: Oral, Dermal, Eyes.

Potential acute health effects

Respiratory Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the nose, throat and lungs.

Oral No known significant effects or critical hazards. Skin No known significant effects or critical hazards.

Eyes Exposure to airborne concentrations above statutory or recommended exposure limits may cause

irritation of the eyes.

Over-exposure signs/symptoms

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

No specific data. Ingestion Skin contact No specific data.

Eye contact Adverse symptoms may include the following:

irritation redness

B. Health hazards

Acute toxicity

Product/ingredient name Result

L-serine Rat - Oral - LD50

14 g/kg

POTASSIUM CHLORIDE Rat - Male - Oral - LD50

2600 mg/kg

Toxic effects: Gastrointestinal - Hypermotility, diarrhea Gastrointestinal -

Nausea or vomiting

L-(+)-LYSINE MONOHYDROCHLORIDE Rat - Oral - LD50

10 g/kg

Toxic effects: Behavioral - Altered sleep time (including change in righting reflex) Behavioral - Ataxia Lung, Thorax, or Respiration -

Dyspnea

L-(-)-LEUCINE Rat - Oral - LD50

16000 mg/kg

L-valine Rat - Oral - LD50 2000 mg/kg

> Article Number SH31198 Page: 5/11

ASPARTIC ACID

Rat - Oral - LD50

5000 mg/kg

Rabbit - Dermal - LD50

5000 mg/kg Rat - Oral - LD50

L-(+)-ARGININE MONOHYDROCHLORIDE

12 a/ka

<u>Toxic effects</u>: Behavioral - Altered sleep time (including change in righting reflex) Behavioral - Ataxia Lung, Thorax, or Respiration -

Dyspnea

Conclusion/Summary

[Product]

Not available.

Skin corrosion/irritation

Not available.

Conclusion/Summary

Not available.

[Product]

Ingredient name

L-serine L-(+)-LYSINE MONOHYDROCHLORIDE

L-(-)-LEUCINE L-valine L-(-)-THREONINE Conclusion/Summary

May cause skin irritation. May cause skin irritation. May cause skin irritation. May cause skin irritation. May cause skin irritation.

Serious eye damage/eye irritation

Not available.

Conclusion/Summary

Not available.

[Product]

Ingredient name

L-serine L-(+)-LYSINE MONOHYDROCHLORIDE

L-(-)-LEUCINE L-valine L-(-)-THREONINE Conclusion/Summary

May cause eye irritation. May cause eye irritation. May cause eye irritation. May cause eye irritation. May cause eye irritation.

Respiratory corrosion/irritation

Not available.

Conclusion/Summary

Not available.

[Product]

Respiratory or skin sensitization

Not available.

Skin

Conclusion/Summary

[Product]

Not available.

Respiratory

Conclusion/Summary

[Product]

Not available.

Not available.

Germ cell mutagenicity

Not available.

Conclusion/Summary

Not available.

[Product]

Carcinogenicity

Article Number SH31198 Page: 6/11

Not available

Conclusion/Summary

[Product]

Not available.

Reproductive toxicity

Not available.

Conclusion/Summary

[Product]

Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name Result

SODIUM GLUCONATE SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)

(Respiratory tract irritation) - Category 3

L-BETA-ASPARAGINE SPECIFIC TARGET ORGÁN TOXICÍTY (SINGLE EXPOSURE)

(Respiratory tract irritation) - Category 3

POTASSIUM CHLORIDE ŠPĖCIFIC ŤARGET ORGAN TOXICÍTY (SINGLE EXPOSURE) -

Category 2

SPEČIFÍC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)

(Respiratory tract irritation) - Category 3

L-(-)-THREONINE SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)

(Respiratory tract irritation) - Category 3

ASPARTIC ACID SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)

(Respiratory tract irritation) - Category 3

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Potential chronic health effects

Not available.

Conclusion/Summary

[Product]

Not available.

General Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity No known significant effects or critical hazards.

Mutagenicity May cause genetic defects.

Reproductive toxicity No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
HyClone™ prime expression medium (chemically defined)	40705.5	155553.8	N/A	N/A	N/A
L-serine .	14000	N/A	N/A	N/A	N/A
POTASSIUM CHLORIDE	2600	N/A	N/A	N/A	N/A
L-(+)-LYSINE MONOHYDROCHLORIDE	10000	N/A	N/A	N/A	N/A
L-(-)-LEUCINE	16000	N/A	N/A	N/A	N/A
L-valine	2000	N/A	N/A	N/A	N/A
ASPARTIC ACID	5000	5000	N/A	N/A	N/A
L-(+)-ARGININE MONOHYDROCHLORIDE	12000	N/A	N/A	N/A	N/A

Section 12. Ecological information

A. **Ecotoxicity**

Product/ingredient name
L-serine
Acute - EC50
Daphnia
83 mg/l [48 hours]

Acute - NOEC

Algae

1000 mg/l [72 hours]

POTASSIUM CHLORIDE Acute - LC50 - Fresh water

Crustaceans - Water flea - Pseudosida ramosa - Neonate

<u>Age</u>: ≤24 hours 9.68 mg/l [48 hours]

Article Number SH31198 Page: 7/11

Effect: Mortality

Acute - EC50 - Fresh water

ISO

Algae - Green algae - Desmodesmus subspicatus

9.24 g/l [72 hours] Effect: Population

Acute - LC50 - Fresh water Fish - Zebra danio - Danio rerio

509.65 mg/l [96 hours] Effect: Mortality

LC50

Fish

10000 mg/l [96 hours]

Chronic - NOEC - Fresh water

Daphnia - Water flea - Daphnia magna - Neonate

Age: <24 hours 360 mg/l [3 weeks] Effect: Reproduction

Chronic - IC10 - Fresh water

Aquatic plants - Lesser Duckweed - Lemna aequinoctialis

1.9 mg/l [96 hours]
<u>Effect</u>: Population **Acute - IC50 - Fresh water**

Aquatic plants - Lesser Duckweed - Lemna aequinoctialis

4.4 mg/l [96 hours] Effect: Population

Acute - LC50 - Fresh water

Fish - Purple Spotted Gudgeon - Mogurnda mogurnda - Larvae

40 mg/l [96 hours] Effect: Mortality

Acute - EC50 - Fresh water

Daphnia - Water flea - Daphnia magna

343.56 mg/l [48 hours] Effect: Intoxication

Conclusion/Summary

[Product]

L-valine

MAGNESIUM SULFATE

Not available.

Ingredient name

L-BETA-ASPARAGINE L-serine

L-(+)-LYSINE MONOHYDROCHLORIDE

L-(-)-LEUCINE L-valine L-(-)-THREONINE ASPARTIC ACID

L-(+)-ARGININE MONOHYDROCHLORIDE

Conclusion/Summary

Naturally occurring substance Naturally occurring substance

B. Persistence/degradability

Product/ingredient name

L-valine

Not available.

Conclusion/Summary [Product]

Ingredient name

L-serine L-(+)-LYSINE MONOHYDROCHLORIDE

L-(-)-LEUCINE L-valine

ASPARTIC ACID

L-(+)-ARGININE MONOHYDROCHLORIDE

Product/ingredient name Aquatic half-life
L-valine -

Conclusion/Summary

Result

82% [28 days]

Not expected to bioaccumulate. Naturally occurring substance Not expected to bioaccumulate. Naturally occurring substance

Photolysis Biodegradability
- Readily

C. Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
asparagine	-3.82	3	Low
L-serine	-3.07	0.609	Low
lysine hydrochloride	<-3.3	1.041	Low
L-leucine	-1.52	0.849	Low
L-valine	-2.26	0.846	Low
L-threonine	-2.94	0.811	Low
aspartic acid	-3.89	-	Low

D. Mobility in soil

Soil/Water partition coefficient Not available.

Article Number SH31198 Page: 8/11

E. Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

A. Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

B. Disposal precautions

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

<u>UN</u>

A. UN number Not available.
B. Proper shipping name Not available.
C. Classes Not available.
D. Packing group Not available.
E. Marine pollutant No.

F. Additional information

Label

IMDG

A. UN number Not available.
B. Proper shipping name Not available.
C. Classes Not available.
D. Packing group Not available.
E. Marine pollutant No.

F. Additional information -

Label

IATA

A. UN number Not available.
B. Proper shipping name Not available.
C. Classes Not available.
D. Packing group Not available.
E. Marine pollutant No.

F. Additional information -

Label

Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments

Not available

Section 15. Regulatory information

A. Regulation according to ISHA

ISHA article 117 (Harmful substances prohibited from manufacture)

None of the components are listed.

ISHA article 118 (Harmful substances requiring permission)

None of the components are listed.

Exposure Limits of Chemical Substances and Physical Factors

None of the components have an OEL.

Article Number SH31198 Page: 9/11

ISHA Enforcement Regs Annex 19 (Exposure standards established for The following components are listed: cobalt and its inorganic compounds, manganese and its inorganic compounds, Cadmium and its compounds

harmful factors)

ISHA Enforcement Regs Annex 21 (Harmful factors subject to Work Environment None of the components are listed.

Measurement)
ISHA Enforcement Regs

ISHA Enforcement Regs Annex 22 (Harmful Factors Subject to Special Health None of the components are listed.

Check-up)

Standard of Industrial Safety and Health Annex 12 (Hazardous substances subject to control) None of the components are listed.

B. Regulation according to Chemicals Control Act

Article 11 (TRI)

None of the components are listed.

Article 18 Prohibited (K-Reach
Article 27)

None of the components are listed.

Article 19 Candidate substances subject to authorization (K-Reach Article

None of the components are listed.

25)

Article 19 Subject to authorization (K-Reach Article

None of the components are listed.

25)

Not applicable

Article 20 Toxic Chemicals (K-Reach Article 20)

Article 20 Restricted (K-Reach None of the components are listed.

Article 27)

Article 39 (Accident Precaution Chemicals)

Not listed.

MoE 2021-51 - Regulations on the quantity of toxic substances, restricted substances, prohibited substances and permitted substances

Ingredient name	Higher regulated quantity	Lower regulated quantity
inorganic zinc, salts	400 tonnes	20 tonnes
2-Methyl-1,4-naphthalenedione	400 tonnes	20 tonnes
acetic acid	400 tonnes	20 tonnes
selenium compounds	200 tonnes	5 tonnes
Ergocalciferol	400 tonnes	20 tonnes
cadmium compounds	400 tonnes	20 tonnes
inorganic tin, salts	-	20 tonnes

Existing Chemical Substances Subject to Registration The following components are listed: Sulfuric acid, zinc salt (1:1), heptahydrate, Cadmium chloride,

Dispose of contents and container in accordance with all local, regional, national and international

hydrate (2:5), Tin chloride (SnCl2), dihydrate

C. Dangerous Materials
Safety Management Act

D. Wastes regulation

Not applicable.

regulations.

E. Regulation according to other foreign laws

Article 2 of Youth Protection
Act on Substances Hazardous

Not applicable.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed

to Youth

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

Article Number SH31198 Page: 10/11

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Republic of Korea Not determined.
United States Not determined.

China At least one component is not listed.

Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

Section 16. Other information

A. References

3. First issue date 18 July 2024

C. Date of issue/Date of

18 July 2024 / 10 September 2025

revision

D. Version 0.02

Date of printing 10 September 2025

sds_author@cytiva.com

E. Other

Indicates information that has changed from previously issued version.

Key to abbreviations ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Article Number SH31198 Page: 11/11