	Page: 1
SAFETY DATA SHEET	Revision Date: 11/22/2022
	Print Date: 10/28/2023
	SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504	Version: 1.3

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Advantage™ CS6104 Defoaming Agent
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Industrial chemical

Details of the supplier of the safety data sheet Solenis Canada ULC 942 Brant St. Burlington, ON L7R 3X8 Canada EHSProductSafetyTeam@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
--	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

This material is not considered hazardous under WHMIS 2015.

GHS label elements

This material is not considered hazardous under WHMIS 2015.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture


Components

Chemical name	CAS-No.	Concentration (% w/w)
SORBITAN MONOSTEARATE	1338-41-6	≥ 1 - < 1.5

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES


General advice : No hazards which require special first aid measures.

	Page: 2
SAFETY DATA SHEET	Revision Date: 11/22/2022
	Print Date: 10/28/2023
	SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504	Version: 1.3

If inhaled	: If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye.
If swallowed	: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea)
Notes to physician	: No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon monoxide Carbon dioxide (CO2) formaldehyde Hydrocarbons Silicon oxides
Specific extinguishing methods	: Product is compatible with standard fire-fighting agents.
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

	Page: 3
SAFETY DATA SHEET	Revision Date: 11/22/2022
	Print Date: 10/28/2023
	SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504	Version: 1.3

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE


- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Recommended storage temperature : 4 - 40 °C
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
SORBITAN MONOSTEARATE	1338-41-6	TWA	10 mg/m ³	CA AB OEL
		TWA (Inhalable)	10 mg/m ³	CA BC OEL
		TWA (Respirable)	3 mg/m ³	CA BC OEL

- Engineering measures** : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local

		Page: 4
SAFETY DATA SHEET		Revision Date: 11/22/2022
		Print Date: 10/28/2023
		SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504		Version: 1.3


exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.
- Skin and body protection : Wear as appropriate:
Safety shoes
Wear resistant gloves (consult your safety equipment supplier).
- Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : white, opaque
- Odour : mild
- Odour Threshold : No data available
- pH : 7.0 - 8.0
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : 100 °C
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : No data available

	Page: 5
SAFETY DATA SHEET	Revision Date: 11/22/2022
	Print Date: 10/28/2023
	SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504	Version: 1.3

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.0 g/cm³ (20 °C)

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 1,000 - 2,000 cps (20 °C)
Method: Brookfield

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY


Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Carbon monoxide
Carbon dioxide (CO₂)
Formaldehyde
Hydrocarbons
Silicon oxides

	Page: 6
SAFETY DATA SHEET	Revision Date: 11/22/2022
	Print Date: 10/28/2023
	SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504	Version: 1.3

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Components:

SORBITAN MONOSTEARATE:

Result : Mildly irritating to skin

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Unlikely to cause eye irritation or injury.

Components:

SORBITAN MONOSTEARATE:

Result : Mildly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure


Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

 Strong bonds. Trusted solutions.		Page: 7
SAFETY DATA SHEET		Revision Date: 11/22/2022
		Print Date: 10/28/2023
		SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504		Version: 1.3

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

SORBITAN MONOSTEARATE:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h

Persistence and degradability

Components:

SORBITAN MONOSTEARATE:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.


Contaminated packaging : Empty remaining contents.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

		Page: 8
SAFETY DATA SHEET		Revision Date: 11/22/2022
		Print Date: 10/28/2023
		SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504		Version: 1.3

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIOC	: On the inventory, or in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.


SECTION 16. OTHER INFORMATION

Further information

Revision Date : 11/22/2022

Full text of other abbreviations

CA AB OEL : Canada, Alberta, Occupational Health and Safety Code (table

 Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 11/22/2022
	Print Date: 10/28/2023
	SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504	Version: 1.3

2: OEL)
CA BC OEL : Canada. British Columbia OEL
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Safety Data Sheet


Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

		Page: 10
SAFETY DATA SHEET		Revision Date: 11/22/2022
		Print Date: 10/28/2023
		SDS Number: 000000265216
Advantage™ CS6104 Defoaming Agent ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 871504		Version: 1.3

CA / EN