



## Dicolube® ST Conveyor Lubricant

Revision: 2024-07-31

Version: 01.0

### 1. IDENTIFICATION

**Product name:** Dicolube® ST  
Conveyor Lubricant  
MS0800970

**SDS #:**

**Recommended use:**

- Conveyor Track Treatment
- This product is intended to be diluted prior to use

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249 SDS Internet Address: <a href="https://sds.diversey.com">https://sds.diversey.com</a>	Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171
--	---

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Flammable liquids, Category 3  
Serious eye damage, Category 1  
Specific target organ toxicity (repeated exposure), Category 2  
Skin irritation, Category 2



**Signal word:**

**Danger.**

#### Hazard Statements

**FLAMMABLE LIQUID AND VAPOR. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.**

#### Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating or lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe spray. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Get medical attention or advice if you feel unwell. Take off contaminated clothing and wash it before reuse. In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish. Store in a well-ventilated place. Keep cool. Dispose of in accordance with all federal, state and local applicable regulations.

**Health hazards not otherwise classified (HHNOC)** - Not applicable

**Physical hazards not otherwise classified (PHNOC)** - Not applicable

#### Classification for the diluted product 0.4% v/v

Dicolube® ST  
Conveyor Lubricant

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### **Hazard and Precautionary Statements**

None required.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Classified Ingredients**

<b>Ingredient(s)</b>	<b>CAS #</b>	<b>Weight %</b>
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	85480-55-3	7 - 13%
Fatty acids, C16-18 and C18-unsatd., potassium salts	68424-23-7	7 - 13%
Isopropyl alcohol	67-63-0	3 - 7%
Alcohol ethoxylate	68002-97-1	1 - 5%
Dipropylene glycol methyl ether	34590-94-8	1 - 5%
Tetrasodium salt of EDTA	64-02-8	1 - 5%
4-Chloro-3-methylphenol sodium salt	15733-22-9	> 0.1 - 1%

### **4. FIRST AID MEASURES**

#### **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed** Not applicable.

**Aggravated Medical Conditions:** Persons with pre-existing skin disorders may be more susceptible to irritating effects.

#### **Diluted Product:**

**Eyes:** Rinse with plenty of water.

**Skin:** No specific first aid measures are required

**Inhalation:** No specific first aid measures are required

**Ingestion:** IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

### **5. FIRE-FIGHTING MEASURES**

**Specific methods:**

No special methods required

**Suitable extinguishing media:**

Dry powder. Carbon dioxide. "Alcohol" foam.

**Specific hazards:**

Keep product and empty container away from heat and sources of ignition. Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

### **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:**

Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:**

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

### **7. HANDLING AND STORAGE**

**Handling:** Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or

mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. **FLAMMABLE LIQUID AND VAPOR.** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating or lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.  
**Storage:** Store in a well-ventilated place. Keep cool. Store locked up.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines:

Ingredient(s)	ACGIH	OSHA
Isopropyl alcohol	400 ppm (STEL) 200 ppm (TWA)	400 ppm (TWA) 980 mg/m <sup>3</sup> (TWA)
Dipropylene glycol methyl ether	50 ppm (TWA)	Skin 100 ppm (TWA) 600 mg/m <sup>3</sup> (TWA)

### Undiluted Product:

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

#### Personal Protective Equipment

<b>Eye protection:</b>	Chemical-splash goggles.
<b>Hand protection:</b>	Chemical-resistant gloves.
<b>Skin and body protection:</b>	No personal protective equipment required under normal use conditions.
<b>Respiratory protection:</b>	In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

### Diluted Product:

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

<b>Eye protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hand protection:</b>	No personal protective equipment required under normal use conditions.
<b>Skin and body protection:</b>	No personal protective equipment required under normal use conditions.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** Liquid

**Evaporation Rate:** No information available

**Odor threshold:** No information available.

**Melting point/freezing point (°C):** Not determined

**Autoignition temperature:** No information available

**Solubility in other solvents:** No information available

**Density:** 1.02 Kg/L

**Bulk density:** No information available

**Flash point (°F):**

**Kinematic viscosity** No information available

**VOC:** 9.6 % \*

**Flammability (Solid or Gas):** Not applicable

**Sustained combustion:** The product does not sustain combustion

**Explosion limits:** - upper: Not determined - lower: Not determined

**Color:** Clear , Yellow

**Odor:** Phenolic

**Boiling point/range:** Not determined

**Decomposition temperature:** Not determined

**Solubility:** Completely Soluble

**Relative Density (relative to water):** 1.02

**Vapor density:** No information available

**Vapor pressure:** No information available.

**Partition coefficient (n-octanol/water):** No information available

**Elemental Phosphorus:** 0.00 % by wt.

**pH:** 9.6

**Corrosion to metals:** Not corrosive to metals

**Dilution pH:** 9

**Dilution Flash Point (°F):** > 200 > 93.3

**VOC % by wt. at use dilution:** 0.04

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	Not Applicable
<b>Stability:</b>	The product is stable
<b>Possibility of hazardous reactions:</b>	None known
<b>Hazardous decomposition products:</b>	Decomposition may produce fumes, smoke, oxides of carbon and hydrocarbons.
<b>Materials to avoid:</b>	Do not mix with any other product or chemical unless specified in the use directions.
<b>Conditions to avoid:</b>	No information available.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):**

**Carcinogen Listings:** Isopropyl alcohol is only classified as an IARC 1 carcinogen & OSHA due to possible exposure to sulfuric acid mist that can be generated during its manufacture. We do not manufacture isopropyl alcohol; therefore, it is not considered a carcinogen in our products.

### Numerical measures of toxicity

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Mobility:** No information available.

**Other adverse effects** No other adverse effects known.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products (undiluted product):** This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Waste from residues / unused products (diluted product):** This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**RCRA Hazard Class (undiluted product):** D001 Ignitable Waste

**RCRA Hazard Class (diluted product):** Not Regulated

**Contaminated Packaging:** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

**DOT (Ground) Bill of Lading Description:** NOT REGULATED

**IMDG (Ocean) Bill of Lading Description:** NOT REGULATED

## 15. REGULATORY INFORMATION

### International Inventories at CAS# Level

TSCA

All components are listed or otherwise exempt

DSL

All components are listed or otherwise exempt

### US RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	85480-55-3	-	-	-	-
Fatty acids, C16-18 and C18-unsatd., potassium salts	68424-23-7	-	-	-	-
Isopropyl alcohol	67-63-0	X	X	X	-
Alcohol ethoxylate	68002-97-1	-	-	-	-
Dipropylene glycol methyl ether	34590-94-8	X	X	X	-
Tetrasodium salt of EDTA	64-02-8	-	-	-	-

### CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Isopropyl alcohol	67-63-0	3 - 7%			X
Dipropylene glycol methyl ether	34590-94-8	1 - 5%			X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Dipropylene glycol methyl ether	X		

### Canadian Regulations

Ingredient(s)	CAS #	NPRI
Isopropyl alcohol	67-63-0	X

## 16. OTHER INFORMATION

### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3

Flammability 2

Instability 0

Special Hazards -

### Diluted Product:

Health 0

Flammability 0

Instability 0

Special Hazards -

Revision: 2024-07-31

Version: 01.0

Reason for revision:

Not applicable

Prepared by:

North American Regulatory Affairs

**Additional advice:**

- Does not contain an added fragrance

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*