		Page: 1
SAFETY DATA SHEET		Revision Date: 08/22/2022
		Print Date: 10/31/2022
		SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932		Version: 1.7

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Amerfloc™ 492 polymer
 ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) EHSProductSafetyTeam@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards

Material can create slippery conditions.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS


Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.


If inhaled : If breathed in, move person into fresh air.

	Page: 2
SAFETY DATA SHEET	Revision Date: 08/22/2022
	Print Date: 10/31/2022
	SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932	Version: 1.7

	<p>If unconscious, place in recovery position and seek medical advice.</p> <p>If symptoms persist, call a physician.</p>
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye.
If swallowed	: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways)
Notes to physician	: No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Specific hazards during firefighting	: If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Ammonia Carbon monoxide Carbon dioxide (CO2) hydrogen chloride nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid) Ammonia Carbon monoxide Carbon dioxide (CO2) hydrogen chloride nitrogen oxides (NOx)

		Page: 3
SAFETY DATA SHEET		Revision Date: 08/22/2022
		Print Date: 10/31/2022
		SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932		Version: 1.7


- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Material can create slippery conditions.
Water may cause extremely slippery conditions.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Spills of this material are very slippery.
Material can create slippery conditions.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid spillage on floor as the product can become very slippery.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

		Page: 4
SAFETY DATA SHEET		Revision Date: 08/22/2022
		Print Date: 10/31/2022
		SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932		Version: 1.7

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:
Safety shoes
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

Odour : none


Odour Threshold : No data available

pH : 5 - 7

Melting point/freezing point : < 41 °F / < 5 °C

Boiling point/boiling range : > 212 °F / > 100 °C


Flash point : > 212 °F / > 100 °C
does not flash

	Page: 5
SAFETY DATA SHEET	Revision Date: 08/22/2022
	Print Date: 10/31/2022
	SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932	Version: 1.7

Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Self-ignition	: does not ignite
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: 2.3 kPa (68 °F / 20 °C)
Relative vapour density	: 0.804 (68 °F / 20 °C)
Relative density	: 1.0 - 1.2
Density	: ca. 1.04 g/cm ³
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: log Pow: < 0
Decomposition temperature	: > 302 °F / > 150 °C
Viscosity	
Viscosity, dynamic	: 700 - 1,000 cps 30 RPM
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Conditions to avoid	: excessive heat Protect from frost. Heat, flames and sparks. Exposure to moisture

 Strong bonds. Trusted solutions.		Page: 6
SAFETY DATA SHEET		Revision Date: 08/22/2022
		Print Date: 10/31/2022
		SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932		Version: 1.7

Incompatible materials : aluminum
Copper
Iron
strong mineral acids
Strong oxidizing agents

Hazardous decomposition products : Ammonia
Carbon dioxide (CO₂)
hydrogen chloride
nitrogen oxides
Ammonia
Carbon monoxide
Hydrogen chloride gas
Nitrogen oxides (NO_x)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Based on a similar product formulation.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Based on a similar product formulation.

Skin corrosion/irritation

Not classified based on available information.

Product:

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Unlikely to cause eye irritation or injury.


Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

		Page: 7
SAFETY DATA SHEET		Revision Date: 08/22/2022
		Print Date: 10/31/2022
		SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932		Version: 1.7

Product:

Result : Does not cause skin sensitisation.

Result : Does not cause respiratory sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION


Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
 Exposure time: 96 h
 Remarks: Based on a similar product formulation.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 Exposure time: 48 h
 Remarks: Based on a similar product formulation.

Toxicity to microorganisms : EC0 (activated sludge): 1,000 mg/l
 Exposure time: 0.5 h

		Page: 8
SAFETY DATA SHEET		Revision Date: 08/22/2022
		Print Date: 10/31/2022
		SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932		Version: 1.7

Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Persistence and degradability

Product:

Biochemical Oxygen Demand (BOD) : Biochemical oxygen demand within 5 days
 < 1,000 mg/l
 Remarks: Based on a similar product formulation.

Chemical Oxygen Demand (COD) : 501,000 mg/l
 Method: Chemical oxygen demand
 Remarks: Based on a similar product formulation.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.

SECTION 14. TRANSPORT INFORMATION


International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

		Page: 9
SAFETY DATA SHEET		Revision Date: 08/22/2022
		Print Date: 10/31/2022
		SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932		Version: 1.7

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards


SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TSCA	:	On TSCA Inventory

		Page: 10
SAFETY DATA SHEET		Revision Date: 08/22/2022
		Print Date: 10/31/2022
		SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932		Version: 1.7

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION


Further information

Revision Date : 08/22/2022

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

		Page: 11
SAFETY DATA SHEET		Revision Date: 08/22/2022
		Print Date: 10/31/2022
		SDS Number: R0307068
Amerfloc™ 492 polymer ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 83932		Version: 1.7

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN