	Page: 1
SAFETY DATA SHEET	Revision Date: 08/29/2022
	Print Date: 04/19/2023
	SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102	Version: 2.0

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Zetag™ 8140 KF-NC
FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Flocculant

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) EHSProductSafetyTeam@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards


Material can create slippery conditions.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (%)
ORGANIC ACID	Trade Secret	Eye Irrit. 2A; H319 STOT SE 3; H335	>= 1.5 - < 5
AMIDE	Trade Secret	Not a hazardous	>= 1.5 - < 5

	Page: 2
SAFETY DATA SHEET	Revision Date: 08/29/2022
	Print Date: 04/19/2023
	SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102	Version: 2.0

		substance or mixture according to the Globally Harmonised System (GHS).	
--	--	---	--


Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.
If inhaled	: If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye.
If swallowed	: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways)
Notes to physician	: No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon monoxide Carbon dioxide (CO ₂) Nitrogen oxides (NO _x) acid vapors

	Page: 3
SAFETY DATA SHEET	Revision Date: 08/29/2022
	Print Date: 04/19/2023
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102	SDS Number: R1202065 Version: 2.0

Ammonia


- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Material can create slippery conditions.
Water may cause extremely slippery conditions.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Material can create slippery conditions.
Avoid dust formation.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : For small spills, quickly contain and remove the spilled material using absorbent pads, socks, kitty litter, sawdust etc, then appropriately dispose. Do not leave absorbents to sit overnight, as they will become hard and difficult to remove.
The remaining residue or film can be treated with dilute caustic (2%) or dilute liquid bleach (2–5%), allowed to soak for up to one hour, and clean with warm water (between 49C – 54C (120F – 130 F)) or flushed to a sewer using high volumes of water taking into account local guidelines.
Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid spillage on floor as the product can become very slippery.
Avoid dust formation.
Smoking, eating and drinking should be prohibited in the application area.

		Page: 4
SAFETY DATA SHEET		Revision Date: 08/29/2022
		Print Date: 04/19/2023
		SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102		Version: 2.0

For personal protection see section 8.

- Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
AMIDE	Trade Secret	TWA	10 mg/m3	US WEEL


- Engineering measures** : Provide appropriate exhaust ventilation at places where dust is formed.
General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment


- Respiratory protection : No personal respiratory protective equipment normally required.
- Eye protection : Safety glasses
- Skin and body protection : Wear as appropriate:
Safety shoes
Wear resistant gloves (consult your safety equipment supplier).
- Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : granular

 Strong bonds. Trusted solutions.	Page: 5
SAFETY DATA SHEET	Revision Date: 08/29/2022
	Print Date: 04/19/2023
	SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102	Version: 2.0

Colour	: light yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
	Not combustible Dust
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 5 - 7 g/cm ³
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: 400 - 500 mPa.s (68 °F / 20 °C) (as suspension)

	Page: 6
SAFETY DATA SHEET	Revision Date: 08/29/2022
	Print Date: 04/19/2023
	SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102	Version: 2.0

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : Heat, flames and sparks.

Keep away from heat, flame, sparks and other ignition sources.

Incompatible materials : Acids
Chlorine
Metals
nitrates
Strong bases
Strong oxidizing agents
strong reducing agents

Hazardous decomposition products : Carbon monoxide
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)
acid vapors
Ammonia

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

ORGANIC ACID:

Acute oral toxicity : LD50 (Rat): 3 g/kg


Skin corrosion/irritation

Not classified based on available information.

Components:

ORGANIC ACID:

Result : Slightly irritating to skin

		Page: 7
SAFETY DATA SHEET		Revision Date: 08/29/2022
		Print Date: 04/19/2023
		SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102		Version: 2.0

AMIDE:

Result : Not irritating to skin

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Unlikely to cause eye irritation or injury.
Product dust may be irritating to eyes, skin and respiratory system.

Components:

ORGANIC ACID:

Result : Severely irritating to eyes

AMIDE:

Result : Not irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

AMIDE:

Genotoxicity in vitro : Test Type: Ames test
Result: negative


Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

		Page: 8
SAFETY DATA SHEET		Revision Date: 08/29/2022
		Print Date: 04/19/2023
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102		SDS Number: R1202065
		Version: 2.0

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

ORGANIC ACID:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Fish): > 10 - 100 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 10 - 100 mg/l
Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Not classified based on available information.


Components:

ORGANIC ACID:

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 440 - 706 mg/l
Exposure time: 96 h

AMIDE:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 6,810 mg/l
Exposure time: 96 h

 Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 08/29/2022
	Print Date: 04/19/2023
	SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102	Version: 2.0

LC50 (Poecilia reticulata (guppy)): 17,500 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,910 mg/l
Exposure time: 48 h
Method: Static

Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.
Remarks: At natural pHs (>6), the polymer degrades due to the hydrolysis to more than 70% in 28 days.

Components:

AMIDE:

Biodegradability : Remarks: Expected to be ultimately biodegradable

Bioaccumulative potential

Components:

AMIDE:

Bioaccumulation : Species: Green algae (Chlorella fusca vacuolata)
Bioconcentration factor (BCF): 11,700
Exposure time: 24 h
Concentration: 0.05 mg/l
Method: Static

Partition coefficient: n-octanol/water : log Pow: -2.11

Mobility in soil

No data available

Other adverse effects


Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

		Page: 10
SAFETY DATA SHEET		Revision Date: 08/29/2022
		Print Date: 04/19/2023
		SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102		Version: 2.0

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible Dust


SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment performed on the product as delivered and when used as intended.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

 Strong bonds. Trusted solutions.		Page: 11
SAFETY DATA SHEET		Revision Date: 08/29/2022
		Print Date: 04/19/2023
		SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102		Version: 2.0

TSCA	: All substances listed as active on the TSCA inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 08/29/2022


Full text of H-Statements

H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

Full text of other abbreviations

Eye Irrit. : Eye irritation
STOT SE : Specific target organ toxicity - single exposure
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing

		Page: 12
SAFETY DATA SHEET		Revision Date: 08/29/2022
		Print Date: 04/19/2023
		SDS Number: R1202065
Zetag™ 8140 KF-NC FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 881102		Version: 2.0

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN