

**SAFETY DATA SHEET**

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Performax™ MX1305 COOLING WATER  
TREATMENT

Version: 3.0

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473**SECTION 1. IDENTIFICATION****Product identifier**

Trade name

: Performax™ MX1305  
COOLING WATER TREATMENT  
™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries**Recommended use of the chemical and restrictions on use**

Use of the Substance/Mixture : Industrial chemical

<b>Details of the supplier of the safety data sheet</b>  Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA)  RegulatoryRequestsNA@solenis.com	<b>Emergency telephone number</b> 1-844-SOLENIS (844-765-3647)  <b>Product Information</b> Contact your local Solenis representative
---	--

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin corrosion : Category 1

Serious eye damage : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**SAFETY DATA SHEET**

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

**Performax™ MX1305 COOLING WATER  
TREATMENT**

Version: 3.0

 ™ Trademark, Solenis or its subsidiaries or affiliates,  
 registered in various countries  
 875473
**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Classification	Concentration (%)
ORGANIC SALT	Trade Secret	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2A; H319	>= 1.5 - < 5
ACRYLIC POLYMER	Trade Secret	Eye Irrit. 2A; H319	>= 1.5 - < 5
TRIAZOLE DERIVATIVE	Trade Secret	Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Dam. 1; H318	>= 1.5 - < 5

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
 Consult a physician.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.

## SAFETY DATA SHEET

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Version: 3.0

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

- If inhaled : Move to fresh air.  
If breathed in, move person into fresh air.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.  
Wash contaminated clothing before re-use.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Get medical attention immediately.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
stomach or intestinal upset (nausea, vomiting, diarrhea)  
irritation (nose, throat, airways)  
Causes serious eye damage.  
Causes severe burns.
- Notes to physician : No hazards which require special first aid measures.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)

## SAFETY DATA SHEET

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

Version: 3.0

nitrogen oxides (NOx)  
Oxides of phosphorus  
hydrogen cyanide in reducing atmospheres

- |   |   |
|---|---|
| Specific extinguishing methods                | : Product is compatible with standard fire-fighting agents.   |
| Further information                           | : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.  |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.<br>Comply with all applicable federal, state, and local regulations. |
| Environmental precautions   | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities.                                      |
| Methods and materials for containment and cleaning up               | : Keep in suitable, closed containers for disposal.  |

### SECTION 7. HANDLING AND STORAGE

- |   |  |
|---|--|
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection.  |
| Advice on safe handling                         | : Do not breathe vapours/dust.<br>When diluting, always add the product to water. Never add water to the product.<br>Container hazardous when empty.<br>Avoid contact with skin and eyes.<br>Smoking, eating and drinking should be prohibited in the application area.<br>For personal protection see section 8.<br>Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage                     | : Keep container tightly closed in a dry and well-ventilated place.<br>Containers which are opened must be carefully resealed and kept upright to prevent leakage.<br>Observe label precautions.<br>Electrical installations / working materials must comply with  |

## SAFETY DATA SHEET

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

Version: 3.0

the technological safety standards.

Recommended storage temperature : < 90 °F / < 32 °C

Further information on storage stability : No decomposition if stored and applied as directed.

No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

#### Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Safety glasses

**Skin and body protection** : Wear as appropriate:  
Impervious clothing  
Chemical resistant apron  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Discard gloves that show tears, pinholes, or signs of wear.  
Wear resistant gloves (consult your safety equipment supplier).

**Hygiene measures** : Wash hands before breaks and at the end of workday.  
When using do not eat or drink.  
Ensure that eyewash stations and safety showers are close to the workstation location.  
When using do not smoke.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

## SAFETY DATA SHEET

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

Version: 3.0

Colour	:	amber
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	13.30
Melting point/freezing point	:	5 °F / -15 °C
Boiling point/boiling range	:	No data available
Flash point	:	does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.255 g/cm3 (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	62.5 cps (68 °F / 20 °C)
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

## SAFETY DATA SHEET

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

Version: 3.0

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Conditions to avoid	: temperature extremes Freezing temperatures.
Incompatible materials	: Alkali metals Alkaline earth metals Bases nitrites strong mineral acids Strong oxidizing agents sulphites
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO <sub>2</sub> ) Nitrogen oxides (NO <sub>x</sub> ) Oxides of phosphorus Hydrogen cyanide (hydrocyanic acid)

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Components:

#### ORGANIC SALT:

Acute oral toxicity	: LD50 (Rat): 1,340 mg/kg Remarks: Information given is based on data obtained from similar substances.
---------------------	--

#### ACRYLIC POLYMER:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

#### TRIAZOLE DERIVATIVE:

Acute oral toxicity	: LD50 (Rat, female): 735 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: Not classified as acutely toxic by dermal

**SAFETY DATA SHEET**

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Version: 3.0

Performax™ MX1305 COOLING WATER  
TREATMENT™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

absorption under GHS.

**Skin corrosion/irritation**

Causes severe burns.

**Product:**

Remarks : Causes severe skin burns and eye damage.

**Components:****ORGANIC SALT:**

Result : Irritating to skin

**ACRYLIC POLYMER:**

Result : Not irritating to skin

**TRIAZOLE DERIVATIVE:**

Result : Corrosive to skin

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Product:**

Remarks : May cause irreversible eye damage.

**Components:****ORGANIC SALT:**

Result : Irritating to eyes

**ACRYLIC POLYMER:**

Result : Irritating to eyes

**TRIAZOLE DERIVATIVE:**

Result : Corrosive to eyes

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

## SAFETY DATA SHEET

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Version: 3.0

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

### Carcinogenicity

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks : No data available

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 3; Harmful to aquatic life with long lasting effects.

#### Components:

#### ORGANIC SALT:

Toxicity to fish : LC50 (Fish): > 100 mg/l  
Exposure time: 96 h  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC 50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

## SAFETY DATA SHEET

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Version: 3.0

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

Remarks: Information given is based on data obtained from  
similar substances.

### ACRYLIC POLYMER:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### TRIAZOLE DERIVATIVE:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 173 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): ca. 25 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other  
aquatic invertebrates : EC 50 (Daphnia magna (Water flea)): 280 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic  
plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 26.2  
mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

EbC50 (Pseudokirchneriella subcapitata (green algae)): 32  
mg/l  
Exposure time: 96 h  
Test Type: Growth inhibition

Toxicity to daphnia and other  
aquatic invertebrates : EC10 (Daphnia magna (Water flea)): 0.4 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
Remarks: Information given is based on data obtained from  
similar substances.

### Persistence and degradability

#### Components:

### TRIAZOLE DERIVATIVE:

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301F

### Bioaccumulative potential

#### Components:

### ORGANIC SALT:

Bioaccumulation : Remarks: Does not bioaccumulate.

**SAFETY DATA SHEET**

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Performax™ MX1305 COOLING WATER  
TREATMENT™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

Version: 3.0

**ACRYLIC POLYMER:**

Partition coefficient: n-octanol/water : Remarks: No data available

**TRIAZOLE DERIVATIVE:**

Partition coefficient: n-octanol/water : log Pow: 0.658

**Mobility in soil**

No data available

**Other adverse effects****Product:**Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
  
Dispose of in accordance with all applicable local, state and federal regulations.Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA-DGR**UN number : UN 3267  
Proper shipping name : Corrosive liquid, basic, organic, n.o.s. (TRIAZOLE DERIVATIVE)  
Class : 8  
Packing group : III  
Packing instruction (cargo aircraft) : 856

## SAFETY DATA SHEET

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Version: 3.0

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

Packing instruction : 852  
(passenger aircraft)

### IMDG-Code

UN number	: UN 3267
Proper shipping name	: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (TRIAZOLE DERIVATIVE)
Class	: 8
Packing group	: III
EmS Code	: F-A, S-B
Marine pollutant	: no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN number	: UN 3267
Proper shipping name	: Corrosive liquid, basic, organic, n.o.s. (TRIAZOLE DERIVATIVE)
Class	: 8
Packing group	: III
ERG Code	: 153
Marine pollutant	: no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	242072

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SAFETY DATA SHEET**

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Performax™ MX1305 COOLING WATER  
TREATMENT

Version: 3.0

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473**SARA 313**

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65**

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

**The components of this product are reported in the following inventories:**

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION****Further information**

Revision Date : 05/21/2021

**Full text of H-Statements**

H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.

**Full text of other abbreviations**

Acute Tox.	: Acute toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation

## SAFETY DATA SHEET

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

Version: 3.0

Skin Corr. : Skin corrosion  
Skin Irrit. : Skin irritation

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.



Page: 15

**SAFETY DATA SHEET**

Revision Date: 05/21/2021

Print Date: 05/24/2021

SDS Number: 000000269147

Performax™ MX1305 COOLING WATER  
TREATMENT

™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries  
875473

Version: 3.0

US / EN