	Page: 1
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 09/23/2022
	SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999	Version: 2.3

## SECTION 1. IDENTIFICATION

### Product identifier

Trade name : Zetag™ 8846FS (US)  
FLOCCULANT  
™ Trademark, Solenis or its subsidiaries or affiliates,  
registered in various countries

### Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Flocculating agent

<b>Details of the supplier of the safety data sheet</b> Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA)  EHSProductSafetyTeam@solenis.com	<b>Emergency telephone number</b> 1-844-SOLENIS (844-765-3647)  <b>Product Information</b> Contact your local Solenis representative
---	--

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Eye irritation : Category 2B

### GHS label elements

Hazard pictograms :




Signal word : Warning

Hazard statements : H315 + H320 Causes skin and eye irritation.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves.

**Response:**

	Page: 2
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 09/23/2022
	SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999	Version: 2.3

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.

#### Other hazards

Material can create slippery conditions.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Classification	Concentration (%)
ALIPHATIC HYDROCARBON	Trade Secret	Flam. Liq. 4; H227 Asp. Tox. 1; H304	>= 20 - < 30
ALCOHOL ETHOXYLATE	Trade Secret	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 1 - < 1.5

Actual concentration is withheld as a trade secret


### SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
If on skin, rinse well with water.  
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.  
Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.

	Page: 3
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 09/23/2022
	SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999	Version: 2.3


If eye irritation persists, consult a specialist.

- |   |   |
|---|---|
| If swallowed  | : Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.  |
| Most important symptoms and effects, both acute and delayed | : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:<br>stomach or intestinal upset (nausea, vomiting, diarrhea)<br>irritation (nose, throat, airways)<br>Lung irritation<br>confusion<br>irregular heartbeat<br>Convulsions<br>Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.<br>This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity when deciding whether to induce vomiting.<br>Causes skin and eye irritation. |
| Notes to physician  | : No hazards which require special first aid measures.  |

---

## SECTION 5. FIREFIGHTING MEASURES

- |                                      |  |
|--------------------------------------|--|
| Suitable extinguishing media         | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Water spray<br>Foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media       | : High volume water jet  |
| Specific hazards during firefighting | : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.<br>Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products        | : Carbon monoxide<br>Carbon dioxide (CO <sub>2</sub> )<br>Nitrogen oxides (NO <sub>x</sub> )<br>Hydrocarbons   |

		Page: 4
<b>SAFETY DATA SHEET</b>		Revision Date: 08/22/2022
		Print Date: 09/23/2022
		SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999		Version: 2.3

- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Material can create slippery conditions.  
Water may cause extremely slippery conditions.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---


## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Material can create slippery conditions.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.  
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid spillage on floor as the product can become very slippery.  
Do not breathe vapours/dust.  
Do not smoke.  
Container hazardous when empty.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

		Page: 5
<b>SAFETY DATA SHEET</b>		Revision Date: 08/22/2022
		Print Date: 09/23/2022
		SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999		Version: 2.3

Further information on storage stability : No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ALIPHATIC HYDROCARBON	Trade Secret	TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Filter type : Type A

Hand protection  
Material : nitrile rubber


Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:  
Impervious clothing  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear resistant gloves (consult your safety equipment supplier).  
Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

		Page: 6
<b>SAFETY DATA SHEET</b>		Revision Date: 08/22/2022
		Print Date: 09/23/2022
		SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999		Version: 2.3

Appearance : emulsion

Colour : white

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : ca. 4

Melting point/freezing point : No data available

Boiling point/boiling range : > 212 °F / > 100 °C

Flash point : > 212 °F / > 100 °C  
Method: ASTM D 92

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Self-ignition : does not ignite

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available


Density : ca. 1.0 g/cm<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)  
Water solubility : dispersible  
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

	Page: 7
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 09/23/2022
	SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999	Version: 2.3

Viscosity, dynamic	: 300 - 1,400 cps (68 °F / 20 °C)
Viscosity, kinematic	: > 20.5 mm <sup>2</sup> /s (104 °F / 40 °C) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents strong reducing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO <sub>2</sub> ) Nitrogen oxides (NO <sub>x</sub> ) Hydrocarbons

## SECTION 11. TOXICOLOGICAL INFORMATION


### Acute toxicity

Not classified based on available information.

### Components:

#### ALIPHATIC HYDROCARBON:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC 50 (Rat, male and female): > 5.28 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403 Assessment: No adverse effect has been observed in acute inhalation toxicity tests.
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: No adverse effect has been observed in acute dermal toxicity tests.

 Strong bonds. Trusted solutions.		Page: 8
<b>SAFETY DATA SHEET</b>		Revision Date: 08/22/2022
		Print Date: 09/23/2022
		SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999		Version: 2.3

#### ALCOHOL ETHOXYLATE:

Acute oral toxicity : LD50 (Rat): Expected > 300 - 2,000 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Product:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : irritating

#### Components:

#### ALIPHATIC HYDROCARBON:

Result : Mildly irritating to skin

#### Serious eye damage/eye irritation

Causes eye irritation.

#### Product:

Species : Rabbit  
Result : Slightly to moderately irritating to eyes  
Method : OECD Test Guideline 405

Remarks : Unlikely to cause eye irritation or injury.

#### Components:

#### ALIPHATIC HYDROCARBON:

Result : Mildly irritating to eyes

#### ALCOHOL ETHOXYLATE:

Result : Corrosive to eyes

#### Respiratory or skin sensitisation

##### Skin sensitisation

Not classified based on available information.

##### Respiratory sensitisation

Not classified based on available information.

##### Germ cell mutagenicity


Not classified based on available information.

##### Carcinogenicity

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is



 Strong bonds. Trusted solutions.	Page: 9
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 09/23/2022
	SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999	Version: 2.3

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### Components:

#### ALIPHATIC HYDROCARBON:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Further information

#### Product:

Remarks : No data available

## SECTION 12. ECOLOGICAL INFORMATION


#### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss): > 10 - 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

LC50 (Menidia beryllina (Silverside)): 222 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: EPA-821-R-02-012

NOEC (Menidia beryllina (Silverside)): 109 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: EPA-821-R-02-012

		Page: 10
<b>SAFETY DATA SHEET</b>		Revision Date: 08/22/2022
		Print Date: 09/23/2022
		SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999		Version: 2.3

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 10 - 100 mg/l  
Exposure time: 48 h

EC50 (Mysidopsis bahia (opossum shrimp)): 3.06 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: EPA-821-R-02-012

NOEC (Mysidopsis bahia (opossum shrimp)): 1.29 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: EPA-821-R-02-012

#### Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Not classified based on available information.

#### Components:

##### ALIPHATIC HYDROCARBON:

#### Ecotoxicology Assessment

Acute aquatic toxicity : No toxicity at the limit of solubility

Chronic aquatic toxicity : No toxicity at the limit of solubility

##### ALCOHOL ETHOXYLATE:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Not classified based on available information.

#### Persistence and degradability

##### Product:

Biodegradability : Remarks: At natural pHs (>6), the polymer degrades due to the hydrolysis to more than 70% in 28 days.


Physico-chemical removability : Remarks: The product can be eliminated from water by abiotic processes, e.g. adsorption on activated sludge.

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

		Page: 11
<b>SAFETY DATA SHEET</b>		Revision Date: 08/22/2022
		Print Date: 09/23/2022
		SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999		Version: 2.3

#### Other adverse effects

##### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life.

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

The product should not be allowed to enter drains, water courses or the soil.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

---

### SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **IATA-DGR**

Not regulated as a dangerous good

##### **IMDG-Code**

Not regulated as a dangerous good

##### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.


#### **National Regulations**

##### **49 CFR**

Not regulated as a dangerous good

#### **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

		Page: 12
<b>SAFETY DATA SHEET</b>		Revision Date: 08/22/2022
		Print Date: 09/23/2022
		SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999		Version: 2.3

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment performed on the product as delivered and when used as intended.

#### The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

KECI : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

TCSI : Not in compliance with the inventory

#### TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date : 08/22/2022

	Page: 13
<b>SAFETY DATA SHEET</b>	Revision Date: 08/22/2022
	Print Date: 09/23/2022
	SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999	Version: 2.3

#### Full text of H-Statements

H227 : Combustible liquid.  
H302 : Harmful if swallowed.  
H304 : May be fatal if swallowed and enters airways.  
H318 : Causes serious eye damage.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Asp. Tox. : Aspiration hazard  
Eye Dam. : Serious eye damage  
Flam. Liq. : Flammable liquids  
ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH / TWA : 8-hour, time-weighted average


AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

		Page: 14
<b>SAFETY DATA SHEET</b>		Revision Date: 08/22/2022
		Print Date: 09/23/2022
		SDS Number: R1201193
Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932999		Version: 2.3

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN