



Jet Loob Concentrated Liquid Conveyor Lubricant

Revision: 2025-05-13

Version: 01.1

1. IDENTIFICATION

Product name:	Jet Loob Concentrated Liquid Conveyor Lubricant
SDS #:	MS0800526
Recommended use:	<ul style="list-style-type: none"> • Conveyor Track Treatment • This product is intended to be diluted prior to use
Uses advised against:	Uses other than those identified are not recommended
Manufacturer, importer, supplier:	<p>Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171</p>
US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249 SDS Internet Address: https://sds.diversey.com	
Emergency telephone number:	1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Serious eye damage, Category 1

Carcinogenicity, Category 2

Specific target organ toxicity (repeated exposure), Category 2

Skin irritation, Category 2

Corrosive to metals, Category 1

**Signal word:****Danger.**

Hazard Statements

SUSPECTED OF CAUSING CANCER. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep container tightly closed. Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HNOC) - Not applicable**Physical hazards not otherwise classified (PHNOC)** - Not applicable**Percentage of unknown Acute Toxicity**

2.66 (example 26545-53-9)

Classification for the diluted product 1:100

Jet Loob
Concentrated Liquid Conveyor Lubricant

1 of 6

Carcinogenicity	Category 2
	
Signal word:	Warning.
Hazard and Precautionary Statements	
SUSPECTED OF CAUSING CANCER.	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Store locked up. Dispose of in accordance with all federal, state and local applicable regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS #	Weight %
Cocamide diethanolamine	68603-42-9	10 - 30%
Tetrasodium salt of EDTA	64-02-8	5 - 10%
Diethanolamine	111-42-2	3 - 7%
Diethanolamine dodecylbenzene sulfonate	26545-53-9	1 - 5%
Polyalkylene glycol	9038-95-3	> 0.1 - 1%
Sodium hydroxide	1310-73-2	> 0.1 - 1%

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.
Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed: Not applicable.

Aggravated Medical Conditions: Persons with pre-existing skin disorders may be more susceptible to irritating effects.

Diluted Product:

Eyes: Rinse with plenty of water.
Skin: No specific first aid measures are required
Inhalation: No specific first aid measures are required
Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required
Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).
Environmental precautions and clean-up methods: Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	ACGIH	OSHA
Diethanolamine	1 mg/m ³ (TWA)	-
Sodium hydroxide	2 mg/m ³ (Ceiling)	2 mg/m ³ (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

- Eye protection:** Chemical-splash goggles.
Hand protection: Chemical-resistant gloves.
Skin and body protection: Wear suitable protective clothing.
Respiratory protection: No special protective clothing is required.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

- Eye protection:** Chemical-splash goggles.
Hand protection: Chemical-resistant gloves.
Skin and body protection: Wear suitable protective clothing.
Respiratory protection: No personal protective equipment required under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Evaporation Rate: No information available

Odor threshold: No information available.

Melting point/freezing point (°C): Not determined

Autoignition temperature: No information available

Solubility in other solvents: No information available

Density: 1.055 Kg/L

Bulk density: No information available

Flash point (°F): > 200.12 °F > 93.4 °C

Kinematic viscosity No information available

VOC: 0 % *

Flammability (Solid or Gas): Not applicable

Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

Color: Clear , Amber

Odor: Surfactant

Boiling point/range: Not determined

Decomposition temperature: Not determined Not applicable

Solubility: Completely Soluble

Relative Density (relative to water): 1.055

Vapor density: No information available

Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0 % by wt.

pH: 9.6

Corrosion to metals: Metal corrosive

Dilution pH: 9

Dilution Flash Point (°F): > 200.12 °F > 93.4 °C

VOC % by wt. at use dilution: 0

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable

Stability: The product is stable

Jet Loob

Concentrated Liquid Conveyor Lubricant

Possibility of hazardous reactions: None known
Hazardous decomposition products: None reasonably foreseeable.
Materials to avoid: Do not mix with chlorinated products (such as bleach).
Conditions to avoid: No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE): None known

Carcinogen Listings: This product contains a component that is classified by the International Agency for Research on Cancer (IARC) as Group 2B, "Possibly carcinogenic to humans", which is generally based on limited evidence of carcinogenicity in humans and less than sufficient evidence of carcinogenicity in experimental animals. No data is available on the product itself.

Ingredient(s)	CAS #	NTP	IARC	OSHA
Cocamide diethanolamine	68603-42-9		2B	
Diethanolamine	111-42-2		2B	

Numerical measures of toxicity

ATE - Oral (mg/kg): > 5000

ATE - Inhalatory, mists (mg/l): > 20

Percentage of unknown Acute Toxicity 2.66 (example 26545-53-9)

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Mobility: No information available.

Other adverse effects No other adverse effects known.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Regulated

Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT (Ground) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, tetrasodium salt of edta), 8, III

IMDG (Ocean) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (sodium hydroxide, tetrasodium salt of edta), 8, III

15. REGULATORY INFORMATION

International Inventories at CAS# Level

TSCA All components are listed or otherwise exempt

US RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Cocamide diethanolamine	68603-42-9	-	-	-	-
Tall oil fatty acid diethanolamine salt	68648-19-1	-	-	-	-
Tetrasodium salt of EDTA	64-02-8	-	-	-	-
Diethanolamine	111-42-2	X	X	X	X
Diethanolamine dodecylbenzene sulfonate	26545-53-9	-	-	-	-
Tall oil fatty acids, triethanolamine salt	68132-46-7	-	-	-	-
Sodium xylene sulfonate	1300-72-7	-	-	-	-
Polyalkylene glycol	9038-95-3	-	-	-	-
Sodium hydroxide	1310-73-2	X	X	X	X

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethanolamine	111-42-2	3 - 7%	100		X
Sodium hydroxide	1310-73-2	> 0.1 - 1%	1000		

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethanolamine	X		

Canadian Regulations

Ingredient(s)	CAS #	NPRI
Diethanolamine	111-42-2	X

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3

Flammability 0

Instability 0

Special Hazards -

Diluted Product:

Revision: 2025-05-13

Version: 01.1

Reason for revision:

Not applicable

Prepared by:

North American Regulatory Affairs

Additional advice:

• Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.