



*your partner in food safety*

# SDS

## Safety Data Sheet

---

### 1) Product Identification

**Product Name:** Nu Scald II

**Product Code:** I00049

**Recommended Use:** Scalding compound

**Producer:** Birko Corporation  
9152 Yosemite Street  
Henderson, CO 80640-8027

**Contact Information:** (303) 289-1090 or 1-800-525-0476

**Emergency Number:** CHEMTREC 1-800-424-9300

---

### 2) Hazard(s) Identification

Health	Environmental	Physical
Acute Toxicity Cat. 4 (oral) Skin Corrosion Cat. 1B Eye Effects Cat. 2	Aquatic Toxicity Acute Cat. 3	Corrosive Cat. 1

**Labeling:****Symbol:****Signal Word: Danger****Corrosive, Irritant, Aquatic Toxicity**

**Hazard Statement(s):** Causes irreversible eye damage. Harmful or fatal if swallowed. Causes burns. Do not get into eyes, on skin, or on clothing. Corrosive to certain types of metals.

**Precautionary Statement(s):** Use rubber gloves, protective splash-proof goggles, and protective clothing. Remove contaminated clothing and wash before re-use. Do not contaminate food, feed, or water. Keep container closed when not in use.

---


**3) Composition/ Information on Ingredients**

Name(s)	Synonym(s)	CAS Number	Weight %
Sodium Hydroxide	Caustic Soda	01310-73-2	< 10%
Alkyl-benzenesulfonic Acid (C10-16)	Benzenemonosulfonic Acid	68584-22-5	< 30%

---

**4) First-Aid Measures**

Inhalation	Skin Contact	Eye Contact	Ingestion
Remove from exposure. Administer oxygen if breathing is difficult. Resuscitate if necessary. Get medical help immediately	Immediately drench with flowing water for at least 15 minutes. Remove contaminated clothing as quickly as possible. Launder before reuse. Destroy contaminated shoes. Medical treatment for all burns must begin immediately, no matter how minor they seem.	Immediately rinse eyes thoroughly in cool running water for at least 15 minutes. Get medical attention at once, preferably from ophthalmologist.	DO NOT induce vomiting. Have a conscious victim drink fruit juice or water to dilute. Never give an unconscious person anything by mouth. Get medical help immediately.



## 5) Firefighting Measures

**Suitable Extinguishing Media:** Water, Carbon Dioxide, Dry Chemical, and Foam Blanket

**Unsuitable Extinguishing Media:** N/A

**Specific Hazards:** Always wear self-contained breathing apparatus when fighting a chemical fire.

**Special Protective Actions for Fire-Fighters:** Carbon Monoxide/ Carbon Dioxide gases liberated during combustion. Nitrogen Oxides and sulfur dioxide or SO<sub>x</sub> liberated during combustion.

---

## 6) Accidental Release Measures

**Personal Precautions:** Be sure to use all necessary Personal Protective Equipment

**Environmental Precautions:** Avoid contamination of food, feed, waterway, or groundwater.

**Methods and Materials for Containment and Clean-Up:** Capture material and contain for re-use or disposal. Remainder may be neutralized with a mild acid (vinegar) and rinsed to a sewer.

---

## 7) Handling and Storage

**Precautions for Safe Handling:** Do not contaminate food, feed, or natural water. Supplier is not responsible for disposition of this product. Do not reuse container. Maintain an eyewash station, and safety shower in product handling areas.

**Conditions for Safe Storage:** Keep container closed when not in use. Store in a cool, dry location.

---

## 8) Exposure Controls and Personal Protection

**Appropriate Engineering Controls:** Ventilation: Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

### Exposure Limits:

Name (CAS-No.)	PEL	TWA	Ceiling	IDLH
Sodium Hydroxide (01310-73-2)	2 mg/m <sup>3</sup>	ACGIH 2mg/m <sup>3</sup> OSHA 2mg/m <sup>3</sup>	ACGIH 2mg/m <sup>3</sup> OSHA 2mg/m <sup>3</sup>	10 mg/m <sup>3</sup>

### Personal Protective Equipment

Eye/Face	Skin	Gloves
		

**Eye/Face:** Safety glasses.

**Skin:** Wear chemical resistant clothing.

**Gloves:** Wear appropriate chemical resistant gloves.

**Respiratory:** Use only when concentrations exceed exposure limits. If limits are exceeded a NIOSH approved respirator is required. If eye irritation occurs use a full face style mask. When vapor concentrations are above 10 ppm or in a spill emergency a NIOSH approved self-contained breathing apparatus or airline respirator, with full-face piece is required. If respirators are warranted in the workplace a respiratory protection programs must meet 29 CFR 1910.134, and be followed.

**Protective Material Types:** Butyl rubber, natural rubber, neoprene, nitrile, polyvinyl chloride (PVC), or Tychem (R)

---

## 9) Physical and Chemical Properties

**Physical Form:** Liquid

**Appearance:** Amber

**Odor:** Hydrocarbon

**pH:** 9.4

**Melting Point:** Not available

**Freezing Point:** Not Determined

**Boiling Point:** 220° F

**Flash Point:** Not Flammable

**Evaporation Rate:** < 1

**Flammability:** Not available

**Upper/Lower Flammability or explosive limits:** Not available

**Vapor Pressure:** Not Established

**Vapor Density:** > 1

**Relative Density:** Not available

**Specific Gravity:** 1.07

**Solubility:** 100%

**Partition coefficient:** Not available

**Auto-Ignition Temperature:** Not available

**Decomposition Temperature:** Not available

---

## 10) Stability and Reactivity

**Chemical Stability:** Stable at normal temperatures and pressure.

**Possibility of Hazardous Reactions:** This product does not polymerize under normal storage and use conditions.

**Conditions to Avoid:** Mixing acids and other incompatible materials may cause splattering and release of large amounts of heat. Will react with some metals forming flammable hydrogen gas. Carbon monoxide gas may form upon contact with reducing sugars or food and beverage products in enclosed spaces.

**Materials to Avoid:** Acids, halogenated compounds, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys.

**Hazardous Decomposition Products:** Carbon Monoxide/Carbon Dioxide gases liberated during combustion. Nitrogen Oxides and sulfur dioxide or SO<sub>x</sub> liberated during combustion.

---

## 11) Toxicological Information

**Acute Toxicity:**

Test	Results	Basis
Oral LD50 (Rabbits)	500 mg/kg	Testing of similar material
Dermal LD50 (Rabbits)	1350 mg/kg	Testing of similar material

**Summary Comments:** The severity of the tissue damage is a function of its concentration, the length of tissue contact time, and local tissue conditions. After exposure there may be a time delay before irritation and other effects occur. This material is a strong irritant and is corrosive to the skin, eyes, and mucous membranes. This material may cause severe burns and permanent damage to any tissue with which it comes into contact. Inhalation will cause severe irritation, possible burns with pulmonary edema, which

may lead to pneumonitis. Skin contact with this material may cause severe irritation and corrosion of tissue. Eye contact can cause severe irritation, corrosion with possible corneal damage and blindness. Ingestion may cause irritation, corrosion/ulceration, nausea, and vomiting.

**Sub-chronic/Chronic Toxicity:**

Test	Results	Comments
N/A	N/A	N/A

**Summary Comments:** In general, chronic effects are due to long-term irritation. This material may cause dermatitis on the skin, or recurrent corneal ulceration and visual disturbances. In rare cases reports have noted long-term inhalation causes bronchial inflammatory reaction or obstructive airway dysfunction.

**Medical conditions aggravated by exposure:** Respiratory system (including asthma and other breathing disorders)

---

## 12) Ecological Information

**Toxicity:**

Test	Results
Daphnia LC50	100 ppm
Brook trout LC50	24 hours 25 ppm
King salmon LC50	48 ppm
Shrimp LC50	48 hours 33-100 ppm
Cockle LC50	48 hours 330-1000 ppm
Water flea EC50	48 hours 4.66-6.83 mg/l

**Persistence and Degradability:** This material is alkaline and may raise the pH of surface waters with low buffering capacity. This material is believed to exist in the disassociated state in the environment. This material is inorganic and not subject to biodegradation.

**Bioaccumulative Potential:** This material is believed not to bioaccumulate.

**Mobility in Soil:** Not available

**Other Adverse Effects:** This material has exhibited slight toxicity to terrestrial organisms.

---

## 13) Disposal Considerations

**Disposal Method:** Re-use or reprocess if possible. Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D002

---

## 14) Transport Information

**UN Number:** UN1824

**UN Proper Shipping Name:** Sodium Hydroxide Solution

**Transport Hazard Class (es):** 8

**Packing Group:** II

**Environmental Hazard(s):** N/A

**Special Precautions for User:** N/A

---

## 15) Regulatory Information

### US Regulations:

**CERCLA Sections 102a/103 Hazardous substances (40 CFR 302.4): Sodium Hydroxide:** 1000 lbs.  
RQ

**SARA Title III SARA Sections 311/312 Hazardous Categories (40 CFR 370.21):**

Acute: Yes

Chronic: No

Fire: No

Reactive: No

Sudden Release: No

**FDA:** The ingredients in this product are Generally Recognized as Safe (GRAS) for incidental food contact under specific FDA regulations. Additional information is available from the Code of Federal Regulations (CFR) which is accessible on the FDA's website.

### State Regulations:

**California Proposition 65:** This product is not listed, but it may contain contaminants known to the State of California to cause cancer or reproductive toxicity as listed under Propositions 65 State Drinking Water and Toxic Enforcement Act.

**New Jersey Worker and Community Right to Know: Reporting Requirements:**

Water	7732-18-5	48.5-94.5%
Sodium Hydroxide	1310-73-2	5.5-51.5%
Sodium Chloride	7647-14-5	0-5.0%
Water	7732-18-5	49-90%

**Right to Know Hazardous Substance List:**

Sodium Hydroxide	1310-73-2	5.5-51.5%
------------------	-----------	-----------

---

**Special Health Hazard Substance List:**

Sodium Hydroxide    1310-73-2    5.5-51.5%

**Pennsylvania Right to Know: Reporting Requirements:**

Water                    7732-18-5    48.5-94.5%

Sodium Hydroxide    1310-73-2    5.5-51.5%

Sodium Chloride    7647-14-5    0-5.0%

Water                    7732-18-5    49-90%

**Hazardous Substance List:**

Sodium Hydroxide    1310-73-2    5.5-51.5%

**Environmental Hazardous Substance List:**

Sodium Hydroxide    1310-73-2    5.5-51.5%

**Special Hazardous Substance List:**

Not regulated

**Canadian Regulations:**

**Controlled Products Regulations (CPR):** This product has been classified in accordance with the criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the CPR.

**WHMIS Classification:** E

**National Inventory Status: U.S. Inventory (TSCA):** All the components of this substance are listed on or exempt from the inventory.

**TSCA 12(b) Export Notification:** Not Listed

**Canada Inventory (DSL/NDSL):** All components of this product are listed on the DSL

---



## 16) Other Information

### HMIS

0	FLAMMABILITY
2	HEALTH
1	REACTIVITY
C	Personal Protection

### Hazard Index

4-Severe

3-Serious

2-Moderate

1-Slight

0-Minimal































**Preparer:** Ramsey Johnson

**Approved By:** Terry L. McAninch

**Date:** 5/21/2015

**Previous revision:** 8/26/14

### Personal Protective Index

A 	E   	I   
B  	F   	J   
C   	G   	K   
D   	H   	X Ask your supervisor

Safety Glasses	Face Shield	Splash Goggles	Airline Hood or Mask	Gloves	Synthetic Apron	Dust Respirator	Vapor Respirator	Dust + Vapor Respirator	Full Suit	Boots
