

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175**SECTION 1. IDENTIFICATION****Product identifier**

Trade name

: Chargepac™ 60
COAGULANT™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries**Recommended use of the chemical and restrictions on use**

Use of the Substance/Mixture : Coagulant

Details of the supplier of the safety data sheetSolenis LLC
500 Hercules Road
Wilmington, Delaware 19808
United States of America (USA)

EHSProductSafetyTeam@solenis.com

Emergency telephone number

1-844-SOLENIS (844-765-3647)

Product Information

Contact your local Solenis representative

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Corrosive to metals : Category 1

Skin irritation : Category 2

Eye irritation : Category 2A

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.Precautionary statements : **Prevention:**

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

P234 Keep only in original container.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P390 Absorb spillage to prevent material damage.

Storage:

P406 Store in corrosive resistant container with a resistant inner liner.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (%)
POLYALUMINIUM HYDROXIDECHLORIDESULPHATE	39290-78-3	Met. Corr. 1; H290 Eye Irrit. 2B; H320	>= 30 - < 40

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- | | |
|-------------------------|--|
| General advice | : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : Remove contaminated clothing. If irritation develops, get medical attention. |

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

- If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Obtain medical attention.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Causes skin irritation.
Causes serious eye irritation.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : aluminum oxides
chloride fumes
Sulphur oxides
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions,
protective equipment and
emergency procedures | : Use personal protective equipment.
Persons not wearing protective equipment should be excluded
from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform
respective authorities. |
| Methods and materials for
containment and cleaning up | : Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|--|---|
| Advice on protection against
fire and explosion | : Normal measures for preventive fire protection. |
| Advice on safe handling | : Do not breathe vapours/dust.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the
application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national
regulations. |
| Conditions for safe storage | : Keep container tightly closed in a dry and well-ventilated
place.
Containers which are opened must be carefully resealed and
kept upright to prevent leakage.
Electrical installations / working materials must comply with
the technological safety standards. |
| Further information on
storage stability | : No decomposition if stored and applied as directed. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
POLYALUMINIUM HYDROXIDECHLORIDESULP HATE	39290-78-3	TWA	2 mg/m ³ (Aluminium)	OSHA P0

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 84175

	TWA	2 mg/m ³ (Aluminium)	NIOSH REL
--	-----	------------------------------------	-----------

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:
 Impervious clothing
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Wear resistant gloves (consult your safety equipment supplier).
 Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

Odour : No data available

Odour Threshold : No data available

pH : ca. 2.6

Melting point/freezing point : ca. 12.5 °F / -10.8 °C

Boiling point/boiling range : No data available

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

Flash point	:	does not flash
Evaporation rate	:	< 1 n-Butyl Acetate
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	17.00 mmHg (68.00 °F / 20.00 °C)
Relative vapour density	:	1.3 AIR=1
Relative density	:	ca. 1.205 (68.00 °F / 20.00 °C)
Density	:	ca. 1.20 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	log Pow: > 1
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	Product will not undergo hazardous polymerization.
Hazardous decomposition products	:	aluminum oxides chloride fumes

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): 12,800 mg/kg

Components:**POLYALUMINIUM HYDROXIDECHLORIDESULPHATE:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC 50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.
AerosolAcute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: No mortality observed at this dose.**Skin corrosion/irritation**

Causes skin irritation.

Product:

Result : Irritating to skin

Remarks : May cause skin irritation and/or dermatitis.

Components:**POLYALUMINIUM HYDROXIDECHLORIDESULPHATE:**

Result : Possibly irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result : Irritating to eyes

Remarks : Vapours may cause irritation to the eyes, respiratory system
and the skin.
Causes serious eye irritation.

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

Components:**POLYALUMINIUM HYDROXIDECHLORIDESULPHATE:**

Result : Irritation to eyes, reversing within 7 days

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**POLYALUMINIUM HYDROXIDECHLORIDESULPHATE:**

Test Type : Maximisation Test
Species : Guinea pig

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks : No data available

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,555 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): 1,400 mg/l
Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging

: Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN number	:	UN 3264
Proper shipping name	:	Corrosive liquid, acidic, inorganic, n.o.s. (ALUMINUM CHLORIDE HYDROXIDE SULPHATE)
Class	:	8
Packing group	:	III
Packing instruction (cargo aircraft)	:	856
Packing instruction (passenger aircraft)	:	852
Marine pollutant	:	no

IMDG-Code

UN number	:	UN 3264
Proper shipping name	:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (ALUMINUM CHLORIDE HYDROXIDE SULPHATE)
Class	:	8
Packing group	:	III
EmS Code	:	F-A, S-B
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

UN number	:	UN 3264
Proper shipping name	:	Corrosive liquid, acidic, inorganic, n.o.s. (ALUMINUM CHLORIDE HYDROXIDE SULPHATE)
Class	:	8
Packing group	:	III
ERG Code	:	154
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards

- : Corrosive to metals
- Skin corrosion or irritation
- Serious eye damage or eye irritation

SARA 313

- : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information**

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 84175

Revision Date : 07/27/2022

Full text of H-Statements

- H290 : May be corrosive to metals.
 H320 : Causes eye irritation.

Full text of other abbreviations

- | | |
|-----------------|---|
| Eye Irrit. | : Eye irritation |
| Met. Corr. | : Corrosive to metals |
| NIOSH REL | : USA. NIOSH Recommended Exposure Limits |
| OSHA P0 | : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) |
| NIOSH REL / TWA | : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA P0 / TWA | : 8-hour time weighted average |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

SAFETY DATA SHEET

Revision Date: 07/27/2022

Print Date: 07/28/2022

SDS Number: R0311266

Version: 1.4

Chargepac™ 60 COAGULANT

™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
84175

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN