	Page: 1
SAFETY DATA SHEET	Revision Date: 05/19/2020
	Print Date: 11/04/2021
	SDS Number: R0004102
Millsperser [™] MS7000 CORROSION INHIBITOR [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611	Version: 1.8

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Millsperser[™] MS7000
 CORROSION INHIBITOR
[™] Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Corrosive to metals : Category 1

Skin corrosion : Category 1

Serious eye damage : Category 1

GHS label elements


Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
 P234 Keep only in original container.
 P264 Wash skin thoroughly after handling.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

	Page: 2
SAFETY DATA SHEET	Revision Date: 05/19/2020
	Print Date: 11/04/2021
	SDS Number: R0004102
Millsperse™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611	Version: 1.8

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components


Chemical name	CAS-No.	Classification	Concentration (%)
PHOSPHORIC ACID	7664-38-2	Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318	>= 60 - < 70

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.


If inhaled : Move to fresh air.
If breathed in, move person into fresh air.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical

		Page: 3
SAFETY DATA SHEET		Revision Date: 05/19/2020
		Print Date: 11/04/2021
		SDS Number: R0004102
Millsperser™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611		Version: 1.8

		advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water. Wash contaminated clothing before re-use.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye.
If swallowed	:	Get medical attention immediately. Do NOT induce vomiting. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye damage. Causes severe burns. Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways) Cough lung edema (fluid buildup in the lung tissue) Pulmonary edema may be delayed.
Notes to physician	:	No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Oxides of phosphorus
Specific extinguishing methods	:	Product is compatible with standard fire-fighting agents.

		Page: 4
SAFETY DATA SHEET		Revision Date: 05/19/2020
		Print Date: 11/04/2021
		SDS Number: R0004102
Millsperser [™] MS7000 CORROSION INHIBITOR [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611		Version: 1.8

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.


SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
When diluting, always add the product to water. Never add water to the product.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

	Page: 5
SAFETY DATA SHEET	Revision Date: 05/19/2020
	Print Date: 11/04/2021
	SDS Number: R0004102
Millsperser™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611	Version: 1.8

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
PHOSPHORIC ACID	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		ST	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z-1
		TWA	1 mg/m3	OSHA P0
		STEL	3 mg/m3	OSHA P0

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection


Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.
Maintain eye wash station in immediate work area.


Skin and body protection : Wear as appropriate:
Impervious clothing
Chemical resistant apron
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Discard gloves that show tears, pinholes, or signs of wear.
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not eat or drink.
Ensure that eyewash stations and safety showers are close to the workstation location.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Page: 6
SAFETY DATA SHEET	Revision Date: 05/19/2020
	Print Date: 11/04/2021
	SDS Number: R0004102
Millisperse™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611	Version: 1.8

Appearance : liquid
 Colour : light yellow
 Odour : none
 Odour Threshold : No data available
 pH : < 2
 10% aqueous solution
 Melting point/freezing point : -112 °F / -80 °C
 Boiling point/boiling range : 232 °F / 111 °C
 (1013 hPa)
 Flash point : does not flash
 Evaporation rate : > 1
 Ethyl Ether
 Flammability (solid, gas) : No data available
 Self-ignition : No data available
 Upper explosion limit / Upper flammability limit : No data available
 Lower explosion limit / Lower flammability limit : No data available
 Vapour pressure : 15 mmHg (104 °F / 40 °C)
 Relative vapour density : No data available
 Relative density : 1.5 - 1.6 (77 °F / 25 °C)
 Density : No data available
 Solubility(ies)
 Water solubility : completely miscible
 Solubility in other solvents : No data available
 Partition coefficient: n-octanol/water : No data available
 Decomposition temperature : No data available
 Viscosity
 Viscosity, dynamic :
 No data available

	Page: 7
SAFETY DATA SHEET	Revision Date: 05/19/2020
	Print Date: 11/04/2021
	SDS Number: R0004102
Millspers [™] MS7000 CORROSION INHIBITOR [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611	Version: 1.8

Viscosity, kinematic : No data available
 Oxidizing properties : No data available
 Molecular weight : 98 g/mol

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
 Chemical stability : Stable under recommended storage conditions.
 Possibility of hazardous reactions : Product will not undergo hazardous polymerization.
 Conditions to avoid : excessive heat
 Exposure to moisture
 Incompatible materials : Fluorine
 Metals
 nitromethane
 strong alkalis
 Strong oxidizing agents
 strong reducing agents
 Sulphides
 sulphites
 Hazardous decomposition products : Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.


Product:

Acute oral toxicity : Remarks: Corrosive by Ingestion
 Acute inhalation toxicity : Remarks: Severe respiratory irritant

Components:

PHOSPHORIC ACID:

Acute oral toxicity : LD 50 (Rat): ca. 2,600 mg/kg
 Acute inhalation toxicity : Remarks: Corrosive to respiratory system.
 Acute dermal toxicity : LD 50 (Rabbit): 2,740 mg/kg

	Page: 8
SAFETY DATA SHEET	Revision Date: 05/19/2020
	Print Date: 11/04/2021
	SDS Number: R0004102
Millsperser™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611	Version: 1.8

Skin corrosion/irritation

Causes severe burns.

Product:

Result : Corrosive to skin

Remarks : Causes severe skin burns and eye damage.

Components:

PHOSPHORIC ACID:

Result : Corrosive to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result : Corrosive to eyes

Remarks : May cause irreversible eye damage.

Components:

PHOSPHORIC ACID:

Result : Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.


IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

		Page: 9
SAFETY DATA SHEET		Revision Date: 05/19/2020
		Print Date: 11/04/2021
		SDS Number: R0004102
Millsperser™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611		Version: 1.8

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC0 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 2; Toxic to aquatic life.

Chronic aquatic toxicity : Not classified based on available information.

Persistence and degradability

No data available

Bioaccumulative potential

No data available


Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

		Page: 10
SAFETY DATA SHEET		Revision Date: 05/19/2020
		Print Date: 11/04/2021
		SDS Number: R0004102
Millisperse™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611		Version: 1.8

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

The product should not be allowed to enter drains, water courses or the soil.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN number : UN 1805
 Proper shipping name : Phosphoric acid, solution
 Class : 8
 Packing group : III
 Packing instruction (cargo aircraft) : 856
 Packing instruction (passenger aircraft) : 852

IMDG-Code

UN number : UN 1805
 Proper shipping name : PHOSPHORIC ACID SOLUTION
 Class : 8
 Packing group : III
 EmS Code : F-A, S-B
 Marine pollutant : no


Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN number : UN 1805
 Proper shipping name : Phosphoric acid solution
 Class : 8
 Packing group : III
 ERG Code : 154

	Page: 11
SAFETY DATA SHEET	Revision Date: 05/19/2020
	Print Date: 11/04/2021
	SDS Number: R0004102
Millsperser™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611	Version: 1.8

Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
PHOSPHORIC ACID	7664-38-2	5000	7649

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Corrosive to metals
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AICS : On the inventory, or in compliance with the inventory


DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

	Page: 12
SAFETY DATA SHEET	Revision Date: 05/19/2020
	Print Date: 11/04/2021
	SDS Number: R0004102
Millsperser™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611	Version: 1.8

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 05/19/2020


Full text of H-Statements

H290 : May be corrosive to metals.
 H314 : Causes severe skin burns and eye damage.
 H318 : Causes serious eye damage.

Full text of other abbreviations

Eye Dam. : Serious eye damage
 Met. Corr. : Corrosive to metals
 Skin Corr. : Skin corrosion
 ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 NIOSH REL : USA. NIOSH Recommended Exposure Limits
 OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
 1910.1000
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1
 Limits for Air Contaminants
 ACGIH / TWA : 8-hour, time-weighted average
 ACGIH / STEL : Short-term exposure limit
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour
 workday during a 40-hour workweek
 NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded
 at any time during a workday
 OSHA P0 / TWA : 8-hour time weighted average
 OSHA P0 / STEL : Short-term exposure limit
 OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory

		Page: 13
SAFETY DATA SHEET		Revision Date: 05/19/2020
		Print Date: 11/04/2021
		SDS Number: R0004102
Millsperse™ MS7000 CORROSION INHIBITOR ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858611		Version: 1.8

concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN