



## Suma® Tray Glide™/MC Track Conveyor Lubricant

Revision: 2024-07-31

Version: 03.0

### 1. IDENTIFICATION

**Product name:** Suma® Tray Glide™/MC  
Track Conveyor Lubricant

**SDS #:** MS0801301

**Recommended use:**

- Industrial/Institutional
- Conveyor Lubricant
- This product is intended to be diluted prior to use

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249	Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171
---	---

SDS Internet Address: <https://sds.diversey.com>

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Serious eye damage, Category 1  
Skin irritation, Category 2



**Signal word:** Danger.

#### Hazard Statements

**CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.**

#### Precautionary Statements

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves and eye or face protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse.

**Health hazards not otherwise classified (HHNOC)** - Not applicable

**Physical hazards not otherwise classified (PHNOC)** - Not applicable

#### Classification for the diluted product 1:85

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### Hazard and Precautionary Statements

None required.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Classified Ingredients

Ingredient(s)	CAS #	Weight %
Tall oil fatty acid monoethanolamine salt	68132-47-8	7 - 13%
Sodium alpha olefin sulfonate	68439-57-6	3 - 7%
Dipropylene glycol methyl ether	34590-94-8	3 - 7%
Benzenesulfonic acid, C10-16-alkyl derivs., potassium salts	68584-27-0	1 - 5%
Benzenesulfonic acid with ethanolamine	68910-32-7	1 - 5%
Alcohols, C10-16, ethoxylated (7-<15 EO)	68002-97-1	1 - 5%

## 4. FIRST AID MEASURES

### Undiluted Product:

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash with plenty of water for at least 15 minutes.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed** Not applicable.

### Diluted Product:

**Eyes:** Rinse with plenty of water.

**Skin:** No specific first aid measures are required

**Inhalation:** No specific first aid measures are required

**Ingestion:** IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

## 5. FIRE-FIGHTING MEASURES

**Specific methods:** No special methods required

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:**

Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:**

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Keep tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines:

Ingredient(s)	ACGIH	OSHA
Dipropylene glycol methyl ether	50 ppm (TWA)	Skin 100 ppm (TWA)

		600 mg/m <sup>3</sup> (TWA)
--	--	-----------------------------

**Undiluted Product:**

**Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels.

**Personal Protective Equipment**

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

<b>Eye protection:</b>	Chemical-splash goggles.
<b>Hand protection:</b>	Chemical-resistant gloves.
<b>Skin and body protection:</b>	No personal protective equipment required under normal use conditions.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over-exposure.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

**Diluted Product:**

**Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels.

**Personal Protective Equipment**

<b>Eye protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hand protection:</b>	No personal protective equipment required under normal use conditions.
<b>Skin and body protection:</b>	No personal protective equipment required under normal use conditions.
<b>Respiratory protection:</b>	No personal protective equipment required under normal use conditions.
<b>Hygiene measures:</b>	Handle in accordance with good industrial hygiene and safety practice.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State** Liquid

**Evaporation Rate:** No information available

**Odor threshold:** No information available.

**Melting point/freezing point (°C):** Not determined

**Autoignition temperature:** No information available

**Solubility in other solvents:** No information available

**Density:** 1.05 Kg/L

**Bulk density:** No information available

**Flash point (°F):** > 200 °F > 93 °C

**Kinematic viscosity** No information available

**VOC:** 6.1 % \*

**Flammability (Solid or Gas):** Not applicable

**Sustained combustion:** Not applicable

**Explosion limits:** - upper: Not determined - lower: Not determined

**Color:** Clear , from Yellow to Amber

**Odor:** Product specific

**Boiling point/range:** Not determined

**Decomposition temperature:** Not determined

**Solubility:** Completely Soluble

**Relative Density (relative to water):** 1.05

**Vapor density:** No information available

**Vapor pressure:** No information available.

**Partition coefficient (n-octanol/water):** No information available

**Elemental Phosphorus:** 0.00 % by wt.

**pH:** ≈ 9.9

**Corrosion to metals:** Not corrosive to metals

**Dilution pH:** ≈ 9.6

**Dilution Flash Point (°F):** > 200 °F > 93.4 °C

**VOC % by wt. at use dilution:** 0.1 %

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## **10. STABILITY AND REACTIVITY**

**Reactivity:** Not Applicable

**Stability:** The product is stable

**Possibility of hazardous reactions:** None known

**Hazardous decomposition products:** None reasonably foreseeable.

**Materials to avoid:** Do not mix with any other product or chemical unless specified in the use directions.

**Conditions to avoid:** None known.

## **11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure:**

Skin contact, Inhalation, Ingestion, Eye contact

**Delayed, immediate, or chronic effects and symptoms from short and long-term exposure**

**Skin contact:** Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** No information available.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):**

**Numerical measures of toxicity**

**ATE - Oral (mg/kg):** >2000

**ATE - Dermal (mg/kg):** >2000

**ATE - Inhalatory, gases (mg/l):** >20000

**ATE - Inhalatory, mists (mg/l):** >5

**ATE - Inhalatory, vapors (mg/l):** >20

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Mobility:** No information available.

**Other adverse effects** No information available.

**13. DISPOSAL CONSIDERATIONS**

**Waste from residues / unused products (undiluted product):** This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Waste from residues / unused products (diluted product):** This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**RCRA Hazard Class (undiluted product):** Not Regulated

**RCRA Hazard Class (diluted product):** Not Regulated

**Contaminated Packaging:** Do not re-use empty containers.

**14. TRANSPORT INFORMATION**

**DOT/TDG/IMDG:** This product is not regulated for transport.

**DOT (Ground) Bill of Lading Description:** NOT REGULATED

**IMDG (Ocean) Bill of Lading Description:** NOT REGULATED

**15. REGULATORY INFORMATION**

**International Inventories at CAS# Level**

TSCA

DSL

All components are listed or otherwise exempt

All components are listed or otherwise exempt



**WARNING:** This product can expose you to chemicals including Formaldehyde cadmium which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**US RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Tall oil fatty acid monoethanolamine salt	68132-47-8	-	-	-	-
Sodium alpha olefin sulfonate	68439-57-6	-	-	-	-
Dipropylene glycol methyl ether	34590-94-8	X	X	X	-
Alanine, N,N-bis(carboxymethyl)-, trisodium salt	164462-16-2	-	-	-	-
Benzenesulfonic acid, C10-16-alkyl derivs., potassium salts	68584-27-0	-	-	-	-
Benzenesulfonic acid with ethanolamine	68910-32-7	-	-	-	-
Alcohols, C10-16, ethoxylated (7-<15 EO)	68002-97-1	-	-	-	-

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Dipropylene glycol methyl ether	34590-94-8	3 - 7%			X

**Clean Air Act/Clean Water Act**

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Dipropylene glycol methyl ether	X		

**Canadian Regulations****16. OTHER INFORMATION****NFPA (National Fire Protection Association)**

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3

Flammability 0

Instability 0

Special Hazards -

**Diluted Product:**

Health 0

Flammability 0

Instability 0

Special Hazards -

Revision: 2024-07-31

Version: 03.0

Reason for revision:

Not applicable

Prepared by:

North American Regulatory Affairs

Additional advice:

- Does not contain an added fragrance

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*