



WF725

Water-Based Urethane Fortified Wood Coating

Revision: 2022-06-14

Version: 01.0

1. IDENTIFICATION

Product name: WF725
 Water-Based Urethane Fortified Wood Coating

SDS #: MS0801989

Recommended use:

- Industrial/Institutional
- This product is intended to be used neat.

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters	Canadian Headquarters
Avmor	Avmor
1300 Altura Rd., Suite 125	6150 Kennedy Road Unit 3
Fort Mill, SC 29708	Mississauga, Ontario L5T 2J4
Phone: 1-888-352-2249	Phone: 1-800-668-7171

SDS Internet Address: <https://sds.diversey.com>

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Specific target organ toxicity (repeated exposure) Category 1



Signal word: Danger.

Hazard Statements

CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

Precautionary Statements

Wash affected areas thoroughly after handling. Do not breathe vapors. Do not eat, drink or smoke when using this product. Get medical attention or advice if you feel unwell. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable

Physical hazards not otherwise classified (PHNOC) - Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS #	Weight %
Tributoxyethyl phosphate	78-51-3	3 - 7%
Ethylene glycol	107-21-1	1 - 5%
2-butoxyethanol	111-76-2	1 - 5%

4. FIRST AID MEASURES

Undiluted Product:

Eyes: Rinse with plenty of water. If irritation occurs and persists, get medical attention.

Skin: Wash with plenty of water for at least 15 minutes.

Inhalation: No specific first aid measures are required.

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: None known.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions and clean-up methods: Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	ACGIH	OSHA
Ethylene glycol	50 ppm (STEL) 10 mg/m ³ (STEL) 25 ppm (TWA)	
2-butoxyethanol	20 ppm (TWA)	Skin 50 ppm (TWA) 240 mg/m ³ (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Eye protection:

No personal protective equipment required under normal use conditions.

Hand protection:

No personal protective equipment required under normal use conditions.

Skin and body protection:

No personal protective equipment required under normal use conditions.

Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Evaporation Rate: No information available
Odor threshold: No information available.
Melting point/freezing point (°C): Not determined
Autoignition temperature: No information available
Solubility in other solvents: No information available
Density: 1.02 Kg/L
Bulk density: No information available
Flash point (°F): > 200 °F > 93 °C
Viscosity: No information available
VOC: 3.2 % *
Flammability (Solid or Gas): Not applicable
Sustained combustion: Not applicable
Explosion limits: - upper: Not determined - lower: Not determined
Color: Opaque , White
Odor: Bland
Boiling point/range: Not determined
Decomposition temperature: Not determined
Solubility: Dispersible
Relative Density (relative to water): 1.02
Vapor density: No information available
Vapor pressure: No information available.
Partition coefficient (n-octanol/water): No information available
Elemental Phosphorus: 0.1 % by wt.
pH: ≈ 8
Corrosion to metals: Not corrosive to metals

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable
Stability: The product is stable
Hazardous decomposition products: None reasonably foreseeable.
Materials to avoid: Do not mix with any other product or chemical unless specified in the use directions.
Conditions to avoid: None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Unlikely to be irritant in normal use.

Eye contact: May be mildly irritating to eyes.

Ingestion: No information available.

Inhalation: No information available.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE): No information available

Numerical measures of toxicity

ATE - Oral (mg/kg): The estimated acute oral LD₅₀ for the undiluted product is estimated to be >5000 (mg/kg BW).
ATE - Dermal (mg/kg): >2000
ATE - Inhalatory, gases (mg/l): >20,000
ATE - Inhalatory, mists (mg/l): > 5
ATE - Inhalatory, vapors (mg/l): >50

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Mobility: No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): Not Regulated
Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: NOT REGULATED

IMDG (Ocean) Bill of Lading Description: NOT REGULATED

15. REGULATORY INFORMATION

International Inventories at CAS# Level

TSCA	All components are listed or otherwise exempt
DSL	All components are listed or otherwise exempt

US RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Tributoxyethyl phosphate	78-51-3	-	-	-	-
Ethylene glycol	107-21-1	X	X	X	X
Propane-1,2-diol	57-55-6	-	X	X	-
2-butoxyethanol	111-76-2	X	X	X	-

CERCLA/ SARA

Canadian Regulations

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 0
Flammability 0
Instability 0
Special Hazards -

Revision: 2022-06-14
Version: 01.0

Reason for revision: Not applicable
Prepared by: North American Regulatory Affairs

Additional advice:

- Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.