	Page: 1
SAFETY DATA SHEET	Revision Date: 01/18/2022
	Print Date: 08/01/2022
	SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144	Version: 1.5

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Performax™ SR5600
 Water Treatment Chemical
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Industrial chemical

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

GHS label elements

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

Other hazards


None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (%)
ALKYL GLYCOL	Trade Secret	This material is not considered hazardous under the OSHA Hazard	>= 20 - < 30

	Page: 2
SAFETY DATA SHEET	Revision Date: 01/18/2022
	Print Date: 08/01/2022
	SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144	Version: 1.5

		Communication Standard (HazCom 2012).	
--	--	---	--


Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.
If inhaled	: If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	: Remove contact lenses. Protect unharmed eye.
If swallowed	: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: No symptoms known or expected.
Notes to physician	: No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Specific hazards during firefighting	: If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. Do not allow run-off from fire fighting to enter drains or water courses.

	Page: 3
SAFETY DATA SHEET	Revision Date: 01/18/2022
	Print Date: 08/01/2022
	SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144	Version: 1.5


- Hazardous combustion products : Carbon monoxide
Carbon dioxide (CO₂)
organic compounds
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
- Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

 Strong bonds. Trusted solutions.		Page: 4
SAFETY DATA SHEET		Revision Date: 01/18/2022
		Print Date: 08/01/2022
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144		Version: 1.5

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ALKYL GLYCOL	Trade Secret	TWA	10 mg/m3	US WEEL

Engineering measures : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Material : Nitrile rubber

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:
Safety shoes
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : General industrial hygiene practice.


SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

to

amber

 SAFETY DATA SHEET		Page: 5
		Revision Date: 01/18/2022
		Print Date: 08/01/2022
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144		Version: 1.5

Odour : No data available

Odour Threshold : No data available

pH : 10

Melting point/freezing point : No data available

Boiling point/boiling range : ca. 212 °F / 100 °C

Flash point : > 302 °F / > 150 °C
Method: open cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : 12.6 %(V)

Lower explosion limit / Lower flammability limit : 2.6 %(V)

Vapour pressure : 17.50 mmHg

Relative vapour density : > 1
AIR=1

Relative density : No data available

Density : 1.010 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : soluble

Solubility in other solvents : No data available


Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : 450 cps (77 °F / 25 °C)

Viscosity, kinematic : No data available

Oxidizing properties : No data available

		Page: 6
SAFETY DATA SHEET		Revision Date: 01/18/2022
		Print Date: 08/01/2022
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144		Version: 1.5

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Product will not undergo hazardous polymerization.
Conditions to avoid	: excessive heat Exposure to sunlight. Exposure to moisture
Incompatible materials	: isocyanates Strong acids strong bases Strong oxidizing agents UV light.
Hazardous decomposition products	: Aldehydes Alcohols Carbon monoxide Carbon dioxide (CO ₂) dioxolanes ethers Organic acids

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

ALKYL GLYCOL:

Acute oral toxicity : LD₅₀ (Rat): 21.0 - 33.7 g/kg

Acute dermal toxicity : LD₅₀ (Rabbit): 28 g/kg


Skin corrosion/irritation

Not classified based on available information.

Components:

ALKYL GLYCOL:

Result : Not irritating to skin

 Strong bonds. Trusted solutions.		Page: 7
SAFETY DATA SHEET		Revision Date: 01/18/2022
		Print Date: 08/01/2022
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144		Version: 1.5

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Unlikely to cause eye irritation or injury.

Components:

ALKYL GLYCOL:

Result : Possibly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.


Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

	Page: 8
SAFETY DATA SHEET	Revision Date: 01/18/2022
	Print Date: 08/01/2022
	SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144	Version: 1.5

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 412.0 mg/l
 Exposure time: 96 h
 Test Type: static test

LC50 (Pimephales promelas (fathead minnow)): 65.9 mg/l
 Exposure time: 96 h
 Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): 116.6 mg/l
 Exposure time: 48 h
 Test Type: static test

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Not classified based on available information.

Components:

ALKYL GLYCOL:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29,485 - 39,339 mg/l
 Exposure time: 96 h
 Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
 Exposure time: 48 h
 Test Type: static test

Persistence and degradability

Components:

ALKYL GLYCOL:


Biodegradability : Biodegradation: 81 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

ALKYL GLYCOL:

Partition coefficient: n-octanol/water : log Pow: -0.92

		Page: 9
SAFETY DATA SHEET		Revision Date: 01/18/2022
		Print Date: 08/01/2022
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144		Version: 1.5

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.


National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

 SAFETY DATA SHEET		Page: 10
		Revision Date: 01/18/2022
		Print Date: 08/01/2022
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144		Version: 1.5

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	340367

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory


IECSC : On the inventory, or in compliance with the inventory

NZIOC : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

		Page: 11
SAFETY DATA SHEET		Revision Date: 01/18/2022
		Print Date: 08/01/2022
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144		Version: 1.5

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 01/18/2022


Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet
Key literature references and sources of data

		Page: 12
SAFETY DATA SHEET		Revision Date: 01/18/2022
		Print Date: 08/01/2022
		SDS Number: 000000255631
Performax™ SR5600 Water Treatment Chemical ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 858144		Version: 1.5

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN