

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

## 1 Identification

- **Product identifier**
- **Trade name:** Sterilex Ultra Soft Metal Disinfectant Cleaner
- **Article number:** DIN - 02463598
- **Recommended use and restriction on use**
- **Recommended use:** Disinfectant
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**

Sterilex  
111 Lake Front Dr.  
Hunt Valley, MD 21030  
Phone: 443-541-8800
- **Importer/Distributor:**

Diversey Canada, Inc.  
3755 Laird Rd., Suite 8-11  
Mississauga, Ontario L5L 0B3  
Phone: 519-964-8272
- **Emergency telephone number:**

ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
- **Additional information:**  
Concentrated product is corrosive as shown in this document. When diluted at least 1:1 (50% or less solution) with water, product is non-hazardous.

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS05

- **Signal word:** Danger
- **Hazard statements:**  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements:**
  - P260 Do not breathe mist/vapors/spray.
  - P264 Wash thoroughly after handling.
  - P280 Wear protective gloves/protective clothing/eye protection.
  - P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P310 Immediately call a POISON CENTER/doctor.
  - P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
  - P363 Wash contaminated clothing before reuse.

(Cont'd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name: Sterilex Ultra Soft Metal Disinfectant Cleaner**

(Cont'd. of page 1)

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **NFPA ratings (scale 0 - 4)**

Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = 3

Fire = 0

Reactivity = 0

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Components:**

7722-84-1	hydrogen peroxide ⚠ Ox. Liq. 1, H271 ⚠ Skin Corr. 1A, H314 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335	5.5-7.2%
85409-23-0	Alkyl dimethyl ethyl benzyl ammonium chloride ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302	2.5-3.5%
68391-01-5	Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302	2.5-3.5%

· **Additional information:**

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

## 4 First-aid measures

· **Description of first aid measures**· **After inhalation:** Supply fresh air; consult doctor in case of complaints.· **After skin contact:**

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

· **After eye contact:**

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Cont'd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name: Sterilex Ultra Soft Metal Disinfectant Cleaner**

(Cont'd. of page 2)

- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**  
Strong caustic effect on skin and mucous membranes.  
Coughing  
Breathing difficulty  
Nausea  
Cramp
- **Danger:**  
Danger of gastric perforation.  
Danger of impaired breathing.  
Causes serious eye damage.  
Danger of disturbed cardiac rhythm.
- **Indication of any immediate medical attention and special treatment needed:**  
If necessary oxygen respiration treatment.  
Monitor circulation, possible shock treatment.  
Medical supervision for at least 48 hours.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
The product is not flammable.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.
- **Environmental precautions**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Methods and material for containment and cleaning up**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Pick up mechanically.  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**  
See Section 7 for information on safe handling.

(Cont'd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name: Sterilex Ultra Soft Metal Disinfectant Cleaner**

(Cont'd. of page 3)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**

- **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

- **Information about protection against explosions and fires:**

Keep respiratory protective device available.

- **Conditions for safe storage, including any incompatibilities**

- **Storage**

- **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

- **Information about storage in one common storage facility:**

Avoid direct contact with oxidizing agents and strong acids.

- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

### 7722-84-1 hydrogen peroxide

PEL (USA)	Long-term value: 1.4 mg/m <sup>3</sup> , 1 ppm
REL (USA)	Long-term value: 1.4 mg/m <sup>3</sup> , 1 ppm
TLV (USA)	Long-term value: 1.4 mg/m <sup>3</sup> , 1 ppm
EL (Canada)	Long-term value: 1 ppm
EV (Canada)	Long-term value: 1.4 mg/m <sup>3</sup> , 1 ppm
LMPE (Mexico)	Long-term value: 1 ppm
A3	

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

(Cont'd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name: Sterilex Ultra Soft Metal Disinfectant Cleaner**

(Cont'd. of page 4)

- **Engineering controls:** No relevant information available.
- **Breathing equipment:**  
Not required under normal conditions of use.  
Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.  
For spills, respiratory protection may be advisable.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**  
No relevant information available.
- **Risk management measures** See Section 7 for additional information.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.

- **pH-value:** 3.01 - 6.20
- **Melting point/Melting range:** Not determined.
- **Boiling point/Boiling range:** 100 °C (212 °F)

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Auto-ignition temperature:** Not determined.

- **Decomposition temperature:** Not determined.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits**

Lower:	Not determined.
Upper:	Not determined.

- **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

(Cont'd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name: Sterilex Ultra Soft Metal Disinfectant Cleaner**

(Cont'd. of page 5)

- |   |                                     |
|---|-------------------------------------|
| · <b>Density at 20 °C (68 °F):</b>                | 1 g/cm <sup>3</sup> (8.345 lbs/gal) |
| · <b>Relative density:</b>                        | Not determined.                     |
| · <b>Vapor density:</b>                           | Not determined.                     |
| · <b>Evaporation rate:</b>                        | Not determined.                     |
| · <b>Solubility in / Miscibility with Water:</b>  | Fully miscible.                     |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                     |
| · <b>Viscosity</b>                                |                                     |
| Dynamic:  | Not determined.                     |
| Kinematic:  | Not determined.                     |
| · <b>Other information</b>                        | No relevant information available.  |

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.  
To avoid thermal decomposition, do not overheat.
- **Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong oxidizing agents.  
Reacts with certain metals.
- **Conditions to avoid**  
Keep away from heat and direct sunlight.  
Prevent from drying out.  
Avoid direct contact with oxidizing agents and strong acids.
- **Incompatible materials** No relevant information available.
- **Hazardous decomposition products**  
Carbon monoxide and carbon dioxide  
Chlorine compounds

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

### 7722-84-1 hydrogen peroxide

Oral	LD50	376 mg/kg (rat)
Inhalative	LC50/4h	(rat)

### 85409-23-0 Alkyl dimethyl ethyl benzyl ammonium chloride

Oral	LD50	350 mg/kg (rat)
------	------	-----------------

(Cont'd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name:** Sterilex Ultra Soft Metal Disinfectant Cleaner

(Cont'd. of page 6)

Dermal	LD50	3000 mg/kg (rabbit)
<b>68391-01-5 Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride</b>		
Oral	LD50	650 mg/kg (rat)

- **Primary irritant effect:**
- **On the skin:** Caustic effect on skin and mucous membranes.
- **On the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:** Skin contact.
- **Acute effects (acute toxicity, irritation and corrosivity):** Causes severe skin burns and eye damage.
- **Repeated dose toxicity:** No relevant information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** The product contains materials that are harmful to the environment.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** May be accumulated in organism
- **Mobility in soil:** No relevant information available.
- **Ecotoxicological effects:**
- **Remark:** After neutralization a reduction of the harming action may be recognized
- **Additional ecological information**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

(Cont'd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name: Sterilex Ultra Soft Metal Disinfectant Cleaner**

(Cont'd. of page 7)

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**

- **Recommendation:**

Disposal must be made according to official regulations.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- **UN-Number**

- **DOT, ADR, IMDG, IATA**

UN1760

- **UN proper shipping name**

- **DOT**

Corrosive Liquids, n.o.s. (Quaternary ammonium compound)

- **ADR, IMDG**

CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compound)

- **IATA**

Corrosive Liquid, n.o.s. (Quaternary ammonium compound)

- **Transport hazard class(es)**

- **DOT**



- **Class**

8 Corrosive substances

- **Label**

8

- **ADR**



- **Class**

8 (C9) Corrosive substances

- **Label**

8

(Cont'd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name: Sterilex Ultra Soft Metal Disinfectant Cleaner**

(Cont'd. of page 8)

· **IMDG, IATA**



· **Class** 8 Corrosive substances  
 · **Label** 8

· **Packing group**

· **DOT, ADR, IMDG, IATA** III

· **Environmental hazards**

· **Marine pollutant:** No

· **Special precautions for user**

Warning: Corrosive substances

· **Danger code (Kemler):**

80

· **EMS Number:**

F-A,S-B

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **DOT**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **ADR**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **IMDG**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **IATA**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 0.5 L each / 1 L net.

(Cont'd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name: Sterilex Ultra Soft Metal Disinfectant Cleaner**

(Cont'd. of page 9)

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

### · **Section 355 (extremely hazardous substances):**

7722-84-1 | hydrogen peroxide

### · **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

### · **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

### · **Proposition 65 (California)**

### · **Chemicals known to cause cancer:**

None of the ingredients are listed.

### · **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

### · **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

### · **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

### · **Carcinogenic categories**

### · **EPA (Environmental Protection Agency):**

85409-23-0 | Alkyl dimethyl ethyl benzyl ammonium chloride

Registered.

### · **Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)**

EPA Product Registration #: 63761-8.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

KEEP OUT OF REACH OF CHILDREN

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER:

Corrosive.

Causes irreversible eye damage and skin burns.

May be fatal if inhaled.

Harmful if swallowed or absorbed through skin.

### · **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

### · **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

(Cont'd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/12/2018

Revision: 02/12/2018

**Trade name:** Sterilex Ultra Soft Metal Disinfectant Cleaner

(Cont'd. of page 10)

· **Canadian Domestic Substances List (DSL):**

All ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 01/09/2017 / -

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Ox. Liq. 1: Oxidizing liquids – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com