SAFETY DATA SHEET

D-Foam Insecticide

SDS #: 7094-A

Revision date: 2021-02-17

Format: NA Version 1.05



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name D-Foam Insecticide

Other means of identification

Product Code(s) 7094-A

Synonyms (1R,3R)-3(2,2-dibromovinyl)-2,2-dimethylcylcopropane carboxylic

Active Ingredient(s) Deltamethrin

Chemical Family Pyrethroid Ester Insecticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1

Version 1.05

EMERGENCY OVERVIEW

Warning

Hazard Statements

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled



Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects. May be harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Pyrethroid Ester Insecticide.

Chemical name	CAS-No	Weight %
Deltamethrin	52918-63-5	0.06
Petroleum gases, liquified, sweetened	68476-86-8	10-15
Petroleum distillates, hydrotreated light	64742-47-8	5-10
Acetyltri-n-butyl citrate	77-90-7	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact If skin irritation occurs: Get medical advice/ attention. IF ON SKIN: Wash with plenty of

Version 1.05

soap and water.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Clean mouth with water and afterwards drink plenty of water Immediately call a poison

control center or doctor Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an

unconscious person.

Most important symptoms and effects, both acute and delayed

Allergic skin reactions. Central nervous system effects.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Small Fire Dry chemical. Carbon dioxide (CO₂).

Large Fire Water spray. Foam.

Unsuitable extinguishing media Avoid heavy hose streams.

Specific Hazards Arising from the

Chemical

Explosion data

Sensitivity to Mechanical Impact

Sensitivity to Static Discharge

No information available. No information available.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit. Isolate fire area. Evaluate

upwind.

None known

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of

lakes, streams, ponds, and sewer drains. Keep out of waterways.

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize

spill area, tools and equipment by washing with water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

Rinsate may be disposed at a waste water treatment plant.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F (56°C). Do not open by force or throw into fire even after use. Do not spray on

flames or red-hot objects.

Version 1.05

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates,	TWA: 200 mg/m ³	-	-	-
hydrotreated light	Skin			
(64742-47-8)				

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

Skin and Body Protection Minimize skin contamination by following good industrial hygiene practices. Wear suitable

protective clothing. Protective shoes or boots.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measuresClean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Clear, Colorless Aerosolized liquid

Physical State Aerosol
Color Colorless

OdorNo information availableOdor thresholdNo information available

pH 5.1

Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point Non-flammable per flame projection test.

Evaporation RateFlammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit:No information available

Version 1.05

Lower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information available

Relative density 8.227 lb/gal

Specific gravity No information available

Water solubility insoluble

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available No information available **Explosive properties** Oxidizing properties No information available Molecular weight No information available No information available **Bulk density**

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

Incompatible materials None known.

Hazardous Decomposition Products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Product Information

 LD50 Oral
 500 -5000 mg/kg (rat)

 LD50 Dermal
 > 2000 mg/kg (rat)

 LC50 Inhalation (dust)
 > 2 mg/L (rat) 4 hr

Serious eye damage/eye irritation Moderately irritating (rabbit).
Skin corrosion/irritation Slightly or non-irritating (rabbit).

Sensitization Sensitizer

Chemical name LD50 Oral		LD50 Dermal	LC50 Inhalation (vapor)		
Petroleum distillates, hydrotreated light (64742-47-8)	> 5000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h		
Acetyltri-n-butyl citrate (77-90-7)	> 31500 mg/kg (Rat)				

Information on toxicological effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Deltamethrin: Repeated or prolonged exposure may cause central nervous system effects

(decrease motor activity, tremor, difficulty breathing, impaired gait and choreoathetosis).

Mutagenicity Deltamethrin: Not genotoxic in laboratory studies.

Carcinogenicity Deltamethrin: No evidence of carcinogenicity from animal studies.

Neurological effectsDeltamethrin: Neurobehavioral effects (tremors) were observed in studies with animals.

D-Foam Insecticide

SDS #: 7094-A Revision date: 2021-02-17

Version 1.05

Reproductive toxicity Deltamethrin: No toxicity to reproduction in animal studies.

Developmental toxicityDeltamethrin: Not teratogenic in animal studies.

STOT - single exposureNot classified.STOT - repeated exposureNot classified.Target organ effectsNervous system.

Neurological effects Deltamethrin: Neurobehavioral effects (tremors) were observed in studies with animals.

Aspiration hazard No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Deltamethrin		Group 3		
52918-63-5				

Legend:

IARC (International Agency for Research on Cancer)
Group 3 - Not classifiable as to its carcinogenicity to humans

12. ECOLOGICAL INFORMATION

Ecotoxicity

Deltamethrin (52918-63-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Deltamethrin	96 h LC50	Fish	0.26	μg/L
	48 h EC50	Crustacea	0.56	μg/L
	72 h EC50	Algae	9.1	mg/L
	21 d NOEC	Fish	0.032	μg/L
	21 d NOEC	Crustacea	0.0041	μg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Acetic Acid 64-19-7		96 h LC50: = 75 mg/L (Lepomis macrochirus) static 96 h LC50: = 79	24 h EC50: = 47 mg/L (Daphnia magna) 48 h EC50: = 65 mg/L
		mg/L (Pimephales promelas) static	(Daphnia magna) Static
Petroleum distillates, hydrotreated		96 h LC50: = 2.2 mg/L (Lepomis	96 h LC50: = 4720 mg/L
light		macrochirus) static 96 h LC50: = 2.4	(Den-dronereides heteropoda)
64742-47-8		mg/L (Oncorhynchus mykiss) static	
		96 h LC50: = 45 mg/L (Pimephales	
		promelas) flow-through	
Alcohols (C12-15 Ln. saturated)	72 h EC50 Pseudokirchneriella	96 h LC50 fish: 1.3 mg/L	48 h EC50 Daphnia magna: 0.14
ethoxylate	subcapitata: 0.75 mg/L	10 d NOEC Lepomis macrochirus:	mg/L
68131-39-5	-	0.16 mg/L	21 d NOEC Daphnia magna: 0.77
			mg/L
Acetyltri-n-butyl citrate	_	96 h LC50: 38 - 60 mg/L (Lepomis	
77-90-7		macrochirus) flow-through	

Persistence and degradability Deltamethrin: Non-persistent. Does not readily hydrolyze at pH 7 and 8. Readily

hydrolyzed at pH 9. Not readily biodegradable.

Bioaccumulation Deltamethrin: The substance has a potential for bioconcentration.

Mobility Deltamethrin: Immobile; Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and

packages

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

Version 1.05

DOT Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

Description UN1950, Aerosols, flammable, 2.1, Limited Quantity

TDG Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

Description UN1950, Aerosols, flammable, 2.1, Limited Quantity

ICAO/IATA Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

IMDG/IMO Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950
Proper Shipping Name Aerosols
Hazard class 2.1
EmS No. F-D, S-U

Description UN1950, Aerosols, 2.1, Limited Quantity

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic Acid 64-19-7	5000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Acetic Acid	5000 lb	

Version 1.05

64-19-7	2270 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful If swallowed or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

This product is toxic to fish.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Deltamethrin 52918-63-5			X		Х	X	Х	Х
Petroleum gases, liquified, sweetened 68476-86-8	X	Х	X		Х	X	Х	Х
Petroleum distillates, hydrotreated light 64742-47-8	Х	Х	Х		Х	Х	Х	Х
Acetyltri-n-butyl citrate 77-90-7	Х	Х	Х	Х	Х	Х	Х	Х

CANADA

Not applicable

16. OTH	ER INFORMATION

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2021-02-17

Reason for revision: SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any

Version 1.05

other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet