# **SAFETY DATA SHEET**

**D-Force Insecticide** 

**SDS #**: 7099-A

**Revision date:** 2020-10-19

Format: NA Version 1.06



# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name D-Force Insecticide

Other means of identification

Product Code(s) 7099-A

Synonyms (1R,3R)-3(2,2-dibromovinyl)-2,2-dimethylcylcopropane carboxylic

Active Ingredient(s) Deltamethrin

Chemical Family Pyrethroid Ester Insecticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

**Restrictions on Use:** Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

# 2. HAZARDS IDENTIFICATION

# Classification

## **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1B
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1

Version 1.06

#### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

#### Danger

#### **Hazard Statements**

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

#### Physical Hazards

H222 - Extremely flammable aerosol

H229 - Pressurized container: May burst if heated



#### **Precautionary Statements - Prevention**

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 + P364 - Take off all contaminated clothing and wash it before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P330 - Rinse mouth

## **Precautionary Statements - Storage**

P403 - Store in a well-ventilated place

P405 - Store locked up

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F

## **Precautionary Statements - Disposal**

P501 - Dispose of contents/container according to label directions

## Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

Very toxic to aquatic life with long lasting effects.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Family** 

Pyrethroid Ester Insecticide.

Version 1.06

Chemical name	CAS-No	Weight %
Petroleum distillates, hydrotreated light	64742-47-8	>75
Naphtha (petroleum), light alkylate	64741-66-8	10-20
Carbon Dioxide	124-38-9	1-5
Deltamethrin	52918-63-5	0.06

Synonyms are provided in Section 1.

4	FIR	ST	<b>ΔID</b>	MEA	SU	RFS
		<b>U</b> I			100	$I \setminus L \cup$

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove **Eye Contact** 

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

**Skin Contact** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do Ingestion

so by a poison control center or doctor. Do not give any liquid to the person. Do not give

anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed None known.

Indication of immediate medical attention and special treatment

needed, if necessary

Treat symptomatically. Contains petroleum distillate. Vomiting may cause aspiration

pneumonia.

# 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Dry chemical. Carbon dioxide (CO<sub>2</sub>). **Small Fire** 

Water spray. Foam. Large Fire

Specific Hazards Arising from the

Chemical

Contents under pressure. Do not incinerate or puncture

**Explosion data** 

**Sensitivity to Mechanical Impact** Sensitivity to Static Discharge

No information available. No information available.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire

area. Evaluate upwind.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If

ventilation is not possible wear full protection suit and chemical protective equipment.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

#### **D-Force Insecticide**

**SDS** #: 7099-A **Revision date:** 2020-10-19

Version 1.06

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize

spill area, tools and equipment by washing with water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

Rinsate may be disposed at a waste water treatment plant.

# 7. HANDLING AND STORAGE

**Handling** Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Carbon Dioxide	STEL 30000 ppm	TWA: 5000 ppm	IDLH: 40000 ppm	Mexico: TWA 5000 ppm
(124-38-9)	TWA: 5000 ppm	TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm	Mexico: STEL 30000
			TWA: 9000 mg/m <sup>3</sup>	ppm
			STEL: 30000 ppm	
			STEL: 54000 mg/m <sup>3</sup>	
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates,	TWA: 200 mg/m <sup>3</sup>	-	-	-
hydrotreated light	Skin			
(64742-47-8)				
Carbon Dioxide	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 5000 ppm
(124-38-9)	STEL: 15000 ppm	TWA: 9000 mg/m <sup>3</sup>		TWA: 9000 mg/m <sup>3</sup>
		STEL: 30000 ppm		STEL: 30000 ppm
		STEL: 54000 mg/m <sup>3</sup>	STEL: 30000 ppm	STEL: 54000 mg/m <sup>3</sup>

# **Appropriate engineering controls**

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

**Skin and Body Protection** Wear suitable protective clothing. Protective shoes or boots.

**Hand Protection** Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

**Hygiene measures**Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

Page 4/9

Version 1.06

separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance Clear, Colorless Aerosolized liquid

Physical State Aerosol

Color Clear, Colorless

OdorNo information availableOdor thresholdNo information availablepHNo information available

Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point Non-flammable per flame projection test.

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Relative density 6.69 lb/gal

Specific gravity No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available **Bulk density** No information available

# 10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks.

**Incompatible materials** None known.

Hazardous Decomposition Products None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

Product Information

 LD50 Oral
 > 2000 mg/kg (rat)

 LD50 Dermal
 > 2000 mg/kg (rat)

 LC50 Inhalation (dust)
 > 2.2 mg/L (rat) 4 hr

#### **D-Force Insecticide**

**SDS #**: 7099-A

**Revision date: 2020-10-19** 

Version 1.06

Serious eye damage/eye irritation Mildly irritating.
Skin corrosion/irritation Irritating to skin.

Sensitization May cause sensitization by skin contact

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Petroleum distillates, hydrotreated light (64742-47-8)	> 5000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L (Rat)4 h
Naphtha (petroleum), light alkylate (64741-66-8)	> 7000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 6.31 mg/L (Rat)4 h

# Information on toxicological effects

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Deltamethrin: Repeated or prolonged exposure may cause central nervous system effects

(decrease motor activity, tremor, difficulty breathing, impaired gait and choreoathetosis).

Mutagenicity Deltamethrin: Not genotoxic in laboratory studies.

**Carcinogenicity** Deltamethrin: No evidence of carcinogenicity from animal studies.

**Neurological effects** Deltamethrin: Neurobehavioral effects (tremors) were observed in studies with animals.

**Reproductive toxicity** Deltamethrin: No toxicity to reproduction in animal studies.

**Developmental toxicity** Deltamethrin: Not teratogenic in animal studies.

STOT - single exposure
STOT - repeated exposure
Target organ effects

Not classified.
Nervous system.

**Neurological effects** Deltamethrin: Neurobehavioral effects (tremors) were observed in studies with animals.

**Aspiration hazard** Potential for aspiration if swallowed.

Chemical name	ACGIH	IARC	NTP	OSHA
Deltamethrin		Group 3		
52918-63-5		·		

#### Legend:

IARC (International Agency for Research on Cancer) Group 3 - Not classifiable as to its carcinogenicity to humans

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Deltamethrin (52918-63-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Deltamethrin	96 h LC50	Fish	0.26	μg/L
	48 h EC50	Crustacea	0.56	μg/L
	72 h EC50	Algae	9.1	mg/L
	21 d NOEC	Fish	0.032	μg/L
	21 d NOEC	Crustacea	0.0041	μg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other
			aquatic invertebrates

Version 1.06

Naphtha (petroleum), light alkylate	72 h EC50: = 30000 mg/L		48 h LC50: = 2 mg/L (Mysidopsis
64741-66-8	(Pseudokirchneriella subcapitata)		bahia)
Petroleum distillates, hydrotreated		96 h LC50: = 2.2 mg/L (Lepomis	96 h LC50: = 4720 mg/L
light		macrochirus) static 96 h LC50: = 2.4	(Den-dronereides heteropoda)
64742-47-8		mg/L (Oncorhynchus mykiss) static	
		96 h LC50: = 45 mg/L (Pimephales	
		promelas) flow-through	

Persistence and degradability Deltamethrin: Non-persistent. Does not readily hydrolyze at pH 7 and 8. Readily

hydrolyzed at pH 9. Not readily biodegradable.

**Bioaccumulation** Deltamethrin: The substance has a potential for bioconcentration.

Mobility Deltamethrin: Immobile; Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and

packages

Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

**DOT** Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

**Description** UN1950, Aerosols, flammable, 2.1, Limited Quantity

TDG Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

**Description** UN1950, Aerosols, flammable, 2.1, Limited Quantity

ICAO/IATA Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

UN/ID no

**Description** UN1950, Aerosols, flammable, 2.1, Limited Quantity

IMDG/IMO Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows. UN1950 Aerosols

Proper Shipping Name
Hazard class
EmS No.

Aerosols
2.1
F-D, S-U

**Description** UN1950, Aerosols, 2.1, Limited Quantity

Version 1.06

# 15. REGULATORY INFORMATION

# **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **FIFRA Information**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **CAUTION**

Harmful if swallowed or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

This product is toxic to fish.

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Carbon Dioxide	X	X	X
124-38-9			

### **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Petroleum distillates, hydrotreated light 64742-47-8	Х	Х	Х		Х	Х	Х	Х
Naphtha (petroleum), light alkylate 64741-66-8	Х	Х	X		Х	Х	Х	Х

**SDS #:** 7099-A

Revision date: 2020-10-19

Version 1.06

Carbon Dioxide	Х	Х	Х	Х	Х	Х	Х	Х
124-38-9			.,			.,	.,	.,
Deltamethrin			X		Х	X	X	X
52918-63-5								

#### **CANADA**

Not applicable

16. OTHER INFORMATION								
NEDA	Hoalth Hazarde	2	Flammability 1	Instability 0	Special Hazards			

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

<sup>\*</sup>Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

**Revision date:** 2020-10-19

Reason for revision: SDS sections updated

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2020 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**