Product Information Sheet



Premixed formulation to better control the toughest broadleaf weeds

Terradex[™] Power Premix is a convenient, postemergence mix of four active ingredients. It controls more than 80 weeds including tough-to-control species like ground ivy and wild violet.

All Skills, No Frills

- Labeled for over 80 broadleaf weeds including difficult-to-control weeds like clover, docks, ground ivy, knotweed, Lespedeza, old world diamond flower, poison ivy, poison oak, puncturevine, purslane, Virginia buttonweed, wild onion, wild garlic, wild violet, and many more
- Premixed and ready to go
- Convenient, cost-effective

Product Information

- Active ingredients (% by weight)
 - 30.89% or 2.48 lb. ai/gal. 2,4-D (WSSA group 4)
 - 8.23% or 0.66 lb. ai/gal. MCPA (WSSA group 4)
 - 7.25% or 0.50 lb. ai/gal. triclopyr (WSSA group 4)
 - 2.77% or 0.22 lb. ai/gal. dicamba (WSSA group 4)
- Signal Word: Warning (contains 2,4-D and requires eye protection)
- Formulation: Liquid concentrate

How to Apply

- Best applied from spring through fall at temperatures above 50°F and below 90°F
- Broadcast apply at 3.25 to 4.0 pints/A on 30-day intervals on cool-season turf up to a maximum of 8 pints/A/yr.
- Broadcast apply at 2.0 to 2.25 pints/A on 30-day intervals to dormant warm-season turf for a maximum of 2 applications/yr.
- Can be applied in as little as 10 gal. H₂O /A (0.25 gal. /1,000 sq. ft.) so can be used in ride-on sprayers
- Spot applications of 1.2 to 1.5 fl. oz./1,000 sq. ft. in 1 gal. H₂O/1,000 in backpack sprayers for cool-season turf
- Spot applications of 0.75 to 0.83 fl. oz./1,000 sq. ft. in 1 gal. $\rm H_2O/1,000$ in backpack sprayers for dormant warm-season turf
- Rainfast in 4 hours
- Use on newly established turf:
 - Treated areas can be reseeded three weeks after application
 - Wait to apply until after second or third mowing of new seedings
 - Wait to apply until after 3 to 4 weeks of sodding or sprigging