SAFETY DATA SHEET

Talstar Nursery Granular Insecticide

SDS #: 1686-3-A Revision date: 2019-06-21

Format: NA Version 1.04



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Talstar Nursery Granular Insecticide

Other means of identification

Product Code(s) 1686-3-A

Synonyms BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl

(1R,3R)-rel-3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl]-2,2-dimethylcyclopropanecarboxylat

e (CAS name); 2-methyl-3-phenylbenzyl

(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

(IUPAC name)

Active Ingredient(s) Bifenthrin

Chemical Family Pyrethroid Pesticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide, Miticide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number Medical Emergencies :

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

SDS #: 1686-3-A **Revision date**: 2019-06-21

Version 1.04

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H350 - May cause cancer

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

Precautionary Statements - Response

P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Crystalline silica, quartz	14808-60-7	>80
Bifenthrin	82657-04-3	0.2

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

SDS #: 1686-3-A **Revision date**: 2019-06-21

Version 1.04

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice Have person sip a

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Central nervous system effects.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically. This product is a pyrethroid. If large amounts have been ingested, milk, cream, and other digestible fats and oils may increase absorption and so should be avoided.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use CO₂, dry chemical, or foam.

Specific Hazards Arising from the

Chemical

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge •

Powdered material may form explosive dust-air mixtures

No information available. No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire

area. Evaluate upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of

lakes, streams, ponds, and sewer drains. Keep out of waterways.

Methods for ContainmentUse a wet sweeping compound or water to prevent dust formation.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean and neutralize spill area,

tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal.

Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Store in original

container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

SDS #: 1686-3-A **Revision date**: 2019-06-21

Version 1.04

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Crystalline silica, quartz	TWA: 0.025 mg/m ³	TWA: 50 μg/m ³	IDLH: 50 mg/m ³	Mexico: TWA 0.025
(14808-60-7)			TWA: 0.05 mg/m ³	mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Crystalline silica, quartz (14808-60-7)	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³ respirable	TWA: 0.025 mg/m ³

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measuresClean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Granules
Physical State Solid
Color Cream to tan
Odor Slight Musty

Odor threshold No information available

pH 6.8-7.1

Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point Not applicable

Evaporation Rate
No information available
Plammability (solid, gas)
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Relative density 1.39 lb/ft³

Specific gravity
Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
No information available
No information available
No information available

SDS #: 1686-3-A **Revision date**: 2019-06-21

Version 1.04

Decomposition temperatureNo information availableViscosity, kinematicNo information availableViscosity, dynamicNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information availableMolecular weightNo information available

Bulk density 50-53 lb/ft³

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Hydrogen chloride, Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral> 5000 mg/kg (rat)LD50 Dermal> 2000 mg/kg (rabbit)LC50 InhalationNo information available

Serious eye damage/eye irritation

Skin corrosion/irritation Non-irritating.
Sensitization Non-sensitizer

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Bifenthrin	55 mg/kg (rat)	> 2000 mg/kg (rat)	0.8 mg/L (female, rat) 4 h
(82657-04-3)			

Non-irritating. Product dust may cause mechanical eye irritation.

Information on toxicological effects

Symptoms Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including

convulsions, tremors and bloody nasal discharge.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Chronic exposure to silica dust may increase the risk of developing pneumoconiosis or

silicosis, chronic diseases affecting the lungs, characterized by labored breathing, cough, reduction of work capacity, reduction of lung capacity, heart enlargement and failure

Mutagenicity Bifenthrin: Not genotoxic in laboratory studies.

Carcinogenicity Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder

tumors (lesion) in male mice. This product contains crystalline silica (quartz) in a

non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product. However, if granules are pulverized or crushed into a fine, respirable powder, silica

exposure via inhalation is probable.

Neurological effects Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

Reproductive toxicity Bifenthrin: No toxicity to reproduction in animal studies.

Developmental toxicityBifenthrin: Not teratogenic in animal studies.

SDS #: 1686-3-A **Revision date: 2019-06-21**

Version 1.04

STOT - single exposure

May cause damage to organs. See listed target organs below.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Bifenthrin: Central Nervous System.

Neurological effects Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive

salivation) following acute or subchronic exposure. Tremors disappeared with continued

exposure.

No information available. **Aspiration hazard**

Chemical name	ACGIH	IARC	NTP	OSHA
Crystalline silica, quartz	A2	Group 1	Known	X
14808-60-7		·		

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

DOT

Bifenthrin (82657-04-3)				
Active Ingredient(s)	Duration	Species	Value	Units
Bifenthrin	96 h LC50	Fish	0.1	μg/L
	72 h EC50	Algae	0.822	mg/L
	48 h EC50	Crustacea	0.11	μg/L
	21 d NOEC	Fish	0.012	μg/L
	21 d NOEC	Crustacea	0.0013	ua/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
hydrotreated light parrafinic oil		96 h LC50: > 5000 mg/L	48 h EC50: > 1000 mg/L (Daphnia
64742-55-8		(Oncorhynchus mykiss)	magna)

Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable. Persistence and degradability

Bioaccumulation Bifenthrin: The substance has a potential for bioconcentration.

Bifenthrin: Immobile. Not expected to reach groundwater. Mobility

13. DISPOSAL CONSIDERATIONS

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these Waste disposal methods

> wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.

SDS #: 1686-3-A **Revision date**: 2019-06-21

Version 1.04

TDG

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Bifenthrin.

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (bifenthrin), 9, III, Marine

Pollutant

ICAO/IATA

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (bifenthrin), 9, III, Marine

Pollutant

IMDG/IMO

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Bifenthrin

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (bifenthrin), 9, III, Marine

Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	82657-04-3	0.2	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

SDS #: 1686-3-A **Revision date**: 2019-06-21

Version 1.04

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if absorbed through skin.

This pesticide is extremely toxic to fish and aquatic invertebrates.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Crystalline silica, quartz 14808-60-7	X	X	Х
Bifenthrin 82657-04-3	X		

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Crystalline silica, quartz	Х	Х	X	Х	Х	X	Х	X
14808-60-7								
Bifenthrin				X	X	X		
82657-04-3								

Mexico - Grade

Serious risk, Grade 3

Crystalline silica, quartz A2 Mexico: TWA 0.025 mg/m³	∩ ³

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Bifenthrin	100 2500 kg/yr	100 kg/yr

CANADA

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

D2A - Very toxic materials



SDS #: 1686-3-A **Revision date**: 2019-06-21

Version date: 2019-06-21

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 0	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2019-06-21

Reason for revision: SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet