DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

SECTION 1. IDENTIFICATION

Product identifier

Product name DURENTIS™ Insecticide

Other means of identification

Product code 50002829

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS label elements

Hazard Statements : This material is not hazardous under the criteria of the Federal

OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	47.85

DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

Residues (petroleum), catalytic re- 68425-94-5 >= 1 - < 5

former fractionator, sulfonated, polymers with formaldehyde, sodium salts

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.

Wash clothing before reuse.

Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

: Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Thermal decomposition can lead to release of irritating gases

and vapors.

Nitrogen oxides (NOx)

Carbon oxides

DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

> Bromine compounds Chlorine compounds

Thermal decomposition can lead to release of irritating gases

and vapors.

Nitrogen oxides (NOx)

Carbon oxides Bromine compounds Chlorine compounds

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO

Use a water spray to cool fully closed containers.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Evacuate personnel to safe areas.

Use personal protective equipment. If it can be safely done, stop the leak.

Do not touch or walk through the spilled material.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Avoid formation of respirable particles.

Dispose of rinse water in accordance with local and national

regulations.

DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

Smoking, eating and drinking should be prohibited in the ap-

plication area.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
glycerol 56-81-5	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

No personal respiratory protective equipment normally re-

quired.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

DURENTIS™ Insecticide



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/28/2023

 1.1
 01/16/2024
 50002829
 Date of first issue: 06/28/2023

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : General industrial hygiene practice.

Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Color : white

Odor : soapy

Odor Threshold : No data available

pH : ca. 6.5

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : $> 212 \, ^{\circ}\text{F} / 100 \, ^{\circ}\text{C}$

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

DURENTIS™ Insecticide



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/28/2023

 1.1
 01/16/2024
 50002829
 Date of first issue: 06/28/2023

Density : 1.2623 g/cm3 (73.9 °F / 23.3 °C)

Bulk density : ca. 1.25 g/cm3

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : Thermal decomposition can lead to release of irritating gases

and vapors.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 325.5 mm2/s (73.6 °F / 23.1 °C)

274.6 mm2/s (110.3 °F / 43.5 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Molecular weight : Not applicable

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Direct sources of heat.

Avoid extreme temperatures. Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.16 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Chlorantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Remarks : No data available

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result : Eye irritation
Assessment : Irritating to eyes.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years

NOAEL : 805 - 1,076 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Oral Exposure time : 18 month(s)

NOAEL : 158 - 1,155 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

DURENTIS™ Insecticide



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/28/2023

 1.1
 01/16/2024
 50002829
 Date of first issue: 06/28/2023

Application Route: Oral

General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 d

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Not classified based on available information.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 days

Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

DURENTIS™ Insecticide



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/28/2023

 1.1
 01/16/2024
 50002829
 Date of first issue: 06/28/2023

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0116 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/l

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): > 2 mg/l

Exposure time: 14 d

NOEC (Lemna gibba (duckweed)): 2 mg/l

Exposure time: 14 d

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28

mg/l

Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 0.005 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

DURENTIS™ Insecticide



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/28/2023

 1.1
 01/16/2024
 50002829
 Date of first issue: 06/28/2023

LD50 (Apis mellifera (bees)): > 0.0274 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

LC50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d pH: 9

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

DURENTIS™ Insecticide



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/28/2023

 1.1
 01/16/2024
 50002829
 Date of first issue: 06/28/2023

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 15 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2.77 (68 °F / 20 °C)

pH: 4

log Pow: 2.86 (68 °F / 20 °C)

pH: 7

log Pow: 2.80 (68 °F / 20 °C)

pH: 9

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments

iron- : Koc: 244 - 464 Remarks: immobile

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

DURENTIS™ Insecticide



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/28/2023

 1.1
 01/16/2024
 50002829
 Date of first issue: 06/28/2023

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Chlorantraniliprole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Chlorantraniliprole)

Class : 9 Packing group : III

DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

Labels : CLASS 9 ERG Code : 171

Marine pollutant : yes (Chlorantraniliprole)

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ Calculated product R0	
		(lbs)	(lbs)
ethylbenzene	100-41-4	100	100 (F003)

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol 57-55-6 >= 1 - < 5 % glycerol 56-81-5 >= 1 - < 5 %

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

edetic acid 60-00-4 >= 0 - < 0.1 % ethylbenzene 100-41-4 >= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

edetic acid 60-00-4 >= 0 - < 0.1 %ethylbenzene 100-41-4 >= 0 - < 0.1 %

DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

glycerol 56-81-5 Quartz (SiO2) 14808-60-7

Pennsylvania Right To Know

 Chlorantraniliprole
 500008-45-7

 water
 7732-18-5

 propane-1,2-diol
 57-55-6

 glycerol
 56-81-5

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

ethylbenzene 100-41-4

Washington Chemicals of High Concern

ethylbenzene 100-41-4

California Prop. 65

WARNING: This product can expose you to chemicals including ethylbenzene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Permissible Exposure Limits for Chemical Contaminants

glycerol 56-81-5

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-

CARBOXANILIDE

ACTI-GEL 208 (ACTIVE MINERALS)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely

DURENTIS™ Insecticide



Version Revision Date: SDS Number: Date of last issue: 06/28/2023 1.1 01/16/2024 50002829 Date of first issue: 06/28/2023

Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation © 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet