

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** VERIMARK 200 SC (БЕРИМАРК® 200 СК)

#### Other means of identification

**Product code** 50000081

Unique Formula Identifier (UFI) : 8Y4X-12CH-DN4A-TW3E

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Insecticide

**Recommended restrictions on use** : Use as recommended by the label.  
For consumer and professional use.

#### 1.3 Details of the supplier of the safety data sheet

#### Supplier Address

FMC Agro Bulgaria EOOD  
ISKARSKO SHOSE BLVD. NO.7  
TRADE CENTER EUROPE  
BUILDING 7, OFFICE 8, FLOOR 4  
1528 Sofia  
Bulgaria

Telephone: +359 (0) 2 818 5656  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Bulgaria: +(359)-32570104 (CHEMTREC)

Medical emergency:  
Clinic of Toxicology at the Hospital " N.I. Pirogov"  
Emergency telephone/fax: +359 2 9154 233

National number: 112

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Category 1      H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1      H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

:



Signal word      :      Warning

Hazard statements      :      H410      Very toxic to aquatic life with long lasting effects.

Precautionary statements      :      **Prevention:**  
P273      Avoid release to the environment.

**Response:**  
P391      Collect spillage.

**Disposal:**  
P501      Dispose of contents/container as hazardous waste in accordance with local regulations.

##### Additional Labelling

EUH208      Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401      To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0      Revision Date: 23.07.2025      SDS Number: 50000081      Date of last issue: -  
Date of first issue: 23.07.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cyantraniliprole	736994-63-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1  specific concentration limit Skin Sens. 1A; H317 >= 0,036 %  Acute toxicity estimate  Acute oral toxicity: 450 mg/kg Acute inhalation tox-	>= 0,0025 - < 0,025

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

		icity (dust/mist): 0,21 mg/l	
--	--	---------------------------------	--

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                         |   |
|-------------------------|---|
| General advice          | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| If inhaled              | : Remove to fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.   |
| In case of eye contact  | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |
| If swallowed            | : Do not induce vomiting without medical advice.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.   |

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |
|-----------|---|
| Treatment | : Treat symptomatically.<br>Immediate medical attention is required in case of ingestion. |
|-----------|---|

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- |                              |   |
|------------------------------|---|
| Suitable extinguishing media | : Dry chemical, CO <sub>2</sub> , water spray or regular foam.<br>Use extinguishing measures that are appropriate to local cir- |
|------------------------------|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

cumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet  
Do not spread spilled material with high-pressure water streams.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Hydrogen cyanide  
Carbon oxides  
Bromine compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Do not touch or walk through the spilled material.  
If it can be safely done, stop the leak.  
Use personal protective equipment.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |   |   |   |
|---|---|---|
| Advice on safe handling                         | : | Avoid formation of aerosol.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Dispose of rinse water in accordance with local and national regulations. |
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection.   |
| Hygiene measures                                | : | Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.  |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |   |
|---|---|---|
| Requirements for storage areas and containers | : | Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.  |
| Further information on storage conditions     | : | The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available. |
| Further information on storage stability      | : | No decomposition if stored and applied as directed.   |

### 7.3 Specific end use(s)

- |                 |   |   |
|-----------------|---|---|
| Specific use(s) | : | Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities. |
|-----------------|---|---|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0      Revision Date: 23.07.2025      SDS Number: 50000081      Date of last issue: -  
Date of first issue: 23.07.2025

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

##### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

#### 8.2 Exposure controls

##### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: off-white
Odour	: odourless
Odour Threshold	: not determined
Melting point/freezing point	: not determined
Boiling point/boiling range	: Not available for this mixture.
Upper explosion limit / Upper flammability limit	: Not available for this mixture.
Lower explosion limit / Lower flammability limit	: Not available for this mixture.
Flash point	: > 98 °C
Decomposition temperature	: Not available for this mixture.
pH	: 6 - 8
	Concentration: 10 g/l 1 % (as a dispersion)
Viscosity	
Viscosity, dynamic	: 474,3 mPa,s 50 rpm
Viscosity, kinematic	: 444 mm <sup>2</sup> /s
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: 1,072 (20 °C)
Relative vapour density	: not determined
Particle characteristics	
Particle size	: Not applicable
Particle Size Distribution	: Not applicable

#### 9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: The product is not oxidizing.
Flammability (liquids)	: Not expected to be ignitable
Self-ignition	: > 800 °C
Evaporation rate	: Not available for this mixture.
Miscibility with water	: dispersible

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No decomposition if stored and applied as directed.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Protect from frost, heat and sunlight.  
Heating of the product will produce harmful and irritant vapours.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Remarks: (Data on the product itself) Information source: Internal study report
Acute inhalation toxicity	: LC50 (Rat): > 3,7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Remarks: (Data on the product itself) Information source: Internal study report

#### Components:

#### **Cyantraniliprole:**

Acute oral toxicity	: LD50 (Mouse, female): > 5.000 mg/kg Method: OECD Test Guideline 425
---------------------	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

LD50 (Rat, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes  
Remarks : (Data on the product itself)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

Information source: Internal study report

### Components:

#### **Cyantraniliprole:**

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

#### **1,2-benzisothiazol-3(2H)-one:**

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes
Remarks	:	(Data on the product itself)

Information source: Internal study report

### Components:

#### **Cyantraniliprole:**

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	slight irritation
GLP	:	yes

#### **1,2-benzisothiazol-3(2H)-one:**

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation
Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

Test Type	:	Local lymph node test
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Animal test did not cause sensitization by skin contact.
GLP	:	yes
Remarks	:	(Data on the product itself)

Information source: Internal study report

#### Components:

##### **Cyantraniliprole:**

Test Type	:	Local lymph node test
Exposure routes	:	Dermal
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Test Type	:	Buehler Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

##### **1,2-benzisothiazol-3(2H)-one:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Species	:	Guinea pig
Method	:	FIFRA 81.06

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Result : May cause sensitisation by skin contact.

### Germ cell mutagenicity

Not classified based on available information.

### Product:

Genotoxicity in vitro : Remarks: The product contains no ingredients known to be mutagenic.

### Components:

#### Cyantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: reverse mutation assay  
Test system: Escherichia coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

#### 1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Result: negative

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Product:

Remarks : The product contains no ingredients known to be carcinogenic.

### Components:

#### Cyantraniliprole:

Species : Rat, male  
Application Route : Ingestion  
Exposure time : 2 Years  
NOAEL : 200 ppm  
Method : OECD Test Guideline 453  
Result : negative

Species : Rat, female  
Application Route : Ingestion  
Exposure time : 2 Years  
NOAEL : 2.000 ppm  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse, male and female

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Application Route	: Ingestion
Exposure time	: 18 month(s)
NOAEL	: 7.000 ppm
Method	: OECD Test Guideline 451
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

### Reproductive toxicity

Not classified based on available information.

#### Product:

Effects on fertility	: Remarks: The product contains no ingredients found to have adverse effects on reproduction.
----------------------	---

#### Components:

##### **Cyantraniliprole:**

Effects on foetal development	: Test Type: Pre-natal Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 1.000 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 1.000 mg/kg bw/day Method: OECD Test Guideline 414 Result: negative
-------------------------------	---

	: Test Type: Pre-natal Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 25 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 100 mg/kg bw/day Symptoms: Maternal effects Method: OECD Test Guideline 414 Result: negative
--	---

Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity
------------------------------------	--

##### **1,2-benzisothiazol-3(2H)-one:**

Effects on fertility	: Species: Rat, male Application Route: Ingestion General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight General Toxicity F1: NOAEL: 48 mg/kg body weight Fertility: NOAEL: 112 mg/kg bw/day Symptoms: No effects on reproduction parameters Method: OPPTS 870.3800 Result: negative
----------------------	---

Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity
------------------------------------	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

---

### STOT - single exposure

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

##### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

##### **Cyantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **1,2-benzisothiazol-3(2H)-one:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Cyantraniliprole:**

Species : Rat  
NOAEL : > 1.000 mg/kg  
Application Route : Oral  
Exposure time : 28 Days  
Method : OECD Test Guideline 407  
Symptoms : increased liver weight  
Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female  
NOAEL : 6,9 - 168 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Effects are of limited toxicological significance.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

Species : Mouse, male and female  
NOAEL : 1091,8 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 3,08 - 3,48 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3150  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 8,3 - 106,6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 2 yr  
Method : OPPTS 870.4300  
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female  
NOAEL : 768,8 - 903,8 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 18 Months  
Method : OPPTS 870.4200  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 5,67 - 6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 1 yr  
Method : OPPTS 870.4100  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 1000 mg/kg  
Application Route : Dermal  
Exposure time : 28 Days  
Method : OECD Test Guideline 410  
GLP : yes  
Symptoms : Irritation  
Remarks : Effects are of limited toxicological significance.

### 1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female  
NOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d  
Method : OECD Test Guideline 407  
Symptoms : Irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

---

Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

### Aspiration toxicity

Not classified based on available information.

#### Product:

The mixture does not have properties associated with aspiration hazard potential.

#### Components:

#### **Cyantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

### Neurological effects

#### Components:

#### **Cyantraniliprole:**

No neurotoxicity observed in animal studies

### Further information

#### Product:

Remarks	:	No data available
---------	---	-------------------

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 99 mg/l Exposure time: 96 h Test Type: static test
------------------	---	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 203  
GLP: yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0421 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 66,3 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00656 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
GLP:yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

Toxicity to terrestrial organisms : LD50: 0,00218 mg/kg  
Exposure time: 96 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP:yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

LD50: 0,00355 mg/kg  
Exposure time: 96 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP:yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

### Components:

#### **Cyantraniliprole:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l Exposure time: 96 h Method: US EPA Test Guideline OPP 72-1 GLP: yes  LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,0204 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13 mg/l Exposure time: 72 h  ErC50 (Lemna gibba (duckweed)): 0,278 mg/l Exposure time: 7 d  EyC50 (Lemna gibba (duckweed)): 0,060 mg/l Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC: 2,9 mg/l Exposure time: 28 d Species: Cyprinodon variegatus (sheepshead minnow)  NOEC: 0,11 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout)  NOEC: 1,01 mg/l Exposure time: 90 d Species: Oncorhynchus mykiss (rainbow trout) Test Type: Early Life-Stage Method: US EPA Test Guideline OPP 72-4 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,00656 mg/l End point: Growth Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: Static-Renewal Method: US EPA Test Guideline OPPTS 850.1300 GLP: yes  LOEC: 0,00969 mg/l End point: Growth Exposure time: 21 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Species: Daphnia magna (Water flea)  
Test Type: Static-Renewal  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

NOEC: 0,00447 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0,72 mg/l  
End point: reproduction  
Exposure time: 35 d  
Species: Americamysis bahia (mysid shrimp)  
Test Type: flow-through test  
Method: US EPA Test Guideline OPP 72-4  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC: 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 222  
GLP:yes

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 0,0934 µg/bee  
Exposure time: 72 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 214  
GLP:yes

LD50: > 0,1055 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP:yes

LD50: > 2.250 mg/kg  
End point: Acute oral toxicity  
Species: Colinus virginianus

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Method: US EPA Test Guideline OPPTS 850.2100  
GLP:yes

NOEC: 1.000 ppm  
End point: Reproduction Test  
Species: *Anas platyrhynchos* (Mallard duck)  
Method: OECD Test Guideline 206  
GLP:yes

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (*Cyprinodon variegatus* (sheepshead minnow)): 16,7 mg/l  
Exposure time: 96 h  
Test Type: static test

LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 0,070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 0,04 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

---

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Estimation based on data obtained on active ingredient.  
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### Components:

##### **Cyantraniliprole:**

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 9,09 - 37,7 d  
Remarks: Fresh water

Degradation half life (DT50): 76,6 - 119 d  
Remarks: Soil

Degradation half life (DT50): 22,8 - 25,1 d  
Remarks: total system

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Does not bioaccumulate.  
Estimation based on data obtained on active ingredient.

#### Components:

##### **Cyantraniliprole:**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): < 1  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1,97 (22 °C)  
pH: 4

log Pow: 2,07 (22 °C)  
pH: 7

log Pow: 1,74 (22 °C)  
pH: 9

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

### 1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7  
  
log Pow: 0,99 (20 °C)  
pH: 5

## 12.4 Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: The product is not expected to be mobile in soils.  
Estimation based on data obtained on active ingredient.

### Components:

#### Cyantraniliprole:

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2,38  
Kd: 3,73 ml/g  
Remarks: Mobile in soils

#### 1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

### Components:

#### **Cyantraniliprole:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : No other ecological effects to be specially mentioned.  
See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

### 14.2 UN proper shipping name

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

<b>ADN</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
<b>ADR</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
<b>RID</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
<b>IMDG</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
<b>IATA</b>	:	Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
<b>RID</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>IMDG</b>	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
<b>IATA (Cargo)</b>	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Packing instruction (cargo aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75, 3
--	---	---

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High	:	Not applicable
---	---	----------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000081	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Concern for Authorisation (Article 59).

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0,13 %

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

4-Bromo-1-(3-chloropyridin-2-yl)-N-[4-cyano-2-methyl-6-(N-methylcarbamoyl)phenyl]-1H-pyrazole-5-carboxamide  
ACTI-GEL 208 (ACTIVE MINERALS)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERIMARK 200 SC (БЕРИМАРК® 200 СК)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000081	Date of first issue: 23.07.2025

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

BG / 6N