BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BIFLEX TREEBAGS®

Manufacturer or supplier's details

Company : FMC QUÍMICA DO BRASIL LTDA.

Address : AVENIDA DR. JOSÉ BONIFÁCIO

COUTINHO NOGUEIRA 150 - 1º ANDAR - JARDIM MADALENA,

CAMPINAS SP BRASIL TELEFONE: (19) 2042.4500

Emergency telephone : Brazil: 0800 34 35 450 (24 hours)

+55-2139581449 (CHEMTREC)

Medical Emergency Number : 0800 7010 450

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 4

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H301 Toxic if swallowed.

H332 Harmful if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Precautionary Statements : Prevention:

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell. P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Bifenthrin	82657-04-3	Acute Tox. (Oral), 3 Acute Tox. (Inhalation), 3 Acute Tox. (Dermal), 5 Skin Sens., 1 STOT SE, (Central nervous system), 1 STOT RE, (Central nervous system), 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 0,1 -< 0,25

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in attend-

ance.

Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

If symptoms persist, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

Toxic if swallowed. Harmful if inhaled.

Contact with skin may cause tingling, itching, burning, or numbness at the site of contact. Inhalation may irritate the nose, throat, and lungs. Swallowing large quantities may result in throat irritation, nausea, abdominal pain, and vomiting.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

Tremove undamaged containers from the area in it is sale to do

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

BIFLEX TREEBAGS®



Version **Revision Date:** SDS Number: Date of last issue: -

12.08.2025 Date of first issue: 29.11.2016 3.0 50002427

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emergency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Avoid formation of respirable particles. Advice on safe handling

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Hygiene measures Avoid contact with skin, eyes and clothing.

> When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage Prevent unauthorized access.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-No decomposition if stored and applied as directed.

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Protective measures : Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : Impregnated plastic bag

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/ range : No data available

Boiling point/boiling range : Decomposition: yes

Flash point : Not applicable

Evaporation rate : Not applicable

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Surface tension : Not applicable

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Hot surface(s)

Open flame

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Toxic if swallowed. Harmful if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Assessment: The component/mixture is toxic after single in-

gestion.

Remarks: ANVISA assessment

Acute inhalation toxicity : Remarks: Inhalation is not expected to be a relevant route of

exposure.

Assessment: The component/mixture is moderately toxic after

short term inhalation.

Remarks: ANVISA assessment

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Components:

Bifenthrin:

Acute oral toxicity : LD50 (Rat, female): 50 - 300 mg/kg

Method: OECD Test Guideline 423 Symptoms: Convulsions, ataxia

Assessment: The component/mixture is toxic after single in-

gestion.

Acute inhalation toxicity : LC50 (Rat, female): 0,6 - 1,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 Symptoms: Tremors, Convulsions

LC50 (Rat, male): 1,10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 4.000 mg/kg

Method: OECD Test Guideline 402

Symptoms: Irritation

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

GLP: yes

Remarks: no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : Not expected to be irritating to skin.

Components:

Bifenthrin:

Species : Rabbit

Method : OECD Test Guideline 404
Result : slight or no skin irritation.

GLP : yes

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : Not expected to be irritating to eyes.

Components:

Bifenthrin:

Species : Rabbit

Result : Slight or no eye irritation
Method : OECD Test Guideline 405

GLP : ves

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks : Not expected to cause skin sensitisation.

Components:

Bifenthrin:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitization by skin contact.

GLP : yes

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mouse lymphoma assay

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test

Species: Drosophila melanogaster (vinegar fly)

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat

Method: OECD Test Guideline 486

Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years

NOAEL : 3 mg/kg bw/day

Result : negative

Species : Mouse, male

Application Route : Oral

Exposure time : 18 month(s)

NOAEL : 7,6 mg/kg bw/day

Result : positive

Symptoms : malignant tumors

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Effects on fertility : Test Type: Two-generation study

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 3 mg/kg bw/day General Toxicity F1: NOAEL: 5 mg/kg bw/day

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 2,7 mg/kg bw/day

Teratogenicity: NOAEL: 2,7 mg/kg bw/day

Symptoms: Maternal effects. Result: No teratogenic effects.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 1 mg/kg bw/day

Teratogenicity: NOAEL: 2 mg/kg bw/day

Result: No teratogenic effects.

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 7,2 mg/kg bw/day Developmental Toxicity: LOAEL: 7,2 mg/kg bw/day Embryo-fetal toxicity.: NOEL: 9,0 mg/kg bw/day

Method: OECD Test Guideline 426

Result: Animal testing did not show any effects on fertility., Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Repeated dose toxicity

Components:

Bifenthrin:

Species : Rat, male and female

NOEL : 100 ppm Application Route : Oral - feed Exposure time : 90 d

Remarks : No toxicologically significant effects were found.

Species : Dog, male and female
NOEL : 2,5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 13 w

Exposure time : 13 w
Symptoms : Tremors

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Bifenthrin:

Toxicity to fish : LC50 (Salmo gairdneri): 0,00015 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00035 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,000256 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

LC50 (Pimephales promelas (fathead minnow)): 0,000234

na/l

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia): 0,00011 mg/l

Exposure time: 48 h

LC50 (Daphnia): 0,0016 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 0,822 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

1.000

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,00012 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,0013 µg/l

Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0,00095 µg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

100.000

Toxicity to soil dwelling or-

ganisms

LD50 (Eisenia fetida (earthworms)): > 16 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): 1.800 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 2.150 mg/kg

LD50 (Apis mellifera (bees)): 0,1 - 0,35 µg/bee

Exposure time: 24 h

End point: Acute oral toxicity

Method: OECD Test Guideline 213

LD50 (Apis mellifera (bees)): 0,1 - 0,3 µg/bee

Exposure time: 24 h

End point: Acute contact toxicity Method: OECD Test Guideline 214

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Persistence and degradability

Components:

Bifenthrin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2,2 d

Hydrolysis: at 60 °C

Degradation half life (DT50): 15,6 d

Hydrolysis: at 40 °C

Bioaccumulative potential

Components:

Bifenthrin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1.709

Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Partition coefficient: n-

octanol/water

log Pow: 6,6

Mobility in soil

Components:

Bifenthrin:

Distribution among environ-

mental compartments

Koc: 236610 ml/g, log Koc: 5,37

Remarks: immobile

Stability in soil

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Contaminated packaging

It is prohibited to reuse, bury, burn or sell packaging.

Washable packaging: Triple wash packs of less than 20 liters and pressure wash packs of 20 liters or more. Triple Wash (Manual Wash): Completely empty the contents of the package into the sprayer tank, keeping it in an upright position for 30 seconds; Add clean water to the package up to ¼ of its volume; Cover the package well and shake it for 30 seconds; Pour the wash water into the spray tank; Do this operation three times; Make the plastic or metal packaging unusable by perforating the bottom.

Pressure wash: Fit the empty package in the appropriate place of the funnel installed on the sprayer; Activate the mechanism to release the water jet; Direct the water jet to all the inside walls of the package, for 30 seconds; Wash water must be transferred to the sprayer tank; Make the plastic or metal packaging unusable by perforating the bottom. In both procedures, puncture the container at its base without damaging the label. Within a period of up to one year from the date of purchase, the user must return the empty packaging, with lid, to the establishment where the product was purchased or to the place indicated on the invoice, issued at the time of purchase. Activate the mechanism to release the water jet. Direct the water jet to all the inside walls of the package, for 30 seconds. Wash water must be transferred to the sprayer tank. Make the plastic or metal packaging unusable by perforating the bottom.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Bifenthrin)

Class : 9

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Bifenthrin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Bifenthrin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Bifenthrin)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Law No. 14,785 of December 27, 2023. Decree 4,074 of January 4, 2002 and its regulatory standards. ANTT Resolution No. 5,998/22 of November 3, 2022. This MSDS was prepared in accordance with the criteria of ABNT NBR 14725. The user is recommended to pay attention to local regulations.

National List of Carcinogenic Agents for Humans - (LINACH)

Group 2B: Possibly carcinogenic to humans

titanium dioxide 13463-67-7

Brazil. List of chemicals controlled by the Federal Po- : Not applicable

lice

The ingredients of this product are reported in the following inventories:

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Bifenthrin

ENCS : Not in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 12.08.2025

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

BIFLEX TREEBAGS®



Version Revision Date: SDS Number: Date of last issue: -

3.0 12.08.2025 50002427 Date of first issue: 29.11.2016

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

BR / EN