GEZEKO 75WG



SDS Number: Date of last issue: -Version **Revision Date:**

2025/07/22 50003094 Date of first issue: 2025/07/22 1.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product name **GEZEKO 75WG**

Other means of identification TEBUCONAZOLE + TRIFLOXYSTROBIN (50+25) %W/W WG

Recommended use of the chemical and restrictions on use

Recommended use Fungicide

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Agro Philippines, Inc.

Address Unit 10-A Six/NEO Bldg.,

5th Avenue cor. 26th Street.

1634 Bonifacio Global City, Taguig City

Philippines

Telephone +63279443400

Telefax +63279443465

E-mail address SDS-Info@fmc.com

National Poison Control Cen-

U.P. PGH, Padre Faura, Manila (+63) 2 8524 1078 East Avenue, Quezon City (+63) 2 8928 0611

Southern Philippines Medical Center (+63) 82 227 2731

(formerly Davao Medical Center Davao City)

Emergency telephone For leak, fire, spill or accident emergencies, call:

+(63) 2-395-3308 (CHEMTREC)

Toll-free mobile enabled: 1800 1 322 0553 (CHEMTREC)

Medical emergency:

All other countries: +1 651 / 632-6793 (Collect)

2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irri-

tation

Category 2

Skin sensitization Category 1

Reproductive toxicity Category 2

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

Effects on or via lactation

Short-term (acute) aquatic

hazard

: Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms







Signal Word : WARNING

Hazard Statements : H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child. H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P263 Avoid contact during pregnancy/ while nursing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
tebuconazole (ISO)	107534-96-3	50	
trifloxystrobin (ISO)	141517-21-7	25	
kaolin	1332-58-7	> 1	

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of damaging the unborn child. May cause harm to breast-fed children.

Notes to physician : Treat symptomatically.

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Chlorinated compounds Nitrogen oxides (NOx)

Carbon oxides
Hydrogen chloride
Hydrogen cyanide
Fluorine compounds
Hydrogen fluoride

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eve protection : Eve wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : dry, free flowing, water dispersible granules

Color : white, to, light beige

Odor : weak, characteristic

pH : 7 - 9 (23 °C)

In a 1% aqueous dispersion

Melting point/freezing point : No data available

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Flammability (solid, gas) : Not highly flammable

Self-ignition : 280 °C

Bulk density : ca. 0.55 g/cm3 Tap density

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

: Not applicable

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Strong acids and strong bases

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

tebuconazole (ISO):

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 425

Symptoms: ataxia, Lethargy, Breathing difficulties

Assessment: The component/mixture is minimally toxic after

single ingestion. Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.18 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The component/mixture is minimally toxic after

single contact with skin. Remarks: no mortality

trifloxystrobin (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

Acute inhalation toxicity : LC50 (Rat): > 4.650 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

tebuconazole (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : slight irritation

GLP : yes

trifloxystrobin (ISO):

Species : Rabbit
Result : slight irritation

kaolin:

Method : OECD Test Guideline 404

8/18

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

tebuconazole (ISO):

Species : Rabbit Result : slight irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

trifloxystrobin (ISO):

Species : Rabbit

Result : Moderate eye irritation

kaolin:

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks : Causes sensitization.

Components:

tebuconazole (ISO):

Method : OECD Test Guideline 406 Result : Not a skin sensitizer.

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

trifloxystrobin (ISO):

Test Type : Magnussen-Kligman test

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitization by skin contact.

kaolin:

Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

tebuconazole (ISO):

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

trifloxystrobin (ISO):

Germ cell mutagenicity -

Assessment

In vitro tests did not show mutagenic effects, In vivo tests did

not show mutagenic effects

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

trifloxystrobin (ISO):

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Suspected of damaging the unborn child. May cause harm to breast-fed children.

Components:

tebuconazole (ISO):

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments., Suspected of damaging the unborn

child.

Remarks: Adverse effects on fertility such as reduced litter size and effects on development were found for tebuconazole at maternally toxic doses in an animal test (method OECD

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

416). Malformations of offspring were found at maternally toxic

doses (based on 13 studies).

trifloxystrobin (ISO):

Reproductive toxicity - As-

sessment

Effects on or via lactation

Animal testing showed effects on embryo-fetal development at

levels equal to or above those causing maternal toxicity.

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

trifloxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

trifloxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

kaolin:

Remarks : No data available

Aspiration toxicity

Based on available data, the classification criteria are not met.

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

Components:

trifloxystrobin (ISO):

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

Components:

tebuconazole (ISO):

Remarks : The main symptoms were passivity, impaired mobility and

shortness of breath at high doses in animal tests.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

tebuconazole (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.7 mg/l

Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): 8.7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 2.79 mg/l

Exposure time: 48 h

Test Type: flow-through test

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (algae)): 3.8 mg/l

Exposure time: 72 h Test Type: static test

ErC50 (Scenedesmus quadricauda (Green algae)): 5.3 mg/l

Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0.144 mg/l

Exposure time: 14 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Salmo gairdneri): 0.012 mg/l

Exposure time: 60 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): 0.12 mg/l

Exposure time: 21 d

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): 1,381 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): 1,988 mg/kg

LD50 (Apis mellifera (bees)): > 200 µg/bee

Remarks: Contact

LD50 (Apis mellifera (bees)): > 83 µg/bee

Exposure time: 48 h

LD50 (Coturnix japonica (Japanese quail)): 2,912 mg/kg

trifloxystrobin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.015 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.016 mg/l

Exposure time: 48 h

LC50 (Mysidopsis bahia (opossum shrimp)): 0.00862 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

IC50 (Desmodesmus subspicatus (green algae)): 0.0053 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 0.0025

ma/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10

M-Factor (Chronic aquatic

toxicity)

10

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

aqualic invertebrates

ic toxicity)

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Persistence and degradability

Components:

tebuconazole (ISO):

Biodegradability : Result: Not readily biodegradable.

trifloxystrobin (ISO):

Biodegradability : Result: Not rapidly biodegradable

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Bioaccumulative potential

Components:

tebuconazole (ISO):

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 65 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 3.7 (20 °C)

trifloxystrobin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 431

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: log Pow: 4.5 (25 °C)

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

GEZEKO 75WG



SDS Number: Date of last issue: -Version **Revision Date:**

2025/07/22 50003094 Date of first issue: 2025/07/22 1.0

Mobility in soil

Components:

tebuconazole (ISO):

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

trifloxystrobin (ISO):

Distribution among environ-

mental compartments

Koc: 2377 ml/g, log Koc: 3.37 Remarks: Low mobility in soil.

Stability in soil

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Trifloxystrobin, Tebuconazole)

9 Class

ENVIRONM. Subsidiary risk

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

Packing group : III

Labels : 9 (ENVIRONM.)

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Trifloxystrobin, Tebuconazole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

956

(Trifloxystrobin, Tebuconazole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Priority Chemical List (PCL) : Not applicable

Chemical Control Order (CCO) : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

on the Canadian DSL nor NDSL.

tebuconazole (ISO) trifloxystrobin (ISO)

Formaldehyde, reaction products with sulfonated 1,1'-

oxybis[methylbenzene], sodium salts

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2025/07/22

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

GEZEKO 75WG



Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/22 50003094 Date of first issue: 2025/07/22

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PH / EN