

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/08/14	50000092	Date of first issue: 2025/08/14

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Prevathon® 50 SC insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 Walnut Street
Philadelphia PA 19104
USA

Telephone : +1 (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
001-803-017-9114 (CHEMTREC)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
0800 140 1447

2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : WARNING

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version 1.0	Revision Date: 2025/08/14	SDS Number: 50000092	Date of last issue: - Date of first issue: 2025/08/14
----------------	------------------------------	-------------------------	--

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.

Response:
P391 Collect spillage.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	5

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version 1.0	Revision Date: 2025/08/14	SDS Number: 50000092	Date of last issue: - Date of first issue: 2025/08/14
----------------	------------------------------	-------------------------	--

Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NO_x)
Bromine compounds
Hydrogen cyanide
Hydrogen chloride
Chlorinated compounds

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version 1.0	Revision Date: 2025/08/14	SDS Number: 50000092	Date of last issue: - Date of first issue: 2025/08/14
----------------	------------------------------	-------------------------	--

Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version 1.0	Revision Date: 2025/08/14	SDS Number: 50000092	Date of last issue: - Date of first issue: 2025/08/14
----------------	------------------------------	-------------------------	--

Personal protective equipment

- | | |
|--------------------------|--|
| Respiratory protection | : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. |
| Hand protection | |
| Material | : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : Eye wash bottle with pure water
Tightly fitting safety goggles |
| Skin and body protection | : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective suit
Impervious clothing |
| Protective measures | : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |
| Hygiene measures | : General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
Wash hands before breaks and at the end of workday. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|----------------|--|
| Physical state | : liquid |
| Form | : semi-viscous liquid |
| Color | : white |
| Odor | : mild, alcohol-like |
| Odor Threshold | : No data available |
| pH | : 7,6 (27,9 °C)
Concentration: 1 %
Method: CIPAC MT 75.3 |

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version 1.0	Revision Date: 2025/08/14	SDS Number: 50000092	Date of last issue: - Date of first issue: 2025/08/14
----------------	------------------------------	-------------------------	--

(aqueous suspension)

Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	> 100 °C Method: closed cup No flash up to boiling point.
Evaporation rate	:	Not available for this mixture.
Flammability (liquids)	:	Does not sustain combustion.
Self-ignition	:	not auto-flammable
Upper explosion limit / Upper flammability limit	:	Not available for this mixture.
Lower explosion limit / Lower flammability limit	:	Not available for this mixture.
Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	Not available for this mixture.
Relative density	:	1,02 - 1,04
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Autoignition temperature	:	No data available
Decomposition temperature	:	Not available for this mixture.
Viscosity		
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version 1.0	Revision Date: 2025/08/14	SDS Number: 50000092	Date of last issue: - Date of first issue: 2025/08/14
----------------	------------------------------	-------------------------	--

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Do not allow evaporation to dryness. Protect from frost, heat and sunlight.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 425 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): > 2,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: (Data on the product itself)
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Components:

Chlorantraniliprole:

Acute oral toxicity	: LD50 (Rat, female): > 5.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
---------------------	---

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/08/14	50000092	Date of first issue: 2025/08/14

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Information source: Internal study report

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

Chlorantraniliprole:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : Information source: Internal study report

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Components:

Chlorantraniliprole:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes
Remarks : Information source: Internal study report

Prevathon® 50 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/08/14	50000092	Date of first issue: 2025/08/14

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Did not cause sensitization on laboratory animals.
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

Components:**Chlorantraniliprole:**

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.
GLP	:	yes
Remarks	:	Information source: Internal study report

Test Type	:	Local lymph node assay (LLNA)
Species	:	mice
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:**Chlorantraniliprole:**

Genotoxicity in vitro	:	Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative
-----------------------	---	--

	:	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
--	---	--

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
----------------------	---	---

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

Prevathon® 50 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/08/14	50000092	Date of first issue: 2025/08/14

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**Chlorantraniliprole:**

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 805 - 1.076 mg/kg bw/day
Method	: OECD Test Guideline 453
Result	: negative

Species	: Mouse, male and female
Application Route	: Oral
Exposure time	: 18 month(s)
NOAEL	: 158 - 1.155 mg/kg bw/day
Method	: OECD Test Guideline 453
Result	: negative

Species	: Dog
Exposure time	: 1 Years
NOAEL	: 1.164 mg/kg bw/day
Result	: negative

Carcinogenicity - Assessment	: Animal testing did not show any carcinogenic effects.
------------------------------	---

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**Chlorantraniliprole:**

Effects on fertility	: Test Type: Two-generation study Species: Rat, male and female Application Route: Oral General Toxicity Parent: NOAEL: 20.000 ppm General Toxicity F1: NOAEL: 20.000 ppm Method: OECD Test Guideline 416 Result: negative
----------------------	--

Effects on fetal development	: Test Type: Pre-natal Species: Rat Application Route: Oral Duration of Single Treatment: 6 - 20 Days General Toxicity Maternal: NOEL: 1.000 mg/kg bw/day Developmental Toxicity: NOEL: 1.000 mg/kg bw/day Method: OECD Test Guideline 414 Result: negative
------------------------------	--

Reproductive toxicity - Assessment	: Weight of evidence does not support classification for repro-
------------------------------------	---

Prevathon® 50 SC insecticide



assessment ductive toxicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Components:

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

Based on available data, the classification criteria are not met.

Components:

The substance does not have properties associated with aspiration hazard potential.

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Product:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,168 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 49 mg/l
Exposure time: 72 h

ErC50 (*Lemna gibba* (duckweed)): > 28,4 mg/l
Exposure time: 7 d

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Prevathon® 50 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/08/14	50000092	Date of first issue: 2025/08/14

Components:**Chlorantraniliprole:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13,8 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
Remarks: Information source: Internal study report
- LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15,1 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: Information source: Internal study report
- LC50 (Cyprinodon sp. (minnow)): > 12 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0116 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l
Exposure time: 120 h
- NOEC (Lemna gibba (duckweed)): > 2 mg/l
End point: Biomass
Exposure time: 14 d
Test Type: static test
- ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l
Exposure time: 72 h
- NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
- NOEC (Skeletonema costatum (Diatom)): > 14,6 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
- NOEC (Navicula pelliculosa (Diatom)): > 15,1 mg/l

Prevathon® 50 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/08/14	50000092	Date of first issue: 2025/08/14

End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 1,28 mg/l
Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,110 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,00447 mg/l
Exposure time: 21 d
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1.000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

EC50 (Hypoaspis aculeifer): >100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

NOEC (Hypoaspis aculeifer): 100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 4,0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0,005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in water

LD50 (Apis mellifera (bees)): > 104,1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in acetone

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version 1.0	Revision Date: 2025/08/14	SDS Number: 50000092	Date of last issue: - Date of first issue: 2025/08/14
----------------	------------------------------	-------------------------	--

LD50 (Apis mellifera (bees)): > 0,0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in water

LD50 (Poephila guttata (zebra finch)): > 2.250 mg/kg

Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Remarks: Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9
Degradation half life (DT50): 0,3 d (50 °C) pH: 9
Degradation half life (DT50): > 31 d pH: 5

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,77 (20 °C)
pH: 4
log Pow: 2,86 (20 °C)
pH: 7
log Pow: 2,80 (20 °C)
pH: 9

Mobility in soil

Product:

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version 1.0	Revision Date: 2025/08/14	SDS Number: 50000092	Date of last issue: - Date of first issue: 2025/08/14
----------------	------------------------------	-------------------------	--

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2,55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/08/14	50000092	Date of first issue: 2025/08/14

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version 1.0	Revision Date: 2025/08/14	SDS Number: 50000092	Date of last issue: - Date of first issue: 2025/08/14
----------------	------------------------------	-------------------------	--

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE ACTI-GEL 208 (ACTIVE MINERALS)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 2025/08/14
Date format	: yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

SAFETY DATA SHEET



Prevathon® 50 SC insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/08/14	50000092	Date of first issue: 2025/08/14

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

ID / EN