

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# **SEAMAC® PRO SL**

Version Revision Date: SDS Number: Date of last issue: -  
1.0 05.06.2025 50003079 Date of first issue: 05.06.2025

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

## **1.1 Product identifier**

**Product name** SEAMAC® PRO SL

#### **Other means of identification**

**Product code** 50003079

**Unique Formula Identifier : T501-207M-2001-6QGH**

## **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use of the Substance/Mixture** : Crop nutrition

**Recommended restrictions on use** : Use as recommended by the label. For professional users only.

### **1.3 Details of the supplier of the safety data sheet**

**Supplier Address** FMC Chemicals Hellas MEPE  
Syngrou Avenue 348  
17674 Kallithea  
Greece

Telephone: +30 211 1982768  
Telefax: +30 211 1138614  
E-mail address: SDS-Info@fmc.com .

## **1.4 Emergency telephone number**

For leak, fire, spill or accident emergencies, call:  
Greece: 30-2111768478 (CHEMTREC)

Medical emergency:  
Greece: 30 210 77 93 777

## **SECTION 2: Hazards identification**

## **2.1 Classification of the substance or mixture**

Classification (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Warning

Hazard statements : H290 May be corrosive to metals.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P234 Keep only in original packaging.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Follow the recommended instructions for use of the fertilizer to avoid risks to human health and the environment.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version  
1.0

Revision Date:  
05.06.2025

SDS Number:  
50003079

Date of last issue: -  
Date of first issue: 05.06.2025

**Ecological information:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Toxicological information:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
phosphoric acid	7664-38-2 231-633-2 015-011-00-6	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 2; H411  specific concentration limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %  Acute toxicity esti- mate  Acute oral toxicity: 500 mg/kg	>= 5 - < 10
boric acid	10043-35-3 233-139-2 005-007-00-2	Repr. 1B; H360FD	>= 0,1 - < 0,3
Zinc sulphate, monohydrate	7446-19-7	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute)	>= 0,1 - < 0,25

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version  
1.0

Revision Date:  
05.06.2025

SDS Number:  
50003079

Date of last issue: -  
Date of first issue: 05.06.2025

		aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10  Acute toxicity estimate  Acute oral toxicity: 1.710 mg/kg	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1  specific concentration limit Skin Sens. 1A; H317 => 0,036 %  Acute toxicity estimate  Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	=> 0,0025 - < 0,025

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

and use the recommended protective clothing.  
Avoid inhalation, ingestion and contact with skin and eyes.  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

- If inhaled : Move to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Wash off with soap and water.  
If symptoms persist, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.  
If eye irritation persists, consult a specialist.
- If swallowed : Gently wipe or rinse the inside of the mouth with water.  
Do not induce vomiting without medical advice.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Sulphur oxides

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version  
1.0

Revision Date:  
05.06.2025

SDS Number:  
50003079

Date of last issue: -  
Date of first issue: 05.06.2025

Metal oxides  
metal fumes  
Oxides of phosphorus

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
For disposal considerations see section 13.

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labelled containers.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version  
1.0

Revision Date:  
05.06.2025

SDS Number:  
50003079

Date of last issue: -  
Date of first issue: 05.06.2025

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands and face before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

- Specific use(s) : Crop nutrition

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
phosphoric acid	7664-38-2	TWA	1 mg/m <sup>3</sup>	2000/39/EC
Further information: Indicative				
		STEL	2 mg/m <sup>3</sup>	2000/39/EC
Further information: Indicative				
		TWA	1 mg/m <sup>3</sup>	GR OEL

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0 Revision Date: 05.06.2025 SDS Number: 50003079 Date of last issue: - Date of first issue: 05.06.2025

	STEL	3 mg/m3	GR OEL
--	------	---------	--------

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
boric acid	Workers	Inhalation	Long-term systemic effects	8,3 mg/m3
	Workers	Dermal	Long-term systemic effects	392 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4,15 mg/m3
	Consumers	Dermal	Long-term systemic effects	196 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,98 mg/kg bw/day
	Consumers	Oral	Acute local effects	0,98 mg/kg bw/day
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
boric acid	Fresh water	2,9 mg/l
	Marine water	2,9 mg/l
	Sewage treatment plant	10 mg/l
	Soil	5,7 mg/kg dry weight (d.w.)
	Intermittent use (freshwater)	13,7 mg/l
Zinc sulphate, monohydrate	Sewage treatment plant	5,2 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Tightly fitting safety goggles  
Ensure that eyewash stations and safety showers are close to the workstation location.

### Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

with the producers of the protective gloves.

- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : No personal respiratory protective equipment normally required.  
In the case of dust or aerosol formation use respirator with an approved filter.
- Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Ensure that eye flushing systems and safety showers are located close to the working place.  
Wear suitable protective equipment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: dark brown
Odour	: characteristic
Odour Threshold	: No data available
Melting point/ range	: No data available
Boiling point/boiling range	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: 3,0 - 5,0 Concentration: 100 %
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Vapour pressure	: No data available
Relative density	: 1,21 - 1,25
Density	: No data available
Bulk density	: No data available
Relative vapour density	: No data available
Particle characteristics	
Particle size	: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Particle Size Distribution : No data available  
Shape : No data available

### 9.2 Other information

Explosives : Not explosive  
Oxidizing properties : Non-oxidizing  
Self-ignition : No data available  
Evaporation rate : No data available  
Molecular weight : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures  
Avoid formation of aerosol.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Assessment: The substance or mixture has no acute inhalation toxicity

- Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method  
Assessment: The substance or mixture has no acute dermal toxicity

### Components:

#### **phosphoric acid:**

- Acute oral toxicity : LD50 (Rat, female): > 300 - < 2.000 mg/kg  
Method: OECD Test Guideline 423

#### **boric acid:**

- Acute oral toxicity : LD50 (Rat, male): > 2.600 mg/kg  
Method: OECD Test Guideline 401  
Remarks: no mortality
- Acute inhalation toxicity : LC0 (Rat, male and female): > 2,03 mg/l  
Exposure time: 5 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: no mortality
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg  
Remarks: no mortality

#### **Zinc sulphate, monohydrate:**

- Acute oral toxicity : LD50 (Rat, male): 1.710 mg/kg
- Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Symptoms: irritating  
Remarks: no mortality

#### **1,2-benzisothiazol-3(2H)-one:**

- Acute oral toxicity : Acute toxicity estimate: 450 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
- Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
- Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

#### Components:

##### **phosphoric acid:**

Species : Rabbit  
Assessment : Corrosive  
Result : Corrosive after 3 minutes to 1 hour of exposure

##### **boric acid:**

Species : Rabbit  
Result : No skin irritation

##### **Zinc sulphate, monohydrate:**

Species : Mouse  
Result : slight irritation  
Remarks : Based on data from similar materials

Species : Rabbit  
Result : slight irritation  
Remarks : Based on data from similar materials

Species : Guinea pig  
Result : slight irritation  
Remarks : Based on data from similar materials

##### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Exposure time : 72 h  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### Product:

Assessment : Irritating to eyes.  
Result : Eye irritation  
Remarks : Eye irritation

#### Components:

##### **phosphoric acid:**

Result : Irreversible effects on the eye

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Remarks : Based on skin corrosivity

### **boric acid:**

Species : Rabbit  
Result : slight irritation

### **Zinc sulphate, monohydrate:**

Result : Irreversible effects on the eye

### **1,2-benzisothiazol-3(2H)-one:**

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Result : No eye irritation

Species : Rabbit  
Method : EPA OPP 81-4  
Result : Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Product:**

Result : No data available  
Remarks : Not expected to cause skin sensitisation

### **Components:**

#### **boric acid:**

Test Type : Buehler Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

#### **Zinc sulphate, monohydrate:**

Exposure routes : Skin contact  
Species : Mouse  
Result : Not a skin sensitizer.

#### **1,2-benzisothiazol-3(2H)-one:**

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitisation by skin contact.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitisation by skin contact.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Components:

##### **phosphoric acid:**

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vitro	:	Test Type: reverse mutation assay Result: negative
		Test Type: sister chromatid exchange assay Result: negative
		Test Type: gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse (male and female) Application Route: Oral Result: negative
Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

##### **Zinc sulphate, monohydrate:**

Genotoxicity in vitro	:	Test Type: gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Chromosome aberration test in vitro Result: negative

##### **1,2-benzisothiazol-3(2H)-one:**

Genotoxicity in vitro	:	Test Type: gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
-----------------------	---	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Components:

#### **boric acid:**

Species : Mouse, male and female  
Application Route : Oral  
Exposure time : 103 weeks  
Dose : 0, 446, 1150mg/kg/bw/day  
Result : > 1.150 mg/kg bw/day  
negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **Zinc sulphate, monohydrate:**

Remarks : No human information is available.

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

### Components:

#### **phosphoric acid:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 500 mg/kg body weight  
General Toxicity F1: NOAEL: 500 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 370 mg/kg body weight  
Developmental Toxicity: NOAEL: 370 mg/kg body weight  
Result: negative  
Remarks: Based on data from similar materials

### boric acid:

Effects on fertility : Test Type: Three-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 5.9, 17.5, 58.5(mgb)/kg/bw/d  
General Toxicity - Parent: LOAEL: 58,5 mg/kg bw/day  
General Toxicity F1: LOAEL: 58,5 mg/kg bw/day  
General Toxicity F2: LOAEL: 58,5 mg/kg bw/day  
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
Dose: 3.3, 6.3, 9.6, 13.3, 25mgb/kg  
General Toxicity Maternal: LOAEL: 13,3 mg/kg bw/day  
Embryo-foetal toxicity: NOAEL: >= 12,9 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

### Zinc sulphate, monohydrate:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### 1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

**Reproductive toxicity - Assessment** : Weight of evidence does not support classification for reproductive toxicity

### **STOT - single exposure**

Based on available data, the classification criteria are not met.

### **STOT - repeated exposure**

Based on available data, the classification criteria are not met.

### **Components:**

#### **boric acid:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Zinc sulphate, monohydrate:**

Remarks : No data available

#### **1,2-benzisothiazol-3(2H)-one:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

### **Components:**

#### **phosphoric acid:**

Species : Rat, male and female  
NOAEL : 250 mg/kg  
Application Route : Oral - gavage  
Exposure time : 42 - 54 d  
Method : OECD Test Guideline 422

#### **boric acid:**

Species : Rat, male and female  
LOAEL : 58.5 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 2 years  
Dose : 0, 5.9, 17.5, 58.5mg/kg/bw/d

Species : Rat, female  
NOAEC : 0,47 mg/l  
Application Route : inhalation (dust/mist/fume)  
Dose : 0.077, 0.175, 0.47 mg/l

#### **1,2-benzisothiazol-3(2H)-one:**

Species : Rat, male and female  
NOAEL : 15 mg/kg  
Application Route : Ingestion

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation
Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

#### Further information

##### Product:

Remarks	:	No data available
---------	---	-------------------

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **phosphoric acid:**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3,25 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### boric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 79,7 mg/l  
Exposure time: 96 h  
Test Type: static test  
Remarks: Based on data from similar materials

LC50 (Limanda limanda): 74 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 102 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 40,2 mg/l  
Exposure time: 74,5 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 17,5 mg/l  
Exposure time: 74,5 h  
Method: OECD Test Guideline 201

LOEC : 3,6 mg/l  
Exposure time: 10 d  
Test Type: semi-static test

Toxicity to microorganisms : EC50 (activated sludge): > 175 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

NOEC (activated sludge): 17,5 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 6,4 mg/l  
Exposure time: 34 d  
Species: Danio rerio (zebra fish)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 6,4 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test

Toxicity to soil dwelling or- : LC50: > 175 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

ganisms

Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207

NOEC: >= 175 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207

### Zinc sulphate, monohydrate:

- Toxicity to fish : LC50 (Fish): 0,112 mg/l  
Exposure time: 96 h
- LC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,131 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (microalgae)): 0,0052 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : EC10:
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0056 mg/l  
Exposure time: 10 d
- M-Factor (Chronic aquatic toxicity) : 10

### 1,2-benzisothiazol-3(2H)-one:

- Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l  
Exposure time: 96 h  
Test Type: static test
- LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

### 12.2 Persistence and degradability

#### Components:

##### **phosphoric acid:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

##### **Zinc sulphate, monohydrate:**

Biodegradability : Remarks: No data available

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

### Components:

#### **boric acid:**

- Bioaccumulation : Species: Fish  
Exposure time: 60 d  
Bioconcentration factor (BCF): < 0,1
- Partition coefficient: n-octanol/water : log Pow: -1,09 (22 °C)

#### **Zinc sulphate, monohydrate:**

- Bioaccumulation : Remarks: Not inherently biodegradable.
- Partition coefficient: n-octanol/water : Remarks: Not applicable

#### **1,2-benzisothiazol-3(2H)-one:**

- Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).
- Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7  
  
log Pow: 0,99 (20 °C)  
pH: 5

### 12.4 Mobility in soil

### Components:

#### **1,2-benzisothiazol-3(2H)-one:**

- Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

### 12.5 Results of PBT and vPvB assessment

#### Product:

- Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

- Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

- Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

#### Components:

##### **phosphoric acid:**

- Additional ecological information : Harmful effects on aquatic organisms also due to pH shift.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Dispose of the packaging in accordance with the local regulations in force.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

- ADN** : UN 1805  
**ADR** : UN 1805  
**RID** : UN 1805  
**IMDG** : UN 1805  
**IATA** : UN 1805

### 14.2 UN proper shipping name

- ADN** : PHOSPHORIC ACID SOLUTION

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

<b>ADR</b>	:	PHOSPHORIC ACID SOLUTION
<b>RID</b>	:	PHOSPHORIC ACID SOLUTION
<b>IMDG</b>	:	PHOSPHORIC ACID SOLUTION
<b>IATA</b>	:	Phosphoric acid, solution

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	:	8
<b>ADR</b>	:	8
<b>RID</b>	:	8
<b>IMDG</b>	:	8
<b>IATA</b>	:	8

### 14.4 Packing group

<b>ADN</b>		
Packing group	:	III
Classification Code	:	C1
Hazard Identification Number	:	80
Labels	:	8
<b>ADR</b>		
Packing group	:	III
Classification Code	:	C1
Hazard Identification Number	:	80
Labels	:	8
Tunnel restriction code	:	(E)
<b>RID</b>		
Packing group	:	III
Classification Code	:	C1
Hazard Identification Number	:	80
Labels	:	8
<b>IMDG</b>		
Packing group	:	III
Labels	:	8
EmS Code	:	F-A, S-B
<b>IATA (Cargo)</b>		
Packing instruction (cargo aircraft)	:	856
Packing instruction (LQ)	:	Y841
Packing group	:	III
Labels	:	Corrosive
<b>IATA (Passenger)</b>		
Packing instruction (passenger aircraft)	:	852
Packing instruction (LQ)	:	Y841
Packing group	:	III

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Labels : Corrosive

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : boric acid

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

### E2 ENVIRONMENTAL HAZARDS

#### The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: On the inventory, or in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

#### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

#### Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H360FD	: May damage fertility. May damage the unborn child.
H400	: Very toxic to aquatic life.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

- H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Met. Corr.	: Corrosive to metals
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GR OEL	: Greece. Exposure limit values
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
GR OEL / TWA	: Long term exposure limit
GR OEL / STEL	: Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SEAMAC® PRO SL

Version 1.0	Revision Date: 05.06.2025	SDS Number: 50003079	Date of last issue: - Date of first issue: 05.06.2025
----------------	------------------------------	-------------------------	--

### Further information

#### Classification of the mixture:

Met. Corr. 1	H290
Eye Irrit. 2	H319
Aquatic Chronic 2	H411

#### Classification procedure:

Calculation method
Based on product data or assessment
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GR / 6N