

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULITIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name SIPP-MULITIMIX

#### Other means of identification

Product code 50002432

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : A fertilizer with micronutrients for use in agriculture

Recommended restrictions on use : Use as recommended by the label.  
For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Supplier Address  
FMC Agro Limited  
Rectors Lane, Pentre  
Flintshire  
CH5 2DH  
United Kingdom

Telephone: + 44 1244 537370  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
England and Wales: 44-870-8200418 (CHEMTRAC)

Medical emergency:  
England and Wales: 111  
Scotland: 84 54 24 2424

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin irritation, Category 2

H315: Causes skin irritation.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version  
1.1

Revision Date:  
04.08.2023

SDS Number:  
50002432

Date of last issue: -  
Date of first issue: 02.05.2019

Long-term (chronic) aquatic hazard, Category 2      H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms



Signal word

: Warning

Hazard statements

: H315 Causes skin irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.

**Disposal:**

P501 Dispose of contents and/or container in accordance with hazardous waste regulations.

Hazardous components which must be listed on the label:

ethanediol

### Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one.  
May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1 Revision Date: 04.08.2023 SDS Number: 50002432 Date of last issue: - Date of first issue: 02.05.2019

---

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
manganese carbonate	598-62-9 209-942-9	Aquatic Chronic 2; H411	>= 10 - < 20
sulfur	7704-34-9 231-722-6 016-094-00-1 01-2119487295-27-0055	Skin Irrit. 2; H315	>= 10 - < 20
zinc oxide	1314-13-2 215-222-5 030-013-00-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 2.5 - < 10
ethanediol	107-21-1 203-473-3 603-027-00-1	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	>= 1 - < 10

For explanation of abbreviations see section 16.

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

If eye irritation persists, consult a specialist.

- If swallowed : Do not induce vomiting without medical advice.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Ammonia  
Carbon oxides

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

- Specific use(s) : Fertilizers

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1 Revision Date: 04.08.2023 SDS Number: 50002432 Date of last issue: - Date of first issue: 02.05.2019

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
manganese carbonate	598-62-9	TWA (Inhalable)	0.2 mg/m <sup>3</sup> (Manganese)	GB EH40
		TWA (Respirable fraction)	0.05 mg/m <sup>3</sup> (Manganese)	GB EH40
		TWA (inhalable fraction)	0.2 mg/m <sup>3</sup> (Manganese)	2017/164/EU
Further information	Indicative			
		TWA (Respirable fraction)	0.05 mg/m <sup>3</sup> (Manganese)	2017/164/EU
Further information	Indicative			
ethanediol	107-21-1	TWA (Vapour)	20 ppm 52 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		TWA (particles)	10 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL (Vapour)	40 ppm 104 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	40 ppm 104 mg/m <sup>3</sup>	2000/39/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	20 ppm 52 mg/m <sup>3</sup>	2000/39/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative			

#### 8.2 Exposure controls

##### Personal protective equipment

- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

- Respiratory protection : No personal respiratory protective equipment normally required.
- Protective measures : Always have on hand a first-aid kit, together with proper instructions.  
Plan first aid action before beginning work with this product.  
Ensure that eye flushing systems and safety showers are located close to the working place.  
Wear suitable protective equipment.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: liquid
Colour	: beige
Odour	: slight
Odour Threshold	: No data available
pH	: 7.0 - 10.0 Concentration: 100 %
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: not determined
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative density	: 1.44 - 1.48
Density	: No data available
Bulk density	: No data available
Solubility(ies)	
Water solubility	: dispersible
Solubility in other solvents	: No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULITIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	600 - 2,000 mPa,s
Viscosity, kinematic	:	No data available
Oxidizing properties	:	Non-oxidizing

### 9.2 Other information

Particle size	:	8.0 - 18.0 µm
Particle Size Distribution	:	No data available
Self-ignition	:	No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions :

No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid :

No data available

### 10.5 Incompatible materials

Materials to avoid :

No data available

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

In case of fire hazardous decomposition products may be produced such as:  
Toxic fumes

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 3,000 mg/kg  
Method: Calculation method  
Assessment: The component/mixture is moderately toxic after single ingestion.

#### Components:

##### **manganese carbonate:**

Acute oral toxicity : LD0 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Remarks: no mortality

Acute inhalation toxicity : LC0 (Rat, male and female): > 5.35 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: no mortality  
Based on data from similar materials

##### **sulfur:**

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.43 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

##### **zinc oxide:**

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 423

LD50 (Mouse, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Target Organs: Liver, Heart, spleen, Stomach, Pancreas  
Symptoms: Damage  
Remarks: mortality

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.79 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: EPA OPP 81 - 3  
Remarks: no mortality

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

### **ethanediol:**

Acute inhalation toxicity : LC0 (Rat, male and female): > 2.5 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Remarks: no mortality

Acute dermal toxicity : LD50 (Mouse, male and female): > 3,500 mg/kg

### **Skin corrosion/irritation**

Causes skin irritation.

### **Product:**

Remarks : May cause skin irritation in susceptible persons.

### **Components:**

#### **manganese carbonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **sulfur:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

#### **zinc oxide:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431  
Result : No skin irritation

#### **ethanediol:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

Remarks : Vapours may cause irritation to the eyes, respiratory system

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

and the skin.

### Components:

#### **manganese carbonate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### **sulfur:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### **zinc oxide:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### **ethanediol:**

Species	:	Rabbit
Result	:	No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Remarks	:	No data is available on the product itself.
---------	---	---

### Components:

#### **manganese carbonate:**

Test Type	:	Local lymph node test
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
Remarks	:	Based on data from similar materials

#### **sulfur:**

Test Type	:	Magnussen-Kligman test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

### **zinc oxide:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Substance is not considered to be potential skin sensitiser.

### **ethanediol:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **manganese carbonate:**

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse (female) Application Route: Oral Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials
----------------------	---	--

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	--

### **sulfur:**

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
-----------------------	---	--

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version  
1.1

Revision Date:  
04.08.2023

SDS Number:  
50002432

Date of last issue: -  
Date of first issue: 02.05.2019

---

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Method: OECD Test Guideline 473  
Result: negative

- Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Method: OECD Test Guideline 474  
Result: negative
- Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **zinc oxide:**

- Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: equivocal

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster fibroblasts  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Result: positive

Test Type: Micronucleus test  
Test system: Human epithelioid cells  
Method: OECD Test Guideline 487  
Result: negative

Test Type: Micronucleus test  
Test system: Human lymphocytes  
Result: positive

- Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male)  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

### **ethanediol:**

- Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OPPTS 870.5100  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Rat  
Application Route: Oral  
Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

##### **zinc oxide:**

Species : Mouse, male and female  
Application Route : Oral  
Exposure time : 1 year  
Dose : 4400, 22000 mg/l  
NOAEL : > 22,000 mg/l  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

##### **ethanediol:**

Species : Mouse  
Application Route : Oral  
Exposure time : 24 month(s)  
Result : negative

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### **manganese carbonate:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: inhalation (dust/mist/fume)  
Dose: 0, .005, .01, .02 mg/L  
General Toxicity - Parent: NOEL: 0.02 mg/l  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Duration of Single Treatment: 15 d  
General Toxicity Maternal: NOAEL: 0.025 mg/l  
Developmental Toxicity: LOAEL: 0.025 mg/l  
Embryo-foetal toxicity: NOAEL: 0.025 mg/l  
Method: OECD Test Guideline 414  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version  
1.1

Revision Date:  
04.08.2023

SDS Number:  
50002432

Date of last issue: -  
Date of first issue: 02.05.2019

Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **zinc oxide:**

Effects on fertility

: Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 7.5, 15, 30mg/kg bw/day  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: LOAEL: 7.5 mg/kg body weight  
General Toxicity F1: LOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Test Type: one-generation reproductive toxicity  
Species: Rat, male  
Application Route: Oral  
Dose: 4,000 milligram per liter  
Frequency of Treatment: 32 daily  
General Toxicity - Parent: LOAEL: 4,000 mg/l  
General Toxicity F1: LOAEL: 4,000 mg/l  
Symptoms: Reduced fertility  
Target Organs: male reproductive organs  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development

: Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Dose: .0003, 0.002, 0.008 milligram per liter  
Duration of Single Treatment: 14 d  
General Toxicity Maternal: LOAEC: 0.008 mg/l  
Developmental Toxicity: NOAEC: 0.008 mg/l  
Embryo-foetal toxicity: NOAEC Mating/Fertility: 0.008 mg/l  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **manganese carbonate:**

Assessment

: The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version  
1.1

Revision Date:  
04.08.2023

SDS Number:  
50002432

Date of last issue: -  
Date of first issue: 02.05.2019

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### **sulfur:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **zinc oxide:**

Exposure routes : Oral  
Target Organs : Central nervous system, Reproductive organs  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### **ethanediol:**

Exposure routes : Oral  
Target Organs : Kidney  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### Repeated dose toxicity

#### Components:

##### **manganese carbonate:**

Species : Rabbit, male  
LOAEC : 0.0039 mg/l  
Application Route : Inhalation  
Test atmosphere : dust/mist  
Exposure time : 4 - 6 weeks  
Dose : 0, .001, .0039 mg/L  
Remarks : Based on data from similar materials

##### **sulfur:**

Species : Rat, male and female  
NOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Method : OECD Test Guideline 408

Species : Rat, male and female  
NOAEL : 400 - 1,000 mg/kg  
Application Route : Dermal  
Exposure time : 28 d  
Method : OECD Test Guideline 410

##### **zinc oxide:**

Species : Rat, male and female  
NOAEL : 31.52 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.4	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

LOAEL	:	127.52 mg/kg
Application Route	:	Oral
Exposure time	:	13 weeks
Dose	:	0, 31.52, 127.52 mg/kg
Method	:	OECD Test Guideline 408
Target Organs	:	Pancreas
Symptoms	:	Necrosis
Remarks	:	Based on data from similar materials
Species	:	Mouse, male and female
NOEL	:	3000 ppm
Application Route	:	Oral
Exposure time	:	13 weeks
Dose	:	0, 300, 3000, 30000 ppm
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials
Species	:	Rat, male
LOAEL	:	0.0045 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	3 months
Dose	:	0.0003, 0.0015, 0.004mg/l
Method	:	OECD Test Guideline 413
Target Organs	:	Lungs
Remarks	:	mortality
Species	:	Rat, male and female
LOAEL	:	75 mg/kg bw/day
Application Route	:	Dermal
Exposure time	:	28d
Dose	:	0, 75, 180, 360 mg/kg bw/day
Method	:	OECD Test Guideline 410

### **ethanediol:**

Species	:	Rat
NOAEL	:	150 mg/kg
Application Route	:	Oral
Exposure time	:	12 months
Species	:	Dog
NOAEL	:	> 2,200 - < 4,400 mg/kg
Application Route	:	Dermal
Exposure time	:	4 weeks
Method	:	OECD Test Guideline 410

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### **Components:**

### **zinc oxide:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULITIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

- Inhalation : Symptoms: Fatigue, Sweating, bitter taste, chills, dry mouth, flu-like symptoms
- Ingestion : Symptoms: Gastrointestinal discomfort

### Further information

#### Product:

- Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **manganese carbonate:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.17 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 3.6 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
NOEC (Pseudokirchneriella subcapitata (green algae)): 0.69 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials  
  
EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC: 0.55 mg/l  
Exposure time: 65 d  
Species: Salvelinus fontinalis (Brook trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.3 mg/l  
Exposure time: 8 d  
Species: Ceriodaphnia dubia (water flea)  
Test Type: static test  
Remarks: Based on data from similar materials

### sulfur:

Toxicity to fish : LC0 (Oncorhynchus mykiss (rainbow trout)): > 0.005 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna Straus): > 0.005 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (algae): > 0.005 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.0025 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility

Toxicity to soil dwelling organisms : NOEC: > 1,000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207

Plant toxicity : NOEC: 25.2 kg/ha  
Exposure time: 14 d  
Species: Avena sativa (oats)  
Method: OECD Test Guideline 208

Toxicity to terrestrial organisms : NOEC: > 1400 - < 1900 kg/ha  
Exposure time: 60 d  
Species: Typhlodromus pyri  
  
LD50: > 2,000 mg/kg  
Exposure time: 15 d  
Species: Coturnix japonica (Japanese quail)

### zinc oxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.55 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.76 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULITIMIX

Version  
1.1

Revision Date:  
04.08.2023

SDS Number:  
50002432

Date of last issue: -  
Date of first issue: 02.05.2019

Method: OECD Test Guideline 202

LC50 : 0.37 mg/l  
Exposure time: 96 h  
Test Type: static test

EC50 : 0.14 mg/l  
Exposure time: 24 h  
Test Type: static test

EC50 : 0.072 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to algae/aquatic plants

: IC50 (Pseudokirchneriella subcapitata (algae)): 0.044 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 0.024 mg/l  
Exposure time: 3 d  
Method: OECD Test Guideline 201

IC50 (Skeletonema costatum (marine diatom)): 1.23 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

IC50 : 3.28 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Dunaliella tertiolecta (marine algae)): 0.01 mg/l  
Exposure time: 4 d  
Test Type: static test

EC50 (Dunaliella tertiolecta (marine algae)): 0.65 mg/l  
Exposure time: 4 d  
Test Type: static test

(Chlorella vulgaris (Fresh water algae)): 1.16 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 0.3 mg/l  
Exposure time: 96 h  
Test Type: static test

EC50 : 0.69 mg/l  
Exposure time: 3 d  
Test Type: static test

EC50 (Phaeodactylum tricornutum): 1.12 mg/l  
Exposure time: 24 h  
Test Type: static test

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209
- EC50 (Tetrahymena pyriformis): 7.1 mg/l  
Exposure time: 24 h  
Test Type: Growth inhibition
- Toxicity to fish (Chronic toxicity) : NOEC: 0.440 mg/l  
Exposure time: 72 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials
- NOEC: 0.026 mg/l  
Exposure time: 30 d  
Species: Jordanella floridae (flagfish)  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials
- NOEC: 0.530 mg/l  
Exposure time: 1,095 d  
Species: Salvelinus fontinalis (Brook trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials
- NOEC: 0.056 mg/l  
Exposure time: 116 d  
Species: Salmo trutta (brown trout)  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials
- NOEC: 0.025 mg/l  
Exposure time: 27 d  
Species: Fish  
Test Type: semi-static test  
Remarks: Based on data from similar materials
- NOEC: 0.078 mg/l  
Exposure time: 248 d  
Species: Pimephales promelas (fathead minnow)  
Test Type: flow-through test  
Remarks: Based on data from similar materials
- NOEC: 0.050 mg/l  
Exposure time: 155 d  
Species: Fish  
Test Type: flow-through test  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC: 0.125 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC: 750 mg/kg  
Exposure time: 21 d  
Species: Eisenia fetida (earthworms)

### **ethanediol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 72,860 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 10,940 mg/l  
Exposure time: 96 h

Toxicity to microorganisms : (activated sludge): > 1,995 mg/l  
Exposure time: 30 min  
Method: ISO 8192

Toxicity to fish (Chronic toxicity) : 1,500 mg/l  
Exposure time: 28 d  
Species: Menidia peninsulae (tidewater silverside)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 33,911 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

## 12.2 Persistence and degradability

### **Components:**

#### **sulfur:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

#### **ethanediol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301A

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

### 12.3 Bioaccumulative potential

#### Components:

##### **zinc oxide:**

- Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Exposure time: 14 d  
Bioconcentration factor (BCF): 2,060

##### **ethanediol:**

- Partition coefficient: n-octanol/water : log Pow: -1.36

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

- Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

- Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
- Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULITIMIX

Version  
1.1

Revision Date:  
04.08.2023

SDS Number:  
50002432

Date of last issue: -  
Date of first issue: 02.05.2019

Do not re-use empty containers.

### SECTION 14: Transport information

#### 14.1 UN number

<b>ADN</b>	:	UN 3082
<b>ADR</b>	:	UN 3082
<b>RID</b>	:	UN 3082
<b>IMDG</b>	:	UN 3082
<b>IATA</b>	:	UN 3082

#### 14.2 UN proper shipping name

<b>ADN</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)
<b>ADR</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)
<b>RID</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)
<b>IMDG</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)
<b>IATA</b>	:	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide)

#### 14.3 Transport hazard class(es)

<b>ADN</b>	:	9
<b>ADR</b>	:	9
<b>RID</b>	:	9
<b>IMDG</b>	:	9
<b>IATA</b>	:	9

#### 14.4 Packing group

<b>ADN</b>		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
<b>ADR</b>		
Packing group	:	III
Classification Code	:	M6

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULITIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

Hazard Identification Number : 90

Labels : 9

Tunnel restriction code : (-)

### RID

Packing group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

### IMDG

Packing group : III

Labels : 9

EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964

Packing instruction (LQ) : Y964

Packing group : III

Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964

Packing instruction (LQ) : Y964

Packing group : III

Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3 ethanediol (Number on list 3)
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	E1	ENVIRONMENTAL HAZARDS
	E2	
	E1	

#### Other regulations:

##### The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.  Ethanol, 2,2',2"-nitrilotris-, compd. with .alpha.-[2,4,6-tris(1-phenylethyl)phenyl]-.omega.-hydroxypoly(oxy-1,2-ethanediyl) phosphate emulsion of silicone Sodium Polyacrylate Homopolymer Naphthalenesulfonic acid, methyl-, polymer with formaldehyde, sodium salt sodium acrylate

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULITIMIX

Version 1.1	Revision Date: 04.08.2023	SDS Number: 50002432	Date of last issue: - Date of first issue: 02.05.2019
----------------	------------------------------	-------------------------	--

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Skin Irrit.	:	Skin irritation
STOT RE	:	Specific target organ toxicity - repeated exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SIPP-MULTIMIX

Version  
1.1

Revision Date:  
04.08.2023

SDS Number:  
50002432

Date of last issue: -  
Date of first issue: 02.05.2019

associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Classification of the mixture:

Skin Irrit. 2	H315
Aquatic Chronic 2	H411

### Classification procedure:

Calculation method
Calculation method

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

GB / 6N

## **SAFETY DATA SHEET**

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## **SIPP-MULTIMIX**

Version  
1.1

Revision Date:  
04.08.2023

SDS Number:  
50002432

Date of last issue: -  
Date of first issue: 02.05.2019

---