

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

1. IDENTIFICATION

Product name : PRESIPEL® 26.5 SC

Other means of identification : REVESEAR®

Manufacturer or supplier's details

Company : FMC CORPORATION

Address : 2929 WALNUT STREET
PHILADELPHIA, PA 19104 USA
(215) 299-6000 (GENERAL INFORMATION)

E-mail address : SDS-Info@fmc.com

Emergency telephone : +506-40003869
911

Medical Emergency Number : Costa Rica - National Center of Poisoning - (506) 2223-1028;
800-INTOXICA
Dominican Republic: DOMINICAN REPUBLIC - Center for
Drug Information and Poisoning - (809) 562-6601 Ext. 1801
El Salvador - Rosales National Hospital - (503) 2231-9262
Guatemala - Center of Toxicological Information and Assis-
tance - (502) 2251-3560 / 2232-0735
Honduras - Hospital School - (504) 232-6105
Nicaragua - National Center of Toxicology - (505) 2289-4700
ext. 1294 cel. 8755-0983
Panama Center of Research and Information on Medications
and Toxicology (507) 523-4948

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Specific target organ toxicity - : Category 1 (Central nervous system)
repeated exposure

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

Version 1.0 Revision Date: 07.08.2025 SDS Number: 50000153 Date of last issue: -
Date of first issue: 07.08.2025

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : DANGER

Hazard Statements : H302 Harmful if swallowed.
H333 May be harmful if inhaled.
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
Response:
P301 + P317 + P330 IF SWALLOWED: Get medical help.
Rinse mouth.
P304 + P317 IF INHALED: Get medical help.
P319 Get medical help if you feel unwell.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|-------------|-----------------------|
| Bifenthrin | 82657-04-3 | >= 10 - < 20 |
| Chlorantraniliprole | 500008-45-7 | >= 2,5 - < 10 |
| D-Glucopyranose, oligomeric, C9-11-alkyl glyco- | 132778-08-6 | >= 3 - < 10 |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

| | | |
|-------------------|-----------|---------------|
| sides | | |
| ammonium sulphate | 7783-20-2 | >= 2,5 - < 10 |

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May be harmful if inhaled.
Causes damage to organs through prolonged or repeated exposure.
Exposure may result in neurotoxicity with symptoms including tremors, impaired gait, and excessive salivation. Tremors may disappear with continued exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

- | | |
|--|--|
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases. Carbon oxides Fluorinated compounds Chlorinated compounds Hydrogen chloride Hydrogen fluoride Nitrogen oxides (NOx) Bromine compounds Chlorine compounds Hydrogen cyanide Ammonia Sulfur oxides Sulphuric acid |
| Specific extinguishing methods | : Remove undamaged containers from fire area if it is safe to do so. Use a water spray to cool fully closed containers. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |

6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Evacuate personnel to safe areas. Use personal protective equipment. If it can be safely done, stop the leak. Do not touch or walk through the spilled material. Never return spills in original containers for re-use. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene. For disposal considerations see section 13. |
| Environmental precautions | : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use. Collect as much of the spill as possible with a suitable absorbent material. Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate,

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

butyl rubber or nitrile rubber.

- | | |
|--------------------------|--|
| Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : Eye wash bottle with pure water Tightly fitting safety goggles |
| Skin and body protection | : Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Protective measures | : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Ensure that eye flushing systems and safety showers are located close to the working place. Wear suitable protective equipment. When using do not eat, drink or smoke. In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |
| Hygiene measures | : Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|------------------------------|--|
| Physical state | : liquid |
| Color | : white |
| Odor | : neutral |
| Odor Threshold | : not determined |
| pH | : 5,6 (20,8 °C) Concentration: 10 g/l |
| Melting point/freezing point | : not determined |
| Boiling point/boiling range | : not determined |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

| | | |
|--|---|---|
| Flash point | : | > 100 °C |
| Evaporation rate | : | not determined |
| Flammability (liquids) | : | Not classified as a flammability hazard |
| Self-ignition | : | not determined |
| Upper explosion limit / Upper flammability limit | : | not determined |
| Lower explosion limit / Lower flammability limit | : | not determined |
| Vapor pressure | : | Not available for this mixture. |
| Relative vapor density | : | not determined |
| Relative density | : | not determined |
| Density | : | 1,11 g/cm ³ (20 °C) |
| Bulk density | : | No data available |
| Solubility(ies) | | |
| Water solubility | : | dispersible |
| Solubility in other solvents | : | No data available |
| Partition coefficient: n-octanol/water | : | Not available for this mixture. |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | not determined |
| Viscosity | | |
| Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | 158,8 mm ² /s (21,6 °C) |
| | | 151,2 mm ² /s (42 °C) |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | Non-oxidizing |
| Molecular weight | : | Not applicable |
| Particle size | : | Not applicable |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

10. STABILITY AND REACTIVITY

- | | | |
|------------------------------------|---|--|
| Reactivity | : | No decomposition if stored and applied as directed. |
| Chemical stability | : | No decomposition if stored and applied as directed. |
| Possibility of hazardous reactions | : | No decomposition if stored and applied as directed. |
| Conditions to avoid | : | Avoid extreme temperatures. Protect from frost, heat and sunlight. Heat, flames and sparks. Heating of the product will produce harmful and irritant vapours. |
| Incompatible materials | : | Avoid strong acids, bases, and oxidizers. |
| Hazardous decomposition products | : | Stable under recommended storage conditions. No hazardous decomposition products are known. |

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.
May be harmful if inhaled.

Product:

- | | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50(Rat, female): 1.098 mg/kg Method: OECD Test Guideline 425 |
| Acute inhalation toxicity | : | LC50(Rat, male and female): > 2,14 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The component/mixture is minimally toxic after short term inhalation. |
| Acute dermal toxicity | : | LD50(Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity |

Components:

Bifenthrin:

- | | | |
|---------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat, male and female): 50,2 - 58,8 mg/kg Symptoms: Convulsions, Tremors |
|---------------------|---|--|

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Acute inhalation toxicity : LC50 (Rat, female): 0,6 - 1,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Convulsions

LC50 (Rat, male): 1,10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Remarks: no mortality

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Remarks: Information source: Internal study report

LD50 (Mouse, female): > 2.000 mg/kg
Method: OECD Test Guideline 425
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information source: Internal study report

LC50 (Rat, male and female): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

LC50 (Rat, male and female): > 5,0 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Test atmosphere: dust/mist
Method: GB 15670-1995
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Information source: Internal study report

LD50 (Rat, male and female): > 5.000 mg/kg
Method: GB 15670-1995
GLP: yes
Remarks: no mortality

LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: no mortality

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

ammonium sulphate:

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 423

LD50 (Rat): 4.250 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male): 0,0035 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 433

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 434

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight irritation
Remarks : Minimal effects that do not meet the threshold for classifica-

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

tion.

Components:

Bifenthrin:

| | |
|---------|---------------------------------|
| Species | : Rabbit |
| Result | : slight or no skin irritation. |
| GLP | : yes |

| | |
|---------|---------------------------------|
| Species | : Rabbit |
| Method | : OECD Test Guideline 404 |
| Result | : slight or no skin irritation. |
| GLP | : yes |

Chlorantraniliprole:

| | |
|---------|---|
| Species | : Rabbit |
| Method | : OECD Test Guideline 404 |
| Result | : No skin irritation |
| GLP | : yes |
| Remarks | : Information source: Internal study report |

| | |
|---------|---------------------------|
| Species | : Rabbit |
| Method | : OECD Test Guideline 404 |
| Result | : No skin irritation |
| GLP | : yes |

| | |
|---------|----------------------|
| Species | : Rabbit |
| Method | : GB 15670-1995 |
| Result | : No skin irritation |
| GLP | : yes |

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

| | |
|---------|---------------------|
| Species | : Rabbit |
| Result | : slight irritation |

ammonium sulphate:

| | |
|---------------|---------------------|
| Species | : Rabbit |
| Exposure time | : 20 h |
| Method | : Draize Test |
| Result | : slight irritation |

| | |
|---------|---------------------------|
| Species | : Rabbit |
| Method | : OECD Test Guideline 404 |
| Result | : slight irritation |

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

| | |
|---------|----------|
| Species | : Rabbit |
|---------|----------|

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

| | | |
|------------|---|----------------------------|
| Assessment | : | Not classified as irritant |
| Method | : | OECD Test Guideline 405 |
| Result | : | slight irritation |

Components:

Bifenthrin:

| | | |
|---------|---|-----------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 405 |
| Result | : | Slight or no eye irritation |
| GLP | : | yes |

Chlorantraniliprole:

| | | |
|---------|---|---|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 405 |
| Result | : | No eye irritation |
| GLP | : | yes |
| Remarks | : | Information source: Internal study report |

| | | |
|---------|---|-------------------------|
| Species | : | Rabbit |
| Method | : | OECD Test Guideline 405 |
| Result | : | No eye irritation |

| | | |
|------------|---|-----------------------------|
| Species | : | Rabbit |
| Assessment | : | Not classified as irritant |
| Method | : | OECD Test Guideline 405 |
| Result | : | Slight or no eye irritation |
| GLP | : | yes |

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

| | | |
|--------|---|---------------------------------|
| Method | : | in vitro eye irritation test |
| Result | : | Irreversible effects on the eye |

ammonium sulphate:

| | | |
|---------|---|-------------------|
| Species | : | Rabbit |
| Result | : | slight irritation |

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

| | | |
|-----------|---|-------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Species | : | mice |
| Method | : | OECD Test Guideline 429 |
| Result | : | Not a skin sensitizer. |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Components:

Bifenthrin:

| | |
|--------------------|--|
| Test Type | : Maximization Test |
| Routes of exposure | : Skin contact |
| Species | : Guinea pig |
| Method | : OECD Test Guideline 406 |
| Result | : May cause sensitization by skin contact. |
| GLP | : yes |

Chlorantraniliprole:

| | |
|-----------|---|
| Test Type | : Maximization Test |
| Species | : Guinea pig |
| Method | : OECD Test Guideline 406 |
| Result | : Does not cause skin sensitization. |
| GLP | : yes |
| Remarks | : Information source: Internal study report |

| | |
|-----------|--------------------------------------|
| Test Type | : Local lymph node assay (LLNA) |
| Species | : mice |
| Method | : OECD Test Guideline 429 |
| Result | : Does not cause skin sensitization. |

ammonium sulphate:

| | |
|--------------------|--------------------------|
| Test Type | : Maximization Test |
| Routes of exposure | : Dermal |
| Species | : Guinea pig |
| Result | : Not a skin sensitizer. |

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

| | |
|-------------------------------------|--|
| Germ cell mutagenicity - Assessment | : Contains no ingredient listed as a mutagen |
|-------------------------------------|--|

Components:

Bifenthrin:

| | |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative |
| | Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

| | | |
|-------------------------------------|---|--|
| | | Test Type: Mouse lymphoma assay Metabolic activation: with and without metabolic activation Result: negative |
| Genotoxicity in vivo | : | Test Type: Sex-linked Recessive Lethal Test Species: Drosophila melanogaster (vinegar fly) Result: negative |
| | | Test Type: unscheduled DNA synthesis assay Species: Rat Method: OECD Test Guideline 486 Result: negative |
| Chlorantraniliprole: | | |
| Genotoxicity in vitro | : | Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative |
| | | Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative |
| Genotoxicity in vivo | : | Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative |
| Germ cell mutagenicity - Assessment | : | Weight of evidence does not support classification as a germ cell mutagen. |
| ammonium sulphate: | | |
| Genotoxicity in vitro | : | Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative |
| | | Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative |
| | | Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative |
| Genotoxicity in vivo | : | Test Type: Micronucleus test Species: Mouse (male) Application Route: Intraperitoneal injection Exposure time: 4 d Result: negative |
| Germ cell mutagenicity - Assessment | : | Weight of evidence does not support classification as a germ cell mutagen. |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

| | |
|-------------------|------------------|
| Species | : Rat, female |
| Application Route | : Oral |
| Exposure time | : 2 Years |
| NOAEL | : 3 mg/kg bw/day |
| Result | : negative |

| | |
|-------------------|--------------------|
| Species | : Mouse, male |
| Application Route | : Oral |
| Exposure time | : 18 month(s) |
| NOAEL | : 7,6 mg/kg bw/day |
| Result | : positive |
| Symptoms | : malignant tumors |

Chlorantraniliprole:

| | |
|-------------------|----------------------------|
| Species | : Rat, male and female |
| Application Route | : Oral |
| Exposure time | : 2 Years |
| NOAEL | : 805 - 1.076 mg/kg bw/day |
| Method | : OECD Test Guideline 453 |
| Result | : negative |

| | |
|-------------------|----------------------------|
| Species | : Mouse, male and female |
| Application Route | : Oral |
| Exposure time | : 18 month(s) |
| NOAEL | : 158 - 1.155 mg/kg bw/day |
| Method | : OECD Test Guideline 453 |
| Result | : negative |

| | |
|---------------|----------------------|
| Species | : Dog |
| Exposure time | : 1 Years |
| NOAEL | : 1.164 mg/kg bw/day |
| Result | : negative |

| | |
|------------------------------|---|
| Carcinogenicity - Assessment | : Animal testing did not show any carcinogenic effects. |
|------------------------------|---|

ammonium sulphate:

| | |
|-------------------|---------------------------|
| Species | : Rat, male |
| Application Route | : Oral |
| Exposure time | : 2 y |
| Dose | : 564, 1288 mg/kg food |
| Method | : OECD Test Guideline 453 |
| Result | : negative |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

| | |
|------------------------------|--|
| Species | : Rat, female |
| Application Route | : Oral |
| Exposure time | : 2 y |
| Dose | : 649, 1371 mg/kg food |
| Method | : OECD Test Guideline 453 |
| Result | : negative |
| Carcinogenicity - Assessment | : Weight of evidence does not support classification as a carcinogen |

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

| | |
|------------------------------------|--|
| Reproductive toxicity - Assessment | : Contains no ingredient listed as toxic to reproduction |
|------------------------------------|--|

Components:

Bifenthrin:

| | |
|------------------------------|--|
| Effects on fertility | : Test Type: Two-generation study Species: Rat Application Route: Oral General Toxicity Parent: NOAEL: 3 mg/kg bw/day General Toxicity F1: NOAEL: 5 mg/kg bw/day Result: negative |
| Effects on fetal development | : Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 2,7 mg/kg bw/day Teratogenicity: NOAEL: 2,7 mg/kg bw/day Symptoms: Maternal effects. Result: No teratogenic effects. Test Type: Embryo-fetal development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 1 mg/kg bw/day Teratogenicity: NOAEL: 2 mg/kg bw/day Result: No teratogenic effects. Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 7,2 mg/kg bw/day Developmental Toxicity: LOAEL: 7,2 mg/kg bw/day Embryo-fetal toxicity.: NOEL: 9,0 mg/kg bw/day Method: OECD Test Guideline 426 Result: Animal testing did not show any effects on fertility., Some evidence of adverse effects on development, based on animal experiments. |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Chlorantraniliprole:

- Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOAEL: 20.000 ppm
General Toxicity F1: NOAEL: 20.000 ppm
Method: OECD Test Guideline 416
Result: negative
- Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 Days
General Toxicity Maternal: NOEL: 1.000 mg/kg bw/day
Developmental Toxicity: NOEL: 1.000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

ammonium sulphate:

- Effects on fertility : Species: Rat
Application Route: Oral
Dose: 250, 750, 1500 mg/kg
General Toxicity Parent: LOAEL: 250 mg/kg body weight
Fertility: NOAEL: 1.500 mg/kg body weight
Method: OECD Test Guideline 422
Result: No effects on fertility and early embryonic development were detected.
- Effects on fetal development : Species: Rat
Application Route: Oral
Dose: 250, 750, 1500 mg/kg
Developmental Toxicity: NOAEL: 1.500 mg/kg body weight
Method: OECD Test Guideline 415
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

- Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Components:

Bifenthrin:

| | | |
|---------------|---|--------------------------|
| Target Organs | : | Central nervous system |
| Assessment | : | Causes damage to organs. |

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

Product:

| | | |
|------------|---|---|
| Assessment | : | Causes damage to organs through prolonged or repeated exposure. |
|------------|---|---|

Components:

Bifenthrin:

| | | |
|---------------|---|--|
| Target Organs | : | Central nervous system |
| Assessment | : | The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1. |

ammonium sulphate:

| | | |
|------------|---|--|
| Assessment | : | The substance or mixture is not classified as specific target organ toxicant, repeated exposure. |
|------------|---|--|

Repeated dose toxicity

Components:

Bifenthrin:

| | | |
|-------------------|---|--|
| Species | : | Rat, male and female |
| NOEL | : | 100 ppm |
| Application Route | : | Oral - feed |
| Exposure time | : | 90 d |
| Remarks | : | No toxicologically significant effects were found. |

| | | |
|-------------------|---|----------------------|
| Species | : | Dog, male and female |
| NOEL | : | 2,5 mg/kg bw/day |
| Application Route | : | Oral - feed |
| Exposure time | : | 13 w |
| Symptoms | : | Tremors |

Chlorantraniliprole:

| | | |
|-------------------|---|-------------------------|
| Species | : | Rat, male and female |
| NOEL | : | 1188 - 1526 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 90 Days |
| Method | : | OECD Test Guideline 408 |

ammonium sulphate:

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Species : Rat, female
NOAEL : 284 mg/kg
Application Route : Oral
Exposure time : 1 y
Dose : 48, 284, 1490 mg/kg
Method : OECD Test Guideline 453
Symptoms : Liver effects, kidney effects

Species : Rat, male
NOAEL : 256 mg/kg
Application Route : Oral
Exposure time : 1 y
Dose : 42, 256, 1527 mg/kg
Method : OECD Test Guideline 453
Symptoms : Liver effects, kidney effects

Species : Rat
NOAEC : 0,3 mg/l
Application Route : Inhalation
Exposure time : 14 d
Number of exposures : 8 h/d
Dose : 0.3 mg/L
Symptoms : No adverse effects.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : On contact, the active ingredient can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia), which is harmless at low exposure, but can be quite painful, especially in the eye. The effect may result from splash, aerosol or transfer from contaminated gloves. The effect is transient, lasting up to 24 hours, but may in exceptional cases last longer. It may be considered as a warning that overexposure has occurred and that work practice should be reviewed.

Remarks : No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to soil dwelling organisms : NOEC: 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia andrei (red worm)
Method: OECD Test Guideline 207

LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia andrei (red worm)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: > 2.250 mg/kg
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 223

LD50: 0.49 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214

LD50: 6.66 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Bifenthrin:

Toxicity to fish : LC50 (Salmo gairdneri): 0,00015 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00035 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,000256 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

GLP: yes

LC50 (Pimephales promelas (fathead minnow)): 0,000234 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 0,00011 mg/l
Exposure time: 48 h

LC50 (Daphnia): 0,0016 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 0,822 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1.000

Toxicity to fish (Chronic toxicity) : NOEC: 0,00012 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0013 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0,00095 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100.000

Toxicity to soil dwelling organisms : LD50: > 16 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Toxicity to terrestrial organisms : LD50: 1.800 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LD50: > 2.150 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: 0,1 - 0,35 µg/bee
Exposure time: 24 h
End point: Acute oral toxicity

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Species: Apis mellifera (bees)
Method: OECD Test Guideline 213

LD50: 0,1 - 0,3 µg/bee
Exposure time: 24 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214

Chlorantraniliprole:

| | |
|---|--|
| Toxicity to fish | : LC50 (Oncorhynchus mykiss (rainbow trout)): 13,8 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: Information source: Internal study report LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15,1 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes Remarks: Information source: Internal study report LC50 (Cyprinodon sp. (minnow)): > 12 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 0,0116 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes LC50 (Hyalella azteca (Amphipod)): 0,26 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes LC50 (Ceriodaphnia dubia (water flea)): 0,0067 - 0,011 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 120 h NOEC (Lemna gibba (duckweed)): > 2 mg/l End point: Biomass Exposure time: 14 d Test Type: static test ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Exposure time: 72 h

NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l

End point: Growth rate

Exposure time: 120 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (Skeletonema costatum (Diatom)): > 14,6 mg/l

End point: Growth rate

Exposure time: 120 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (Navicula pelliculosa (Diatom)): > 15,1 mg/l

End point: Growth rate

Exposure time: 120 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 1,28 mg/l
Exposure time: 36 d
Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,110 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00447 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
GLP: yes

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

zation.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineralization.

EC50: >100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Species: *Hypoaspis aculeifer*

Method: OECD Test Guideline 207

NOEC: 100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Species: *Hypoaspis aculeifer*

Method: OECD Test Guideline 207

Toxicity to terrestrial organisms

: LD50: > 4,0 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity

Species: *Apis mellifera* (bees)

Remarks: Active substance dissolved in acetone

LD50: > 0,005 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

Species: *Apis mellifera* (bees)

Remarks: Active substance dissolved in water

LD50: > 104,1 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Species: *Apis mellifera* (bees)

Remarks: Active substance dissolved in acetone

LD50: > 0,0274 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Species: *Apis mellifera* (bees)

Remarks: Active substance dissolved in water

LD50: > 2.250 mg/kg

Species: *Poephila guttata* (zebra finch)

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): 2,95 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 26,2 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Skeletonema costatum* (Diatom)): 9,05 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Method: ISO 10253

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 560 mg/l

ammonium sulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 169 mg/l
aquatic invertebrates Exposure time: 48 h

EC50 (Daphnia): 121,7 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Chlorella vulgaris (Fresh water algae)): 2.700 mg/l
plants Exposure time: 18 h

EC50 (Chlorella vulgaris (Fresh water algae)): 1.605 mg/l
Exposure time: 5 d

Toxicity to microorganisms : EC50 (activated sludge): 1.618 mg/l
Exposure time: 0,5 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox- : EC10: 5,29 mg/l
icity) Exposure time: 30 d
Species: Lepomis macrochirus (Bluegill sunfish)
Test Type: flow-through test

Toxicity to daphnia and other : EC10: 3,12 mg/l
aquatic invertebrates (Chron- Exposure time: 70 d
ic toxicity) Species: Hyalella azteca (Amphipod)
Test Type: semi-static test

Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.
Product contains minor amounts of not readily biodegradable
components, which may not be degradable in waste water
treatment plants.

Components:

Bifenthrin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2,2 d
Hydrolysis: at 60 °C

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Degradation half life (DT50): 15,6 d
Hydrolysis: at 40 °C

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0,3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Biodegradability : Result: Readily biodegradable.

ammonium sulphate:

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Remarks: No data available

Components:

Bifenthrin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1.709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: 6,6

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,77 (20 °C)
pH: 4

log Pow: 2,86 (20 °C)
pH: 7

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

log Pow: 2,80 (20 °C)
pH: 9

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Partition coefficient: n-octanol/water : log Pow: 3,7
Method: OECD Test Guideline 117

ammonium sulphate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -5,1 (25 °C)

log Pow: 0,48 (25 °C)

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

Bifenthrin:

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5,37
Remarks: immobile

Stability in soil :

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2,55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

Chlorantraniliprole:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2,66
100-year global warming potential: 0,739
500-year global warming potential: 0,211
Atmospheric lifetime: 0,027 yr
Radiative efficiency: 0,12 Wm²ppb
Further information: Miscellaneous compounds

decamethylcyclopentasiloxane:

20-year global warming potential: 1,04
100-year global warming potential: 0,289
500-year global warming potential: 0,082
Atmospheric lifetime: 0,016 yr
Radiative efficiency: 0,098 Wm²ppb
Further information: Miscellaneous compounds

dodecamethylcyclohexasiloxane:

20-year global warming potential: 0,51
100-year global warming potential: 0,142
500-year global warming potential: 0,04
Atmospheric lifetime: 0,011 yr
Radiative efficiency: 0,086 Wm²ppb
Further information: Miscellaneous compounds

13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | | |
|------------------------|---|--|
| Waste from residues | : | The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rins- |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

ing: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

| | |
|----------------------|---|
| UN number | : UN 3082 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bifenthrin, Chlorantraniliprole) |

| | |
|---------------------------|-------|
| Class | : 9 |
| Packing group | : III |
| Labels | : 9 |
| Environmentally hazardous | : yes |

IATA-DGR

| | |
|----------------------|---|
| UN/ID No. | : UN 3082 |
| Proper shipping name | : Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin, Chlorantraniliprole) |

| | |
|--|-----------------|
| Class | : 9 |
| Packing group | : III |
| Labels | : Miscellaneous |
| Packing instruction (cargo aircraft) | : 964 |
| Packing instruction (passenger aircraft) | : 964 |
| Environmentally hazardous | : yes |

IMDG-Code

| | |
|----------------------|---|
| UN number | : UN 3082 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bifenthrin, Chlorantraniliprole) |

| | |
|------------------|------------|
| Class | : 9 |
| Packing group | : III |
| Labels | : 9 |
| EmS Code | : F-A, S-F |
| Marine pollutant | : yes |

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

List of Medicines and Controlled Substances - Precursors and Chemical Substances Frequently Used for Illicit Production of Narcotics and Psychotropic Substances Subject to Control. : Not applicable

The ingredients of this product are reported in the following inventories:

| | |
|-------|--|
| TCSI | : On the inventory, or in compliance with the inventory |
| TSCA | : Product contains substance(s) not listed on TSCA inventory. |
| AIIC | : Not in compliance with the inventory |
| DSL | : This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product. |
| ENCS | : Not in compliance with the inventory |
| ISHL | : Not in compliance with the inventory |
| KECI | : Not in compliance with the inventory |
| PICCS | : Not in compliance with the inventory |
| IECSC | : Not in compliance with the inventory |
| NZIoC | : Not in compliance with the inventory |
| TECI | : Not in compliance with the inventory |

16. OTHER INFORMATION

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

Version
1.0

Revision Date:
07.08.2025

SDS Number:
50000153


Date of last issue: -
Date of first issue: 07.08.2025

Revision Date : 07.08.2025

Date format : dd.mm.yyyy

Further information

NFPA:



HMIS® IV:

| | | |
|-----------------|---|---|
| HEALTH | * | 3 |
| FLAMMABILITY | | 1 |
| PHYSICAL HAZARD | | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

SAFETY DATA SHEET

according to the Globally Harmonized System



PRESIPEL® 26.5 SC

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07.08.2025 | 50000153 | Date of first issue: 07.08.2025 |

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

SV / EN