



Product Name: **Express FT Herbicide (PCP#35535)**

Specification ID# **50003098**

Express FT Herbicide is considered a mechanical mixture of three (3) individual products.

Attached are the component product SDSs which make up **Express FT Herbicide**:

Dry Dicamba

PCP # **28735**

SDS Date: **08/04/2022**

Specification ID#: **50000129**

Express® 50 SG MUP

PCP # **28176**

SDS Date: **10/28/2022**

Specification ID#: **50000038**

**Metsulfuron methyl MUP
Herbicide**

PCP# **26677**

SDS Date: **10/31/2022**

Specification ID#: **50001045**

Please read the SDS in order to have a complete understanding of all the risks associated with each product before use.

Manufacturer/Distributor:

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Telephone Numbers:

Product Information: 1-833-362-7722

Medical Emergency: 1-800-331-3148 (USA & Canada)

Preparation Date: 07/24/2025

Member of CropLife Canada®/TM Registered trademarks/trademarks of FMC Corporation or an affiliate.

SAFETY DATA SHEET



Dry Dicamba MUP

Version	Revision Date:	SDS Number:	Date of last issue: 01/29/2018
1.2	08/04/2022	50000129	Date of first issue: 01/29/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name Dry Dicamba MUP

Other means of identification

Product code 50000129

Chemical nature Mixture

Product Registration Number 28735

Recommended use of the chemical and restrictions on use

Recommended use Can be used for production of herbicides only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet**Manufacturer**

FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Combustible dust (Inhalation) (Lungs)

SAFETY DATA SHEET



Dry Dicamba MUP

Version 1.2 Revision Date: 08/04/2022 SDS Number: 50000129 Date of last issue: 01/29/2018
Date of first issue: 01/29/2018

GHS label elements

Hazard pictograms

:



Signal Word

: Warning

Hazard Statements

: H302 Harmful if swallowed.
H332 Harmful if inhaled.
May form combustible dust concentrations in air.

Precautionary Statements

: **Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

Response:

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Dicamba, present as sodium salt	sodium 3,6-dichloro-o-anisate	1982-69-0	70

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled

: Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

SAFETY DATA SHEET



Dry Dicamba MUP

Version 1.2	Revision Date: 08/04/2022	SDS Number: 50000129	Date of last issue: 01/29/2018 Date of first issue: 01/29/2018
----------------	------------------------------	-------------------------	---

- Oxygen or artificial respiration if needed.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with soap and plenty of water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.
If accidentally swallowed obtain immediate medical attention.
Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : Harmful if inhaled.
Harmful if swallowed.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
- Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use a water spray to cool fully closed containers.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET



Dry Dicamba MUP

Version 1.2	Revision Date: 08/04/2022	SDS Number: 50000129	Date of last issue: 01/29/2018 Date of first issue: 01/29/2018
----------------	------------------------------	-------------------------	---

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.
Pick up and arrange disposal without creating dust.
Never return spills in original containers for re-use.
Do not create a powder cloud by using a brush or compressed air.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In case of dust exposure wear suitable personal respiratory

SAFETY DATA SHEET



Dry Dicamba MUP

Version 1.2	Revision Date: 08/04/2022	SDS Number: 50000129	Date of last issue: 01/29/2018 Date of first issue: 01/29/2018
----------------	------------------------------	-------------------------	---

	protection and protective suit.
Hand protection Material	: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Always have on hand a first-aid kit, together with proper instructions. In case of insufficient ventilation, wear suitable respiratory equipment. Wear suitable protective equipment.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: extruded granules
Color	: light brown
Odor	: odorless
Odor Threshold	: not determined
pH	: 7.5 (as aqueous solution)
Melting point/range	: Not available for this mixture.
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable

SAFETY DATA SHEET



Dry Dicamba MUP

Version 1.2	Revision Date: 08/04/2022	SDS Number: 50000129	Date of last issue: 01/29/2018 Date of first issue: 01/29/2018
----------------	------------------------------	-------------------------	---

Flammability (solid, gas)	:	The product is not flammable.
Self-ignition	:	not auto-flammable
Upper explosion limit / Upper flammability limit	:	Not available for this mixture.
Lower explosion limit / Lower flammability limit	:	Not available for this mixture.
Vapor pressure	:	Not applicable
Relative density	:	No data available
Density	:	0.58 - 0.60 g/cm ³
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	Not available for this mixture.
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.
Harmful by inhalation.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

SAFETY DATA SHEET



Dry Dicamba MUP

Version	Revision Date:	SDS Number:	Date of last issue: 01/29/2018
1.2	08/04/2022	50000129	Date of first issue: 01/29/2018

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity estimate (Rat): 4.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Minimal effects that do not meet the threshold for classification.

Remarks : Not classified as irritant

Remarks : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : Eye irritation

Remarks : Not classified as irritant

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Result : No data available

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET



Dry Dicamba MUP

Version	Revision Date:	SDS Number:	Date of last issue: 01/29/2018
1.2	08/04/2022	50000129	Date of first issue: 01/29/2018

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Dicamba, present as sodium salt:

Species	:	Rat
NOAEL	:	110 mg/kg
Application Route	:	Oral
Exposure time	:	2 y
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1,000 mg/l Exposure time: 96 h
		LC50 (Oncorhynchus mykiss (rainbow trout)): 135 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 110 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 2.3 mg/l Exposure time: 72 h

Components:

Dicamba, present as sodium salt:

Toxicity to fish : (Oncorhynchus mykiss (rainbow trout)): 135 mg/l

SAFETY DATA SHEET



Dry Dicamba MUP

Version	Revision Date:	SDS Number:	Date of last issue: 01/29/2018
1.2	08/04/2022	50000129	Date of first issue: 01/29/2018

Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 120.7 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (algae): 3.7 - 41 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to terrestrial organisms : (Birds): 1,373 mg/kg

Persistence and degradability

Product:

Biodegradability : Result: No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No other ecological effects to be specially mentioned.
See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET



Dry Dicamba MUP

Version	Revision Date:	SDS Number:	Date of last issue: 01/29/2018
1.2	08/04/2022	50000129	Date of first issue: 01/29/2018

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. 0-00-0 Dicamba, present as sodium salt
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

SAFETY DATA SHEET



Dry Dicamba MUP

Version	Revision Date:	SDS Number:	Date of last issue: 01/29/2018
1.2	08/04/2022	50000129	Date of first issue: 01/29/2018

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC

SAFETY DATA SHEET



Dry Dicamba MUP

Version	Revision Date:	SDS Number:	Date of last issue: 01/29/2018
1.2	08/04/2022	50000129	Date of first issue: 01/29/2018

Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name EXPRESS(R) 50 SG MUP

Other means of identification

Product code 50000038

Chemical nature Herbicide

Product Registration Number PCP# 28176

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet**Manufacturer**

FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1

Specific target organ toxicity : Category 2
- repeated exposure

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version 1.1 Revision Date: 10/28/2022 SDS Number: 50000038 Date of last issue: -
Date of first issue: 03/01/2018

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Herbicide

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
tribenuron-methyl (ISO)	tribenuron-methyl (ISO)	101200-48-0	50

SECTION 4. FIRST AID MEASURES

General advice : Remove victim from exposure and then have him lie down in the recovery position.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

- Keep at rest.
Keep warm and in a quiet place.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.
In case of skin contact
If on skin, rinse well with water.
Wash off immediately with soap and plenty of water.
If skin irritation persists, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Nitrogen oxides (NOx)
Sulfur oxides
Carbon oxides
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- | | | |
|--------------------------|---|---|
| Respiratory protection | : | In case of dust exposure wear suitable personal respiratory protection and protective suit. |
| Hand protection | : | |
| Material | : | Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : | Eye wash bottle with pure water
Tightly fitting safety goggles |
| Skin and body protection | : | Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Protective measures | : | Plan first aid action before beginning work with this product. |
| Hygiene measures | : | When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|---------------------------|---|--|
| Appearance | : | solid, granules |
| Color | : | light brown |
| Odor | : | mild |
| pH | : | 8.4 - 9.4 (20 °C)
Concentration: 10 g/l
In a 1% aqueous dispersion |
| Flash point | : | not determined |
| Flammability (solid, gas) | : | Not highly flammable |
| Relative vapor density | : | not determined |
| Bulk density | : | 640 kg/m ³ packed |

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Solubility(ies)	
Water solubility	: soluble
Decomposition temperature	: Not available for this mixture.
Viscosity	
Viscosity, dynamic	: not determined
Explosive properties	: Not explosive

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Dust may form explosive mixture in air. No decomposition if stored and applied as directed.
Conditions to avoid	: dust formation moisture Heat, flames and sparks.
Incompatible materials	: Strong acids and strong bases Strong oxidizing agents
Hazardous decomposition products	: Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: Fixed Dose Method GLP: yes
Acute inhalation toxicity	: Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Remarks	:	May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Species	:	Guinea pig
Assessment	:	The product is a skin sensitizer, sub-category 1B.
Method	:	Maximization Test
Result	:	The product is a skin sensitizer, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro	:	Remarks: The product contains no ingredients known to be mutagenic.
-----------------------	---	---

Carcinogenicity

Not classified based on available information.

Product:

Remarks	:	The product contains no ingredients known to be carcinogenic.
---------	---	---

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: The product contains no ingredients found to have adverse effects on reproduction.

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

tribenuron-methyl (ISO):

Species	: Rabbit
LOAEL	: 80 mg/kg
Target Organs	: Thyroid, Nervous system
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks	: Increased mortality or reduced survival

Aspiration toxicity

Not classified based on available information.

Components:

tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity**Product:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): > 120 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EbC50 (Pseudokirchneriella subcapitata (green algae)): 0.0162 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes EC50 (Lemna gibba (duckweed)): 0.00652 mg/l End point: Frond Exposure time: 7 d Method: US EPA Test Guideline OPP 122-2 & 123-2

Components:**tribenuron-methyl (ISO):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Crustaceans): > 320 mg/l Exposure time: 48 h EC50 (Daphnia magna (Water flea)): > 894 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0208 mg/l Exposure time: 120 h EC50 (Lemna gibba (duckweed)): 0.00424 mg/l Exposure time: 14 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinodon variegatus (sheepshead minnow)): 114 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

	NOEC (Oncorhynchus mykiss (rainbow trout)): 560 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 41 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	: NOEC (Eisenia fetida (earthworms)): 3.2 mg/kg Exposure time: 56 d
Toxicity to terrestrial organisms	: LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
	LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm Remarks: Dietary
	LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm Remarks: Dietary
	LD50 (Apis mellifera (bees)): > 98.4 µg/bee Exposure time: 48 h End point: Acute contact toxicity
	LD50 (Apis mellifera (bees)): > 9.1 µg/bee Exposure time: 48 h End point: Acute oral toxicity

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

tribenuron-methyl (ISO):

Biodegradability	: Biodegradation: 29.4 % Exposure time: 28 d
------------------	---

Bioaccumulative potential

Components:

tribenuron-methyl (ISO):

Bioaccumulation	: Bioconcentration factor (BCF): < 1 Remarks: Does not bioaccumulate.
-----------------	--

Partition coefficient: n-octanol/water	: log Pow: -0.38
--	------------------

SAFETY DATA SHEET

EXPRESS(R) 50 SG MUP



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

Components:

tribenuron-methyl (ISO):

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

Other adverse effects

Product:

Additional ecological information : Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.
Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tribenuron-methyl)
Class	: 9
Subsidiary risk	: ENVIRONM.

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

Packing group : III
Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Tribenuron-methyl)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Tribenuron-methyl)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

METHYL 2-[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL(METHYL)CARBAMOYLSULFAMOYL]BENZOATE

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohydrate

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



EXPRESS(R) 50 SG MUP

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/28/2022	50000038	Date of first issue: 03/01/2018

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation
FMC Logo - Trademark of FMC Corporation
© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/31/2022	50001045	Date of first issue: 03/01/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name Metsulfuron-Methyl MUP Herbicide

Other means of identification

Product code 50001045

Chemical nature Mixture

Product Registration Number PCP #26677

Recommended use of the chemical and restrictions on use

Recommended use Can be used for production of herbicides only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Phone (AgHotline): 1-833-FMC-PPAC (1-833-362-7722),
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version 1.1 Revision Date: 10/31/2022 SDS Number: 50001045 Date of last issue: -
Date of first issue: 03/01/2018

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
metsulfuron-methyl (ISO)	metsulfuron-methyl (ISO)	74223-64-6	60

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with soap and plenty of water.
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray, fog, or regular foam.

Unsuitable extinguishing media : High volume water jet

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version 1.1	Revision Date: 10/31/2022	SDS Number: 50001045	Date of last issue: - Date of first issue: 03/01/2018
----------------	------------------------------	-------------------------	--

- | | |
|--|---|
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Nitrogen oxides (NO _x)
Sulfur oxides
Carbon oxides
Hydrogen cyanide |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Avoid dust formation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|---|---|
| Advice on protection against fire and explosion | : Provide appropriate exhaust ventilation at places where dust is formed. |
| Advice on safe handling | : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage | : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards. |
| Further information on storage | : No decomposition if stored and applied as directed. |

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version 1.1 Revision Date: 10/31/2022 SDS Number: 50001045 Date of last issue: -
Date of first issue: 03/01/2018

age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sucrose	57-50-1	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		TWAEV	10 mg/m3	CA QC OEL
		TWA	10 mg/m3	ACGIH

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Particulates type
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
- Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version 1.1	Revision Date: 10/31/2022	SDS Number: 50001045	Date of last issue: - Date of first issue: 03/01/2018
----------------	------------------------------	-------------------------	--

Color	:	light brown
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	5.0
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.47 (25 °C)
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
------------	---	---

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/31/2022	50001045	Date of first issue: 03/01/2018

Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50: > 5.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Active ingredient
Acute dermal toxicity	:	LD50 Dermal (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	Slight or no eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Species	:	Guinea pig
---------	---	------------

Metsulfuron-Methyl MUP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/31/2022	50001045	Date of first issue: 03/01/2018

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:**metsulfuron-methyl (ISO):**

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: Chromosome aberration test in vitro
Metabolic activation: Metabolic activation
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified based on available information.

Components:**metsulfuron-methyl (ISO):**

Species : Rat, male and female
Exposure time : 104 weeks
NOAEL : 500 ppm
Result : negative

Species : Mouse, male and female
Exposure time : 18 month(s)
NOAEL : 5,000 ppm
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:**metsulfuron-methyl (ISO):**

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/31/2022	50001045	Date of first issue: 03/01/2018

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Ingestion
Symptoms: Maternal effects.
Result: negative

Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Ingestion
Symptoms: Maternal effects.
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

metsulfuron-methyl (ISO):

Species	: Rat, male and female
NOEL	: 1000 ppm
Application Route	: Oral - feed
Exposure time	: 90 days
Symptoms	: Reduced body weight

Aspiration toxicity

Not classified based on available information.

Neurological effects

Components:

metsulfuron-methyl (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

Metsulfuron-Methyl MUP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/31/2022	50001045	Date of first issue: 03/01/2018

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****metsulfuron-methyl (ISO):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 113 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 LC50 (Poecilia reticulata (guppy)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Lemna minor (duckweed)): 0.16 µg/l Exposure time: 14 d ErC50 (Anabaena flos-aquae (cyanobacterium)): 0.1134 mg/l Exposure time: 72 h IC50 (Selenastrum capricornutum (green algae)): 0.045 mg/l Exposure time: 72 h ErC50 (Myriophyllum spicatum): 0.23 µg/l ErC50 (Lemna gibba (gibbous duckweed)): 0.57 µg/l
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 68 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.5 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	:	NOEC (Eisenia fetida (earthworms)): 6 mg/kg Exposure time: 56 d
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): > 100 µg/bee End point: Acute contact toxicity LD50 (Apis mellifera (bees)): > 91.72 µg/bee End point: Acute oral toxicity LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg

Persistence and degradability**Components:****metsulfuron-methyl (ISO):**

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version 1.1	Revision Date: 10/31/2022	SDS Number: 50001045	Date of last issue: - Date of first issue: 03/01/2018
----------------	------------------------------	-------------------------	--

Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

metsulfuron-methyl (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Exposure time: 28 d
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -1.7 (25 °C)
pH: 7

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : Environmental hazards
Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/31/2022	50001045	Date of first issue: 03/01/2018

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Metsulfuron-methyl)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Metsulfuron-methyl)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Metsulfuron-methyl)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Metsulfuron-methyl)
Class : 9
Packing group : III

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/31/2022	50001045	Date of first issue: 03/01/2018

Labels : 9
ERG Code : 171
Marine pollutant : yes (Metsulfuron-methyl)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

METHYL 2-[[[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL)CARBAMOYL]SULFAMOYL]BENZOATE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/31/2022	50001045	Date of first issue: 03/01/2018

	borne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA QC OEL / TWAEV	: Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

SAFETY DATA SHEET



Metsulfuron-Methyl MUP Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	10/31/2022	50001045	Date of first issue: 03/01/2018

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet