

SAFETY DATA SHEET



Rustler 800

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.08.2025	50003093	Date of first issue: 07.08.2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Rustler 800

Other means of identification : Propyzamide 800 WG

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Australasia Pty Ltd

Address : Building B, Suite G.01, 12 Julius Avenue
North Ryde NSW 2113
Australia

Telephone : 1 800 066 355

Telefax : (02) 9923 6011

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
1800 033 111 (Ixm)

Medical emergency:
1 800 033 111 (Transport and 24 h Medical information)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation : Category 1

Carcinogenicity : Category 2

GHS label elements

SAFETY DATA SHEET



Rustler 800

Version 1.0 Revision Date: 07.08.2025 SDS Number: 50003093 Date of last issue: -
Date of first issue: 07.08.2025

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H318 Causes serious eye damage.
H351 Suspected of causing cancer.

Precautionary statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
propyzamide (ISO)	23950-58-5	>= 80 -< 85
Starch	9005-25-8	< 10
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	68955-19-1	>= 3 -< 10

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.

SAFETY DATA SHEET



Rustler 800

Version 1.0	Revision Date: 07.08.2025	SDS Number: 50003093	Date of last issue: - Date of first issue: 07.08.2025
----------------	------------------------------	-------------------------	--

- Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
Suspected of causing cancer.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Sulphur oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SAFETY DATA SHEET



Rustler 800

Version 1.0	Revision Date: 07.08.2025	SDS Number: 50003093	Date of last issue: - Date of first issue: 07.08.2025
----------------	------------------------------	-------------------------	--

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Hazchem Code : 2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET



Rustler 800

Version 1.0 Revision Date: 07.08.2025 SDS Number: 50003093 Date of last issue: -
Date of first issue: 07.08.2025

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : granules

Colour : off-white

pH : Not applicable

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Flammability (solid, gas) : Not expected to be ignitable

SAFETY DATA SHEET



Rustler 800

Version 1.0	Revision Date: 07.08.2025	SDS Number: 50003093	Date of last issue: - Date of first issue: 07.08.2025
----------------	------------------------------	-------------------------	--

Self-ignition	: No data available
Vapour pressure	: No data available
Bulk density	: No data available
Solubility(ies) Water solubility	: dispersible
Partition coefficient: n-octanol/water	: Not applicable
Viscosity Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

propyzamide (ISO):

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): > 2.1 mg/l Exposure time: 4 h

SAFETY DATA SHEET



Rustler 800

Version 1.0	Revision Date: 07.08.2025	SDS Number: 50003093	Date of last issue: - Date of first issue: 07.08.2025
----------------	------------------------------	-------------------------	--

Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg
Method: OECD Test Guideline 402

Starch:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Remarks: Based on data from similar materials

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Acute oral toxicity : LD50 (Rat, male and female): 4,010 mg/kg
Acute dermal toxicity : LD0 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials
no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : Extremely corrosive and destructive to tissue.

Components:

propyzamide (ISO):

Method : OECD Test Guideline 404
Result : Mild skin irritation

Starch:

Method : EPISKIN Human Skin Model Test
Result : No skin irritation
Remarks : Based on data from similar materials

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

SAFETY DATA SHEET



Rustler 800

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.08.2025	50003093	Date of first issue: 07.08.2025

Components:

propyzamide (ISO):

Result	: slight irritation
Method	: OECD Test Guideline 405

Starch:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

propyzamide (ISO):

Result	: Not a skin sensitizer.
--------	--------------------------

Starch:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.
Remarks	: Based on data from similar materials

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Test Type	: Buehler Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



Rustler 800

Version 1.0	Revision Date: 07.08.2025	SDS Number: 50003093	Date of last issue: - Date of first issue: 07.08.2025
----------------	------------------------------	-------------------------	--

Components:

propyzamide (ISO):

Genotoxicity in vitro : Test system: Chinese hamster ovary cells
Result: negative

Starch:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Method: OECD Test Guideline 475
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Suspected of causing cancer.

Components:

propyzamide (ISO):

Species : Rat
Result : positive

Species : Mouse
Result : positive

Species : Dog
Result : positive

SAFETY DATA SHEET



Rustler 800

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.08.2025	50003093	Date of first issue: 07.08.2025

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 2 Years
Dose	: 11, 113, 1125 mg/kg bw
NOAEL	: > 1,125 mg/kg bw/day
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

propyzamide (ISO):

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Animal testing did not show any effects on foetal development.

Starch:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 0, 63, 125, 250, 500 mg/kg
General Toxicity Maternal: LOAEL: 500 mg/kg bw/day
Developmental Toxicity: LOAEL: 500 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



Rustler 800

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.08.2025	50003093	Date of first issue: 07.08.2025

Components:

propyzamide (ISO):

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

propyzamide (ISO):

Species : Rat
NOAEL : 12 mg/kg
Application Route : Oral
Exposure time : 90 days
Symptoms : increased liver weight
Remarks : No significant adverse effects were reported

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Species : Rat, female
NOAEL : 488 mg/kg bw/day
LOAEL : 1016 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 d
Dose : 66,131,261,506,1070,2218mg/kgb
Remarks : Based on data from similar materials

Species : Mouse, male and female
NOAEL : 400 mg/kg bw/day
LOAEL : 500 mg/kg bw/day
Application Route : Dermal
Dose : 0,200,400,500,600mg/kgbw/day
Symptoms : Necrosis, Ulceration
Remarks : Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

propyzamide (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET



Rustler 800

Version 1.0	Revision Date: 07.08.2025	SDS Number: 50003093	Date of last issue: - Date of first issue: 07.08.2025
----------------	------------------------------	-------------------------	--

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

propyzamide (ISO):

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 4.7 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | LC50 (Daphnia magna (Water flea)): > 5.6 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Selenastrum capricornutum (green algae)): 0.83 mg/l
Exposure time: 120 h

EC50 (Lemna minor (duckweed)): 1.4 mg/l
Exposure time: 14 d |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Oncorhynchus mykiss (rainbow trout)): 0.94 mg/l
Exposure time: 21 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.6 mg/l
Exposure time: 21 d |
| Toxicity to soil dwelling organisms | : | LC50 (Eisenia fetida (earthworms)): > 173 mg/kg
Exposure time: 14 d |
| Toxicity to terrestrial organisms | : | LD50 (Anas platyrhynchos (Mallard duck)): > 10,000 ppm
Remarks: Dietary

LD50 (Apis mellifera (bees)): > 136 µg/bee
End point: Acute contact toxicity

LD50 (Coturnix japonica (Japanese quail)): 6,600 mg/kg |

Ecotoxicology Assessment

- | | | |
|--------------------------|---|---|
| Acute aquatic toxicity | : | Very toxic to aquatic life. |
| Chronic aquatic toxicity | : | Very toxic to aquatic life with long lasting effects. |

Starch:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | Remarks: No data available |
| Toxicity to algae/aquatic | : | Remarks: No data available |

SAFETY DATA SHEET



Rustler 800

Version 1.0	Revision Date: 07.08.2025	SDS Number: 50003093	Date of last issue: - Date of first issue: 07.08.2025
----------------	------------------------------	-------------------------	--

plants

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.8 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 3 mg/l
Exposure time: 72 h
Method: EU Method C3

EC50 (Desmodesmus subspicatus (green algae)): 14 mg/l
Exposure time: 72 h
Method: EU Method C3

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.11 mg/l
Exposure time: 34 d
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.14 mg/l
Exposure time: 21 d
Test Type: static test
Remarks: Based on data from similar materials

NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l
Exposure time: 7 d
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 680 mg/l
Exposure time: 3 h
Method: EU Method C11

Persistence and degradability

Components:

propyzamide (ISO):

Biodegradability : Result: Not readily biodegradable.

Starch:

SAFETY DATA SHEET



Rustler 800

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.08.2025	50003093	Date of first issue: 07.08.2025

Biodegradability : Result: Readily biodegradable.

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Readily biodegradable.
Biodegradation: 93 %
Exposure time: 28 d
Method: Regulation (EC) No. 440/2008, Annex, C.4-C

Bioaccumulative potential

Components:

propyzamide (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 49
Remarks: See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 3 (20 °C)

Starch:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts:

Partition coefficient: n-octanol/water : log Pow: -2.1 (20 °C)

Mobility in soil

Components:

propyzamide (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soil

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



Rustler 800

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.08.2025	50003093	Date of first issue: 07.08.2025

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(propyzamide)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(propyzamide)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(propyzamide)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per

SAFETY DATA SHEET



Rustler 800

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.08.2025	50003093	Date of first issue: 07.08.2025

single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (propyzamide)
Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: 2Z
Environmentally hazardous	: yes
Remarks	: Environmentally hazardous substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the ADG Code when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg / liters, or IBCs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument	: Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.

SAFETY DATA SHEET



Rustler 800

Version 1.0	Revision Date: 07.08.2025	SDS Number: 50003093	Date of last issue: - Date of first issue: 07.08.2025
----------------	------------------------------	-------------------------	--

AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. propyzamide (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date	: 07.08.2025
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA	: 8-hour, time-weighted average
AU OEL / TWA	: Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

SAFETY DATA SHEET



Rustler 800

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.08.2025	50003093	Date of first issue: 07.08.2025

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AU / 6N