according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name AVAUNT®

Other means of identification

Product code 50000054

Unique Formula Identifier

(UFI)

1N2X-C2QT-3N4Y-XPCP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Insecticide

stance/Mixture

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC France

11 bis Quai Perrache

69002 LYON France

Telephone: 04 37 23 65 70

E-mail address: SDS-Info@fmc.com, fmc.france@fmc.com.

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: Company emergency number - BIG (24 hours):

+32 14 58 45 45

Medical emergency: Poison centers in France: Paris: 01.40.05.48.48 Lyon: 04.72.11.69.11 Marseille: 04.91.75.25.25 Lille: 0800 59 59 59

ORFILA: +33 (0) 1 45 42 59 59 (poison control center) Company: 04.37.23.65.70, accessible from 8:30 am to 6:00

pm, Monday to Friday

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Specific target organ toxicity - repeated H372: Causes damage to organs through pro-

exposure, Category 1 longed or repeated exposure.

Long-term (chronic) aquatic hazard, Cat- H410: Very toxic to aquatic life with long lasting

egory 1 effects.

2.2 Label elements

Signal word

Hazard statements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

H302 Harmful if swallowed.

H372 Causes damage to organs through prolonged or re-

peated exposure.

Danger

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.P273 Avoid release to the environment.

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

indoxacarb (ISO)

Additional Labelling

EUH208 Contains indoxacarb (ISO). May produce an allergic reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust can form an explosive mixture in air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Lignin, alkali, reaction products with formaldehyde and sodium bisulfite	68512-35-6	Eye Irrit. 2; H319	>= 30 - < 50
indoxacarb (ISO)	173584-44-6 607-700-00-0	Acute Tox. 3; H301 Acute Tox. 4; H332 Skin Sens. 1B; H317 STOT RE 1; H372 (Heart, Nervous system, Blood) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Acute toxicity estimate Acute oral toxicity: 179 mg/kg Acute inhalation toxicity (dust/mist): 4,2 mg/l	>= 25 - < 30

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

If symptoms persist, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

Causes damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Chlorinated compounds Fluorinated compounds Nitrogen oxides (NOx)

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Specific extinguishing meth-

ods

Use a water spray to cool fully closed containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak.

Ensure adequate ventilation.

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use. Pick up

and transfer the spilled material to a properly labeled container without creating dust. For spills on concrete or other non-porous surfaces, the area can be cleaned using a small quantity of soap and water. Do not allow the cleaning solution to enter drains. Use an inert absorbent material to soak up the cleaning solution and transfer it to the properly labeled container. When the spill occurs on soil, the only effective way to decontaminate the area is to remove the top 5 to 7 centime-

ters of soil.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

Hygiene measures : Avoid contact with skin, eyes and clothing. Do not breathe

dust. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed,

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
silica gel	Workers	Inhalation	Long-term systemic effects	4 mg/m3

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Equipment should conform to EN 143

Filter type : Particulates type (P)

Protective measures : Plan first aid action before beginning work with this product.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version **Revision Date:** SDS Number: Date of last issue: -

04.08.2025 50000054 Date of first issue: 04.08.2025 1.0

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form dry, free flowing granules

Colour dark brown Odour mild, woody Odour Threshold not determined Melting point/ range No data available Boiling point/boiling range No data available

Flammability Does not sustain combustion. Upper explosion limit / Upper Not available for this mixture.

flammability limit

Lower explosion limit / Lower

Not available for this mixture.

flammability limit

Not applicable Flash point No data available Auto-ignition temperature Decomposition temperature not determined 7,5 (20 °C) pΗ

Concentration: 10 g/l

Viscosity

Viscosity, dynamic Not applicable Viscosity, kinematic not determined

Solubility(ies)

Water solubility dispersible

Partition coefficient: n-No data available

octanol/water

Vapour pressure Not available for this mixture.

Relative density 8.0

No data available Density Bulk density 800 ka/m3 Relative vapour density Not applicable

9.2 Other information

Explosives Not explosive

Oxidizing properties The product is not oxidizing.

Method: Directive 67/548/EEC, Annex V, A.17.

Self-ignition not auto-flammable Evaporation rate Not applicable Surface tension Not applicable Molecular weight Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.No decomposition if

stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid dust formation.

Heat, flames and sparks. Avoid extreme temperatures

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat, male): 1.876 mg/kg

Method: OECD Test Guideline 401

LD50 (Rat, female): 687 mg/kg Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Components:

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

indoxacarb (ISO):

Acute inhalation toxicity : LC50 (Rat, female): 4,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 Symptoms: nasal discharge, lethargy

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Symptoms: Irritation

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Components:

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Result : No skin irritation

indoxacarb (ISO):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

GLP : yes

Remarks : Information source: Internal study report

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Components:

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Result : Moderate eye irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

indoxacarb (ISO):

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Remarks : Information source: Internal study report

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Components:

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Species : Guinea pig

Result : Not a skin sensitizer.

indoxacarb (ISO):

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

GLP : yes

Test Type : Maximisation Test Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 406 Result : Causes sensitisation.

GLP : yes

Remarks : Information source: Internal study report

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

Product:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Components:

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

indoxacarb (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

indoxacarb (ISO):

Species : Rat, female

Application Route : Oral Exposure time : 24 m

: 2,13 mg/kg bw/day

Result : negative

Species : Rat, male
Application Route : Oral
Exposure time : 24 m

2,4 mg/kg bw/day

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

12 / 27

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female Dose: 0, 20, 60, 100 parts per million General Toxicity - Parent: NOEL: 20 ppm

Fertility: NOEL: 60 ppm

Early Embryonic Development: NOEL: 20 ppm

Symptoms: Reduced body weight, reduced food consumption

Target Organs: spleen

Effects on foetal develop-

ment

Test Type: Developmental toxicity study

Species: Rabbit

Dose: 0, 250, 500, 1000 mg/kg bw/day

General Toxicity Maternal: NOEL: 500 mg/kg bw/day Developmental Toxicity: NOEL: 500 mg/kg bw/day Symptoms: Reduced body weight, Reduced foetal weight,

Skeletal malformations Method: EPA OPP 83-3

GLP: yes

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility.

Animal testing did not show any effects on foetal develop-

ment.

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Product:

Target Organs : Blood, Nervous system, Heart

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Components:

indoxacarb (ISO):

Target Organs : Blood, Nervous system, Heart

Assessment : May cause damage to organs through prolonged or repeated

exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

Repeated dose toxicity

Components:

indoxacarb (ISO):

Species : Rat, female
NOAEL : 1,7 mg/kg
LOAEL : 4,1 mg/kg
Application Route : Oral
Exposure time : 90 d

Method : OECD Test Guideline 408

GLP : yes Target Organs : Blood

Symptoms : Reduced body weight, reduced food consumption

Species : Rat, male
NOAEL : 3,2 mg/kg
LOAEL : 6,6 mg/kg
Application Route : Oral
Exposure time : 90 d

Method : OECD Test Guideline 408

GLP : yes

Symptoms : Reduced body weight, reduced food consumption

Species : Rat, female

NOAEL : 0,685 mg/kg, 10 ppm LOAEL : 3,3 mg/kg, 50 ppm

Application Route : Oral Exposure time : 90 d

Dose : 0, 10, 50, 100 ppm Method : EPA OPP 82-7

GLP : yes

Symptoms : Fatality, reduced food consumption, Reduced body weight

Remarks : No neurotoxicity detected.

Species : Rat, male

NOAEL : 0,569 mg/kg, 10 ppm LOAEL : 5,62 mg/kg, 100 ppm

Application Route : Oral Exposure time : 90 d

Dose : 0, 10, 100, 200 ppm Method : EPA OPP 82-7

GLP : yes

Symptoms : Fatality, reduced food consumption, Reduced body weight

Remarks : No neurotoxicity detected.

Species : Dog, male and female

NOEL : 1,1 - 1,3 mg/kg LOAEL : 2,3 - 2,4 mg/kg Application Route : Oral - feed

Exposure time : 12 m

Method : OECD Test Guideline 452

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

GLP : yes Target Organs : Blood

Symptoms : reduced food consumption, Reduced body weight

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Neurological effects

Components:

indoxacarb (ISO):

Remarks : Neurotoxity observed in animals studies

Further information

Product:

Remarks : Acute effects on nervous system: drowsiness, tremors, paral-

ysis.

Chronic, additionally: Cyanosis

Components:

indoxacarb (ISO):

Remarks : Acute effects on nervous system: drowsiness, tremors, paral-

ysis.

Chronic, additionally: Cyanosis

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,8 mg/l

Exposure time: 96 h

Test Type: Static renewal test Method: OECD Test Guideline 203

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

GLP: yes

LC50 (Lepomis macrochirus (Bluegill sunfish)): 3,2 mg/l

Exposure time: 96 h

Test Type: Static renewal test Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,7 mg/l

Exposure time: 48 h

Test Type: Static renewal test Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)): > 1,2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: No toxicity at the limit of solubility

Toxicity to soil dwelling or-

ganisms

Method: OECD Test Guideline 217

GLP:yes

Remarks: No significant adverse effect on carbon mineraliza-

tion.

Method: OECD Test Guideline 216

GLP:yes

Remarks: No significant adverse effect on nitrogen mineraliza-

tion.

Toxicity to terrestrial organ-

isms

LD50: 593 mg/kg

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-1

GLP:yes

LD50: 0,53 µg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

GLP:yes

LD50: 0,73 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

GLP:yes

Components:

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 615 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

Exposure time: 96 h

indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,65 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

GLP: yes

Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,90 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,17 mg/l

Exposure time: 48 h

Test Type: flow-through test

Method: OECD Test Guideline 202

GLP: ves

EC50 (Americamysis bahia (mysid shrimp)): 0,0543 mg/l

Exposure time: 96 h

Test Type: flow-through test

Method: US EPA Test Guideline OPP 72-3

GLP: ves

Remarks: Information source: Internal study report

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (algae)): > 0,0793

mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: yes

EC50 (Lemna gibba (duckweed)): > 84,3 mg/l

Exposure time: 14 d

EC50 (Lemna gibba (duckweed)): > 84,3 mg/l

End point: Biomass Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

Remarks: Information source: Internal study report

(Pseudokirchneriella subcapitata (green algae)): Method:

Directive 67/548/EEC, Annex V, C.3.

GLP: yes

Remarks: There were no detectable inhibitory effects on the cell density, growth, and growth rate of Pseudokirchneriella subcapitata after 72 or 120 hours exposure at the solubility

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

limit in the test medium.

Information source: Internal study report

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,0675 mg/l Exposure time: 28 d

Species: Pimephales promelas (fathead minnow)

Test Type: Early Life-Stage

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0351 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: Static renewal test Method: OECD Test Guideline 211

GLP: yes

M-Factor (Chronic aquatic

toxicity)

1

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

GLP:yes

LC50: > 1.250 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

GLP:yes

Remarks: Information source: Internal study report

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on nitrogen mineraliza-

tion.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on carbon mineraliza-

tion.

Toxicity to terrestrial organ-

isms

NOEL: 0,048 µg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

NOEL: 0,163 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

LD50: 0,068 µg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

LD50: 0,232 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

LD50: 98 mg/kg

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-1

GLP:yes

NOEC: 720 ppm Exposure time: 147 d

End point: Reproduction Test

Species: Anas platyrhynchos (Mallard duck)

Method: OECD Test Guideline 206

GLP:yes

NOEC: 144 ppm Exposure time: 147 d End point: Reproduction Test

Species: Colinus virginianus (Bobwhite quail)

Method: OECD Test Guideline 206

LC50: > 5.620 ppm Exposure time: 5 d

Species: Anas platyrhynchos (Mallard duck) Method: US EPA Test Guideline OPP 71-2

Remarks: Dietary

NOEC: 562 ppm Exposure time: 5 d

Species: Anas platyrhynchos (Mallard duck) Method: US EPA Test Guideline OPP 71-2

Remarks: Dietary

LC50: 808 ppm Exposure time: 5 d

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-2

Remarks: Dietary

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

NOEC: 316 ppm Exposure time: 5 d

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-1

Remarks: Dietary

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

dient.

Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water

treatment plants.

Components:

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: < 5 % Exposure time: 28 d

Method: OECD Test Guideline 301E

indoxacarb (ISO):

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Information refers to the main component.

Components:

indoxacarb (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 950

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : log Pow: 4,52 (20 °C)

octanol/water Method: OECD Test Guideline 107

GLP: yes

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: The product is not expected to be mobile in soils. Estimation based on data obtained on active ingredient.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

Components:

indoxacarb (ISO):

Distribution among environmental compartments

Remarks: immobile

Kd: 46 - 150

Stability in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

No other ecological effects to be specially mentioned.

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Components:

indoxacarb (ISO):

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed hazardous waste management company

(such as A.D.I.VALOR).

Contaminated packaging : Empty and rinse the container.

Dispose of as hazardous material. Do not re-use empty containers.

Bring the opened, rinsed and drained containers to a company

authorized to dispose of hazardous waste (such as

A.D.I.VALOR).

Waste disposal code: 02 01 08 agrochemical waste containing

dangerous substances.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Indoxacarb)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Indoxacarb)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Indoxacarb)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Indoxacarb)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Indoxacarb)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9 **ADR** : 9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

04.08.2025 50000054 Date of first issue: 04.08.2025 1.0

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the

control of major-accident hazards involving dangerous substances.

Occupational Illnesses (R-Not applicable

461-3, France)

Reinforced medical supervi-

sion (R4624-23)

The product has no CMR properties category 1, 1A or 1B

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

ENVIRONMENTAL HAZARDS

24 / 27

E1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

ICPE section (Installations classified for environmental protection; Environmental code R511-9)

: 4510

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

indoxacarb (ISO)

Indeno[1,2-e][1,3,4]oxadiazine-4a(3H)-carboxylic acid, 7-

chloro-2,5-dihydro-2-[[(methoxycarbonyl)[4-

(trifluoromethoxy)phenyl]amino]carbonyl]-, methyl ester,

(4aR)-

Lignin, alkali, reaction products with formaldehyde and sodium

bisulfite

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H301 : Toxic if swallowed.

H317 : May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Acute Tox. 4 H302 Based on product data or assessment

STOT RE 1 H372 Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AVAUNT®

Version Revision Date: SDS Number: Date of last issue: -

1.0 04.08.2025 50000054 Date of first issue: 04.08.2025

Aquatic Chronic 1 H410 Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

FR / 6N