

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name EXIREL® 10 SE

Other means of identification

Product code 50000924

Unique Formula Identifier : 325X-J21W-PN4U-F7PG
(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Manufacturer or supplier's details

Supplier Address FMC Chemicals Hellas MEPE
Syngrou Avenue 348
17674 Kallithea
Greece

Telephone: +30 211 1982768
Telefax: +30 211 1138614
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
1 703 / 741-5970 (CHEMTRIC - International)

Medical emergency:
Cyprus: 1401

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P261 Avoid breathing mist/ spray.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Disposal of contents/container in accordance with national legislation.

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one

Additional Labelling

EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cyantraniliprole	736994-63-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413 Acute toxicity estimate Acute oral toxicity: 1.300 mg/kg	>= 1 - < 2,5
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 2; H330 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317	>= 0,0025 - < 0,025

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version
1.0

Revision Date:
06.08.2024

SDS Number:
50000924

Date of last issue: -
Date of first issue: 06.08.2024

		Aquatic Acute 1; H400 Aquatic Chronic 1; H410	
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
		specific concentration limit Skin Sens. 1A; H317 $\geq 0,036\%$	
		Acute toxicity estimate Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

- : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled

- : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

If breathing has stopped, apply artificial respiration.

In case of skin contact

- : Take off all contaminated clothing immediately.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash contaminated clothing before reuse.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.
May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon dioxide (CO2)
Carbon monoxide
Halogenated compounds
Nitrogen oxides (NOx)
Sulphur oxides
Bromine compounds
Hydrogen cyanide
Chlorine compounds

5.3 Advice for firefighters

- Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

-
- | | |
|--------------------------------|---|
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| | Remove undamaged containers from fire area if it is safe to do so. |
| | Use a water spray to cool fully closed containers. |
| Further information | : Standard procedure for chemical fires. |
| | Collect contaminated fire extinguishing water separately. This must not be discharged into drains. |
| | Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- | | |
|----------------------|--|
| Personal precautions | : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13. |
|----------------------|--|

6.2 Environmental precautions

- | | |
|---------------------------|---|
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
|---------------------------|---|

6.3 Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Clean contaminated surface thoroughly.
Sweep up or vacuum up spillage and collect in suitable container for disposal.
Pick up and transfer to properly labelled containers.

Keep in suitable, closed containers for disposal. |
|-------------------------|--|

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Avoid contact with skin, eyes and clothing. This product should be used only by all personnel thoroughly trained to handle it. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.
- General industrial hygiene practice. Do not inhale aerosol.
- When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in a place accessible by authorized persons only. Store in original container.
Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version
1.0

Revision Date:
06.08.2024

SDS Number:
50000924

Date of last issue: -
Date of first issue: 06.08.2024

hand wash station should be available.

Recommended storage temperature : > 0 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Long sleeved clothing.
Impervious clothing
Footwear protecting against chemicals
- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: off-white
Odour	: mild, phenol-like
Odour Threshold	: No data available
Melting point/freezing point	: not determined
Boiling point/boiling range	: 97 °C
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: > 97 °C Method: closed cup
Auto-ignition temperature	: No data available
Decomposition temperature	: not determined
pH	: 5,6 Concentration: 10 g/l 10 g/l 1 % (as a dispersion)
Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: 661 mm ² /s 25 rpm 462 mm ² /s 50 rpm 335 mm ² /s 100 rpm
Solubility(ies)	
Water solubility	: dispersible
Solubility in other solvents	: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Relative density	:	0,982
Density	:	No data available
Relative vapour density	:	not determined
Particle characteristics		
Particle size	:	Not applicable
Particle Size Distribution	:	Not applicable
Shape	:	Not applicable

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.
Flammability (liquids)	:	may be ignitable, Based on available information, the classification criteria for flammability hazard are not met.
Self-ignition	:	358 °C
Evaporation rate	:	Not available for this mixture.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures
Avoid formation of aerosol.
Heat, flames and sparks.
Heating of the product will produce harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

- Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat): > 2,4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Components:

Cyantraniliprole:

- Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

calcium dodecylbenzenesulphonate:

- Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

- Acute inhalation toxicity : Remarks: Not classified
- Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

- Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg
Method: OECD Test Guideline 401

Acute toxicity estimate: 450 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)
- Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)
- Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Product:

- Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.
GLP : yes

Components:

Cyantraniliprole:

- Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

calcium dodecylbenzenesulphonate:

- Species : Rabbit
Method : OECD Test Guideline 404

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Result : Skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : yes
Remarks : Minimal effects that do not meet the threshold for classification.

Components:

Cyantraniliprole:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation
Remarks : Minimal effects that do not meet the threshold for classification.

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea
Method : OECD Test Guideline 437
Result : No eye irritation

Species : Rabbit
Method : EPA OPP 81-4
Result : Irreversible effects on the eye

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.
Method	:	OECD Test Guideline 429
Result	:	Causes sensitisation.
GLP	:	yes

Components:

Cyantraniliprole:

Test Type	:	Local lymph node test
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

calcium dodecylbenzenesulphonate:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.
Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitisation by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity- Assessment	:	Contains no ingredient listed as a mutagen
------------------------------------	---	--

Components:

Cyantraniliprole:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

Components:

Cyantraniliprole:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:

Cyantraniliprole:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Repeated dose toxicity

Components:

Cyantraniliprole:

Species	:	Rat
NOAEL	:	> 1.000 mg/kg
Application Route	:	Oral
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	increased liver weight
Remarks	:	Based on available data, the classification criteria are not met.

calcium dodecylbenzenesulphonate:

Species	:	Rat, male and female
NOAEL	:	85 mg/kg
LOAEL	:	145 mg/kg
Application Route	:	Oral
Exposure time	:	9 Months
Remarks	:	Based on data from similar materials

Species	:	Rat, male
LOAEL	:	286 mg/kg
Application Route	:	Skin contact
Exposure time	:	15 Days
Remarks	:	Based on data from similar materials

Species	:	Rat, male and female
NOAEL	:	100 mg/kg bw/day
LOAEL	:	200 mg/kg bw/day
Application Route	:	Oral - gavage
Exposure time	:	28 - 54 Days
Method	:	OECD Test Guideline 422
Remarks	:	Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species	:	Rat, male and female
NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation

Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

Aspiration toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Cyantraniliprole:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 130 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,232 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3,39 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00656 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Components:

Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l
Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0204 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13 mg/l
Exposure time: 72 h

ErC50 (Lemma gibba (duckweed)): 0,278 mg/l
Exposure time: 7 d

EyC50 (Lemma gibba (duckweed)): 0,060 mg/l
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 2,9 mg/l
Exposure time: 28 d
Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,11 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00656 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0,00969 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0,00447 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Toxicity to soil dwelling organisms	: LC50: > 1.000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 0.0934 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees)
	: LD50: > 0.1055 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees)
	: LD50: 2.250 mg/kg Species: Colinus virginianus (Bobwhite quail)

calcium dodecylbenzenesulphonate:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
	: LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	: EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50 (activated sludge): 500 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 1,65 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Remarks: Based on data from similar materials

NOEC: 1,18 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg
Exposure time: 14 d
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 223

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version
1.0

Revision Date:
06.08.2024

SDS Number:
50000924

Date of last issue: -
Date of first issue: 06.08.2024

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Remarks: Estimation based on data obtained on active ingredient.
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.
Estimation based on data obtained on active ingredient.

Components:

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1,97 (22 °C)
pH: 4

log Pow: 2,07 (22 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

pH: 7

log Pow: 1,74 (22 °C)
pH: 9

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70,79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7

log Pow: 0,99 (20 °C)
pH: 5

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: The product is not expected to be mobile in soils.
Estimation based on data obtained on active ingredient.

Components:

Cyantraniliprole:

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2,38
Remarks: Mobile in soils

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version
1.0

Revision Date:
06.08.2024

SDS Number:
50000924

Date of last issue: -
Date of first issue: 06.08.2024

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

- : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Cyantraniliprole:

Assessment

- : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information

- : No other ecological effects to be specially mentioned. See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

- : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging

- : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
IATA	:	Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
ADR		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version 1.0	Revision Date: 06.08.2024	SDS Number: 50000924	Date of last issue: - Date of first issue: 06.08.2024
----------------	------------------------------	-------------------------	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EC) on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

3-BROMO-1-(3-CHLORO-2-PYRIDYL)-4'-CYAN-2'-METHYL-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version
1.0

Revision Date:
06.08.2024

SDS Number:
50000924

Date of last issue: -
Date of first issue: 06.08.2024

6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE
sodium hydroxide
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H413	: May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version
1.0

Revision Date:
06.08.2024

SDS Number:
50000924

Date of last issue: -
Date of first issue: 06.08.2024

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Irrit. 2	H315
Skin Sens. 1	H317
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

CY / 6N

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EXIREL® 10 SE

Version
1.0

Revision Date:
06.08.2024

SDS Number:
50000924

Date of last issue: -
Date of first issue: 06.08.2024
