

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name TERRANE® TOTAL

Other means of identification

Product code 50002775

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide
stance/Mixture

Recommended restrictions : Use as recommended by the label.
on use

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agro Limited
Rectors Lane, Pentre
Flintshire
CH5 2DH
United Kingdom

Telephone: + 44 1244 537370
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:
England and Wales: 111
Scotland: 84 54 24 2424

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758





TERRANE® TOTAL

Version 1.1	Revision Date: 08.08.2025	SDS Number: 50002775	Date of last issue: - Date of first issue: 20.06.2020
----------------	------------------------------	-------------------------	--

exposure, Category 2	longed or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :  

Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.
Response:
P314 Get medical advice/ attention if you feel unwell.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:
flufenacet (ISO)

Additional Labelling

EUH208 Contains flufenacet (ISO), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version 1.1	Revision Date: 08.08.2025	SDS Number: 50002775	Date of last issue: - Date of first issue: 20.06.2020
----------------	------------------------------	-------------------------	--

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
flufenacet (ISO)	142459-58-3 613-164-00-9	Acute Tox. 4; H302 Skin Sens. 1; H317 STOT RE 2; H373 (Liver, Thyroid, Eyes, Kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50
Diflufenican	83164-33-4 616-032-00-9	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10,000 M-Factor (Chronic aquatic toxicity): 1,000	>= 10 - < 20
Residues (petroleum), catalytic re-former fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2.5 - < 10

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version 1.1 Revision Date: 08.08.2025 SDS Number: 50002775 Date of last issue: -
Date of first issue: 20.06.2020

1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentra- tion limit Skin Sens. 1A; H317 ≥ 0.036 %	≥ 0.0025 - < 0.025
Substances with a workplace exposure limit :			
glycerol	56-81-5 200-289-5		≥ 1 - < 10
propane-1,2-diol	57-55-6 200-338-0		≥ 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Rinse mouth with water.
Do not induce vomiting without medical advice.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : In animal tests, non-specific symptoms were seen, such as irregular respiration and reduced activity.

Risks : May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Hydrogen cyanide
Fluorinated compounds

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Hydrogen fluoride
Nitrogen oxides (NO_x)
Carbon oxides
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
glycerol	56-81-5	TWA (Mist)	10 mg/m ³	GB EH40
propane-1,2-diol	57-55-6	TWA (Total va-	150 ppm	GB EH40

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version 1.1 Revision Date: 08.08.2025 SDS Number: 50002775 Date of last issue: -
Date of first issue: 20.06.2020

		pour and particles)	474 mg/m3	
		TWA (particles)	10 mg/m3	GB EH40

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/l
	Marine sediment	0.00499 mg/l

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: beige, light brown
Odour	: slight, Chemical smell
Odour Threshold	: not determined
pH	: 3.6 - 5
	Concentration: 1 %
Melting point/freezing point	: not determined
Initial boiling point and boiling range	: 100 °C
Flash point	: > 100 °C
Evaporation rate	: not determined
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not available for this mixture.
Relative vapour density	: not determined
Relative density	:
Density	: 1,240 g/l
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Auto-ignition temperature	: > 400 °C
Decomposition temperature	: Not available for this mixture.
Viscosity	
Viscosity, dynamic	: 1,400 - 2,900 mPa,s
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing

9.2 Other information

Particle size	: Not applicable
Particle Size Distribution	: Not applicable
Self-ignition	: > 400 °C

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Protect from frost, heat and sunlight.
Heating of the product will produce harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5.15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Components:

flufenacet (ISO):

Acute oral toxicity : LD50 (Rat, female): 598 mg/kg
LD50 (Rat, male): 2,347 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Acute inhalation toxicity : LC50 (Rat): > 3.74 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Diflufenican:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

glycerol:

Acute oral toxicity : LD50 (Rat, female): 11,500 mg/kg

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56,750 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

propane-1,2-diol:

Acute oral toxicity	: LD50 (Rat, male and female): 22,000 mg/kg
Acute inhalation toxicity	: LC0 (Rabbit): 31.7 mg/l Exposure time: 2 h Test atmosphere: vapour Remarks: no mortality
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Remarks	: Minimal effects that do not meet the threshold for classification.

Components:

flufenacet (ISO):

Species	: Rabbit
Assessment	: No skin irritation
Result	: No skin irritation

Diflufenican:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks	: No data available
---------	---------------------

1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Exposure time	: 72 h
Method	: OECD Test Guideline 404
Result	: No skin irritation

glycerol:

Species	: Rabbit
Result	: No skin irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

propane-1,2-diol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

Components:

flufenacet (ISO):

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

Diflufenican:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
Remarks	:	Minimal effects that do not meet the threshold for classification.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result	:	Eye irritation
--------	---	----------------

1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

glycerol:

Species	:	Rabbit
Result	:	No eye irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

propane-1,2-diol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

Components:

flufenacet (ISO):

Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Diflufenican:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Dermal
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitisation by skin contact.

propane-1,2-diol:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Germ cell mutagenicity

Not classified based on available information.

Components:

Diflufenican:

- | | | |
|------------------------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative |
| Genotoxicity in vivo | : | Test Type: Bone marrow chromosome aberration
Method: OECD Test Guideline 475
Result: negative |
| Germ cell mutagenicity- Assessment | : | Animal testing did not show any mutagenic effects. |

1,2-benzisothiazol-3(2H)-one:

- | | | |
|------------------------------------|---|--|
| Genotoxicity in vitro | : | Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive |
| Genotoxicity in vivo | : | Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative |
| Germ cell mutagenicity- Assessment | : | Weight of evidence does not support classification as a germ cell mutagen. |

glycerol:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

flufenacet (ISO):

Result : negative

Diflufenican:

Method : OECD Test Guideline 453

Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

glycerol:

Species : Rat

Application Route : Oral

Exposure time : 2 years Years

Result : negative

propane-1,2-diol:

Species : Rat

Application Route : Oral

Exposure time : 2 Years

Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Diflufenican:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

1,2-benzisothiazol-3(2H)-one:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version 1.1	Revision Date: 08.08.2025	SDS Number: 50002775	Date of last issue: - Date of first issue: 20.06.2020
----------------	------------------------------	-------------------------	--

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

glycerol:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Components:

Diflufenican:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Product:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Components:

flufenacet (ISO):

Target Organs : Liver, Thyroid, Eyes, Kidney
Assessment : May cause damage to organs through prolonged or repeated exposure.

Diflufenican:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

flufenacet (ISO):

Species : Rat
LOAEL : 1.2 mg/l
Exposure time : 2 y
Target Organs : Liver, Kidney, Eyes, Thyroid

Diflufenican:

Species : Rat
NOEL : 8 - 8.7 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408
Symptoms : Reduced body weight

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female
NOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 28 d
Method : OECD Test Guideline 407
Symptoms : Irritation

Species : Rat, male and female
NOAEL : 69 mg/kg
Application Route : Ingestion

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Exposure time : 90 d
Symptoms : Irritation, Reduced body weight

glycerol:

Species : Rat
LOAEL : 1 mg/kg
Application Route : Inhalation
Exposure time : 14 d
Dose : 0, 1, 1.93, 3.91 mg/L
Symptoms : respiratory tract irritation, Fatality

Species : Rat
NOAEL : 0.165 mg/l
LOAEL : 0.662 mg/l
Application Route : Inhalation
Exposure time : 13 w
Dose : 0, 0.033, 0.165, 0.662 mg/L
Symptoms : respiratory tract irritation

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Components:

Diflufenican:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

SECTION 12: Ecological information

12.1 Toxicity

Product:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Lepomis macrochirus (Bluegill sunfish)): 6.43 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 114 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 0.00306 mg/l
Exposure time: 72 h

NOEC (Lemna gibba (duckweed)): 0.001 mg/l
Exposure time: 7 d

EC50 (Lemna gibba (duckweed)): 0.0667 mg/l
Exposure time: 7 d |
| Toxicity to soil dwelling organisms | : | LC50: 81 mg/kg
Exposure time: 28 d
Species: Eisenia fetida (earthworms) |
| Toxicity to terrestrial organisms | : | LD50: > 420 µg/bee
Exposure time: 48 d
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 600 µg/bee
Exposure time: 48 d
End point: Acute contact toxicity
Species: Apis mellifera (bees) |

Components:

flufenacet (ISO):

- | | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 74.6 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 2.13 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 30.9 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 0.00699 mg/l
Exposure time: 96 h |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version 1.1	Revision Date: 08.08.2025	SDS Number: 50002775	Date of last issue: - Date of first issue: 20.06.2020
----------------	------------------------------	-------------------------	--

EC50 (Desmodesmus subspicatus (green algae)): 0.022 mg/l
Exposure time: 72 h

EbC50 (Lemna gibba (duckweed)): 0.002 mg/l
Exposure time: 7 d

EC50 (Selenastrum capricornutum (green algae)): 0.00204 mg/l
Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0.00243 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 0.2 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 3.26 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: 219 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Remarks: No significant adverse effect on nitrogen mineralization.

No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 170 µg/bee
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 194 µg/bee
End point: Acute contact toxicity
Species: Apis mellifera (bees)

LD50: 1,608 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LC50: > 4,970 ppm
Species: Colinus virginianus (Bobwhite quail)
Remarks: Dietary

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Diflufenican:

- | | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Cyprinus carpio (Carp)): 0.098 mg/l
Exposure time: 96 h

LC50 (Salmo gairdneri): 75 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 0.24 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Desmodesmus subspicatus (green algae)): 0.00045 mg/l
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.001 mg/l
Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0.039 mg/l
Exposure time: 14 d

IC50 (green algae): 0.00025 mg/l
Exposure time: 48 h

EC50 (Skeletonema costatum (marine diatom)): 0.00173 mg/l
Exposure time: 72 h

NOEC (Lemna gibba (duckweed)): 0.0107 mg/l
Exposure time: 7 d
Method: OECD Test Guideline 221 |
| M-Factor (Acute aquatic toxicity) | : | 10,000 |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 0.015 mg/l
Exposure time: 35 d
Species: Oncorhynchus mykiss (rainbow trout) |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0.052 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea) |
| M-Factor (Chronic aquatic toxicity) | : | 1,000 |
| Toxicity to soil dwelling organisms | : | > 1,000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms) |
| Toxicity to terrestrial organisms | : | LD50: > 4,000 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: > 2,150 mg/kg |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version 1.1	Revision Date: 08.08.2025	SDS Number: 50002775	Date of last issue: - Date of first issue: 20.06.2020
----------------	------------------------------	-------------------------	--

Species: *Colinus virginianus* (Bobwhite quail)

LD50: 63.36 µg/bee
Exposure time: 72 h
End point: honey bee larval toxicity test
Species: *Apis mellifera* (bees)

LD50: > 113 µg/bee
Exposure time: 10 d
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (*Pseudokirchneriella subcapitata* (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 - 100 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (*Cyprinodon variegatus* (sheepshead minnow)): 16.7 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Exposure time: 96 h

Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l

Exposure time: 48 h

Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

glycerol:

Toxicity to fish : LC50 (Fish): 885 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants

: EC50 (Scenedesmus capricornutum (fresh water algae)): 2,900 mg/l

Exposure time: 192 h

Toxicity to microorganisms : EC10 (Pseudomonas putida): 10,000 mg/l

Exposure time: 16 h

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

propane-1,2-diol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 13,020 mg/l Exposure time: 7 d

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: No data is available on the product itself. Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.
------------------	---	--

Components:

flufenacet (ISO):

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------

Diflufenican:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 5.2 % Method: OECD Test Guideline 301D Remarks: Not readily biodegradable.
------------------	---	--

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

1,2-benzisothiazol-3(2H)-one:

Biodegradability	:	Result: rapidly biodegradable Method: OECD Test Guideline 301C
------------------	---	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

glycerol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 24 h

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

flufenacet (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 71.4
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3.2

Diflufenican:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 1,500
Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.9 (25 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6.62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)
pH: 7

log Pow: 0.99 (20 °C)
pH: 5

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.75 (25 °C)
pH: 7.4

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

flufenacet (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil

Diflufenican:

Distribution among environmental compartments : Remarks: immobile

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9.33 ml/g, log Koc: 0.97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

mation

unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

Diflufenican:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Flufenacet, Diflufenican)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

	N.O.S. (Flufenacet, Diflufenican)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Flufenacet, Diflufenican)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Flufenacet, Diflufenican)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Flufenacet, Diflufenican)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) E1 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 2',4'-DIFLUORO-2-(A,A,A-TRIFLUORO-M-TOLYLOXY)NICOTINANILIDE flufenacet (ISO) SYNPERONIC PE/F 127-FL-(CQ) (CRODA) mixture of polyorganosiloxanes and fillers
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure-Activity Relationship

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



TERRANE® TOTAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	08.08.2025	50002775	Date of first issue: 20.06.2020

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information :

Classification of the mixture:

STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N