

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Other means of identification

Product code 50000951

Unique Formula Identifier (UFI) : NM6X-N2G2-6N4R-CD5N

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agro Bulgaria EOOD
ISKARSKO SHOSE BLVD. NO.7
TRADE CENTER EUROPE
BUILDING 7, OFFICE 8, FLOOR 4
1528 Sofia
Bulgaria

Telephone: +359 (0) 2 818 5656
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Bulgaria: +(359)-32570104 (CHEMTREC)

Medical emergency:
Clinic of Toxicology at the Hospital " N.I. Pirogov"
Emergency telephone/fax: +359 2 9154 233

National number: 112

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Sub-category 1B	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Additional Labelling

EUH066 Repeated exposure may cause skin dryness or cracking.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0 Revision Date: 23.07.2025 SDS Number: 50000951 Date of last issue: -
Date of first issue: 23.07.2025

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
fluroxypyr-meptyl (ISO)	81406-37-3 279-752-9 607-272-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 10 - < 20
12-Hydroxystearic acid, oligomers, reaction products with stearic acid	58128-22-6 500-140-7	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10
thifensulfuron-methyl (ISO)	79277-27-3 016-096-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 2,5 - < 10
metsulfuron-methyl (ISO)	74223-64-6 613-139-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

		M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000	
--	--	--	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| If inhaled | : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|---|
| Risks | : May cause an allergic skin reaction.
Repeated exposure may cause skin dryness or cracking. |
|-------|---|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Hydrogen cyanide
Carbon oxides
Fluorinated compounds
Nitrogen oxides (NO_x)
Sulphur oxides
Chlorinated compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Avoid breathing mist or vapours.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
For incompatible materials see section 10.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

7.2 Conditions for safe storage, including any incompatibilities

- | | |
|---|---|
| Requirements for storage areas and containers | : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards. |
| Further information on storage conditions | : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available. |
| Further information on storage stability | : No decomposition if stored and applied as directed. |

7.3 Specific end use(s)

- | | |
|-----------------|---|
| Specific use(s) | : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities. |
|-----------------|---|

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

- | | |
|-----------------------------|---|
| Eye/face protection | : Eye wash bottle with pure water
Tightly fitting safety goggles |
| Hand protection
Material | : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Skin and body protection | : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Respiratory protection | : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. |
| Protective measures | : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper in- |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

structions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: oily, suspension
Colour	: light yellow
Odour	: oily
Odour Threshold	: not determined
Melting point/freezing point	: not determined
Boiling point/boiling range	: Decomposition
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: 172 °C Method: Regulation (EC) No. 440/2008, Annex, A.9
Auto-ignition temperature	: No data available
Decomposition temperature	: not determined
pH	: 4,5 (20 °C) Concentration: 10 g/l 1 % Method: CIPAC MT 75.3
Viscosity	
Viscosity, dynamic	: 520,7 mPa,s (23,7 °C) Method: CIPAC MT 192 100 rpm
Viscosity, kinematic	: not determined
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: 0,9893 (20 °C) Method: Regulation (EC) No. 440/2008, Annex, A.3
Density	: not determined
Relative vapour density	: not determined
Particle characteristics	
Particle size	: Not applicable
Particle Size Distribution	: Not applicable

9.2 Other information

Explosives	: Not explosive Method: Regulation (EC) No. 440/2008, Annex, A.14
Oxidizing properties	: The product is not oxidizing.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

Flammability (liquids)	:	Method: Regulation (EC) No. 440/2008, Annex, A.21
Self-ignition	:	ignitable, Does not sustain combustion.
	:	350 °C
	:	Method: EEC A.15
Evaporation rate	:	Not available for this mixture.
Miscibility with water	:	dispersible

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid formation of aerosol.
Protect from frost, heat and sunlight.
Heating of the mixture may evolve harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 425
Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 403
Remarks: (Data on the product itself)
Information source: Internal study report

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
Remarks: (Data on the product itself)
Information source: Internal study report

Components:

fluroxypyr-meptyl (ISO):

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 1,16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

thifensulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,03 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

metsulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: US EPA Test Guideline OPP 81-1
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Breathing difficulties
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Product:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Remarks : (Data on the product itself)
Information source: Internal study report

Assessment : Repeated exposure may cause skin dryness or cracking.

Components:

fluroxypyr-meptyl (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Result : No skin irritation

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Species : Rabbit
Result : Skin irritation

thifensulfuron-methyl (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Minimal effects that do not meet the threshold for classification.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

metsulfuron-methyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	(Data on the product itself)

Information source: Internal study report

Components:

fluroxypyr-meptyl (ISO):

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Species	:	Rabbit
Method	:	Draize Test
Result	:	Mild eye irritation

thifensulfuron-methyl (ISO):

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

metsulfuron-methyl (ISO):

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

Product:

Species	:	Mouse
Assessment	:	The product is a skin sensitiser, sub-category 1B.
Method	:	OECD Test Guideline 429
Result	:	Causes skin sensitization.
Remarks	:	(Data on the product itself) Information source: Internal study report

Components:

fluroxypyr-meptyl (ISO):

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

thifensulfuron-methyl (ISO):

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

metsulfuron-methyl (ISO):

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

thifensulfuron-methyl (ISO):

Genotoxicity in vitro	:	Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative Remarks: In vitro tests did not show mutagenic effects
-----------------------	---	---

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	--

metsulfuron-methyl (ISO):

Genotoxicity in vitro	:	Test Type: Ames test
-----------------------	---	----------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Metabolic activation: Metabolic activation
Result: positive
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

fluroxypyr-meptyl (ISO):

Species : Rat
Method : OECD Test Guideline 451
Result : negative

Species : Mouse
Method : OECD Test Guideline 453
Result : negative

thifensulfuron-methyl (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

metsulfuron-methyl (ISO):

Species : Rat, male and female
Exposure time : 104 weeks
NOAEL : 500 ppm
Result : negative

Species : Mouse, male and female
Exposure time : 18 month(s)
NOAEL : 5.000 ppm
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

fluroxypyr-meptyl (ISO):

Effects on fertility : Method: OECD Test Guideline 416
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

Effects on foetal development : Method: OECD Test Guideline 414
Result: negative

thifensulfuron-methyl (ISO):

Reproductive toxicity - Assessment : Did not show teratogenic effects in animal experiments.

metsulfuron-methyl (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit, female
Application Route: Ingestion
Symptoms: Maternal effects
Result: negative

Test Type: Embryo-foetal development
Species: Rat, female
Application Route: Ingestion
Symptoms: Maternal effects
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

fluroxypyr-meptyl (ISO):

Species : Rat
NOAEL : 80 mg/kg
Exposure time : 90 d
Method : OECD Test Guideline 408
Target Organs : Kidney

thifensulfuron-methyl (ISO):

Species : Rat
LOAEL : ca.200 mg/kg
Exposure time : 90 d
Target Organs : No specific target organs noted
Symptoms : Reduced body weight

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

metsulfuron-methyl (ISO):

Species	:	Rat, male and female
NOEL	:	1000 ppm
Application Route	:	Oral - feed
Exposure time	:	90 days
Symptoms	:	Reduced body weight

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

Neurological effects

Components:

metsulfuron-methyl (ISO):

No neurotoxicity observed in animal studies

Further information

Product:

Remarks	:	No data available
---------	---	-------------------

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 17,5 mg/l Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 7,8 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,9 mg/l Exposure time: 72 h Method: OECD Test Guideline 221

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

ErC50 (Pseudokirchneriella subcapitata (green algae)):
0,0369 mg/l
Exposure time: 7 d
Method: OECD Test Guideline 221

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

fluroxypyr-meptyl (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 0,63 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,183 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1,41 mg/l
Exposure time: 72 h

LC50 (Scenedesmus subspicatus): > 0,5 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0,2 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,06 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.000 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: > 2.000 mg/kg
Species: Colinus virginianus (Bobwhite quail)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

LD50: > 100 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 1.614 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l
Exposure time: 72 h

thifensulfuron-methyl (ISO):

Toxicity to fish : LC50 (Salmo gairdneri): 100 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 (green algae): 0,0159 mg/l
Exposure time: 72 h

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1,4 mg/l
Exposure time: 72 h

EC50 (Lemna minor (duckweed)): 1,3 µg/l

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 250 mg/l
Exposure time: 28 d
Species: Salmo gairdneri

NOEC: 10,6 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 100 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to soil dwelling organisms	: LC50: > 2.000 mg/kg Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2.510 mg/kg Species: Anas platyrhynchos (Mallard duck) LD50: > 5.620 ppm Species: Anas platyrhynchos (Mallard duck) Remarks: Dietary LD50: > 5.620 ppm Species: Colinus virginianus (Bobwhite quail) LD50: > 7.1 µg/bee End point: Acute oral toxicity Species: Apis mellifera (bees) LD50: > 100 µg/bee End point: Acute contact toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

metsulfuron-methyl (ISO):

Toxicity to fish	: LC50 (Poecilia reticulata (guppy)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 EC50 (Daphnia magna (Water flea)): 43,1 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: ErC50 (Anabaena flos-aquae (cyanobacterium)): 65,7 µg/l Exposure time: 96 h Method: OPPTS 850.5400 GLP: yes NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

Method: OPPTS 850.5400
GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l
Exposure time: 72 h
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 50 µg/l
Exposure time: 72 h
GLP: yes

M-Factor (Acute aquatic toxicity) : 1.000

Toxicity to fish (Chronic toxicity) : NOEC: 68 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 10 mg/l
End point: reproduction
Exposure time: 21 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 229
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 3,13 mg/l
End point: reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

NOEC: 0,5 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1.000

Toxicity to soil dwelling organisms : NOEC: 6 mg/kg
Exposure time: 56 d
Species: Eisenia fetida (earthworms)

NOEC: 5,6 mg/kg
End point: reproduction
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on nitrogen mineralization.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

Toxicity to terrestrial organisms : LD50: > 50 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OEPP/EPPO Test Guideline 170

LD50: > 50 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OEPP/EPPO Test Guideline 170

LD50: > 2.510 mg/kg
Species: Anas platyrhynchos (Mallard duck)

NOEC: 1.000 mg/kg
End point: Reproduction Test
Species: Colinus virginianus

NOEC: 1.000 ppm
End point: Reproduction Test
Species: Anas platyrhynchos (Mallard duck)
Method: OECD Test Guideline 206

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.

Components:

fluroxypyr-meptyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.

12-Hydroxystearic acid, oligomers, reaction products with stearic acid:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 57 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

thifensulfuron-methyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.

metsulfuron-methyl (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

water.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

fluroxypyr-meptyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 26
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 4,5 (25 °C)

thifensulfuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1
Remarks: Does not bioaccumulate.

metsulfuron-methyl (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 28 d
Bioconcentration factor (BCF): < 1
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : Pow: 0,018 (25 °C)
log Pow: -1,7 (25 °C)
pH: 7

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

fluroxypyr-meptyl (ISO):

Distribution among environmental compartments : Koc: 6200 - 43000
Remarks: The product is not expected to be mobile in soils.

thifensulfuron-methyl (ISO):

Distribution among environmental compartments : Koc: 28,3, log Koc: 1,45
Remarks: Highly mobile in soils

Stability in soil :

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

metsulfuron-methyl (ISO):

Distribution among environmental compartments : Remarks: Under normal conditions the substance/mixture is mobile in soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

RID : UN 3082

IMDG : UN 3082

IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Thifensulfuron-methyl, Metsulfuron-methyl)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Thifensulfuron-methyl, Metsulfuron-methyl)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Thifensulfuron-methyl, Metsulfuron-methyl)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Thifensulfuron-methyl, Metsulfuron-methyl)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Fluroxypyr-meptyl, Thifensulfuron-methyl, Metsulfuron-methyl)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

RID

Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9

IMDG

Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous	:	yes
---------------------------	---	-----

ADR

Environmentally hazardous	:	yes
---------------------------	---	-----

RID

Environmentally hazardous	:	yes
---------------------------	---	-----

IMDG

Marine pollutant	:	yes
------------------	---	-----

IATA (Passenger)

Environmentally hazardous	:	yes
---------------------------	---	-----

IATA (Cargo)

Environmentally hazardous	:	yes
---------------------------	---	-----

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 57,65 %
----------------------------	---	---

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version 1.0	Revision Date: 23.07.2025	SDS Number: 50000951	Date of last issue: - Date of first issue: 23.07.2025
----------------	------------------------------	-------------------------	--

METHYL 2-[[[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL)CARBAMOYL]SULFAMOYL]BENZOATE
METHYL 3-[[[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL)CARBAMOYL]SULFAMOYL]THIOPHENE-2-CARBOXYLATE
fluroxypyr-meptyl (ISO)
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H319	: Causes serious eye irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TRIOFLEX® OD (ТРИОФЛЕКС™ ОД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.07.2025	50000951	Date of first issue: 23.07.2025

laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1B	H317
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

BG / 6N