

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ATEVIOR

Other means of identification

Product code 50003141

Unique Formula Identifier (UFI) : CUV0-50DN-V00C-5GV9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agro Bulgaria EOOD
ISKARSKO SHOSE BLVD. NO.7
TRADE CENTER EUROPE
BUILDING 7, OFFICE 8, FLOOR 4
1528 Sofia
Bulgaria

Telephone: +359 (0) 2 818 5656
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Bulgaria: +(359)-32570104 (CHEMTREC)

Medical emergency:
Clinic of Toxicology at the Hospital " N.I. Pirogov"
Emergency telephone/fax: +359 2 9154 233

National number: 112

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	H319: Causes serious eye irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version 1.0 Revision Date: 18.02.2026 SDS Number: 50003141 Date of last issue: -
Date of first issue: 18.02.2026

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
mesosulfuron-methyl (ISO)	208465-21-8 607-729-00-9	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	4,5
thiencarbazone-methyl (ISO)	317815-83-1 607-742-00-X	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000	1,5
Mefenpyr-diethyl	135590-91-9	Aquatic Chronic 2; H411	11,25
Reaction product of naphtalene, propan-2-ol, sulfonated and neu- tralized by caustic soda	Not Assigned 939-368-0 01-2119969954-16- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Dam. 1; H318 STOT SE 3; H335	>= 3 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version 1.0 Revision Date: 18.02.2026 SDS Number: 50003141 Date of last issue: -
Date of first issue: 18.02.2026

		(Respiratory system)	
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 10
(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt	119432-41-6	Aquatic Chronic 3; H412	>= 1 - < 25
Substances with a workplace exposure limit :			
silica gel	112926-00-8		>= 1
Limestone	1317-65-3 215-279-6		>= 1
Starch	9005-25-8 232-679-6		>= 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Place and transport victim in stable position (lying sideways).
Remove contaminated clothing immediately and dispose of safely.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
Call a physician or poison control centre immediately.
- In case of skin contact : Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Rinse mouth.
Call a physician or poison control centre immediately.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: No symptoms known or expected.
Risks	: Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote available.
-----------	--

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet Do not spread spilled material with high-pressure water streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Fire may produce irritating, corrosive and/or toxic gases. Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Hydrogen chloride Hydrogen cyanide

5.3 Advice for firefighters

Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid creating dust.
Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from heat and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Keep working clothes separately. Remove and wash contaminated

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards. Store in a place accessible by authorized persons only.
- Further information on storage conditions : Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available. Protect from frost, fire, heat and direct sunlight.
- Further information on storage stability : No decomposition if stored and applied as directed.
- Packaging material : Suitable material: HDPE (high density polyethylene), Coex HDPE/EVOH, Coex HDPE/PA, Aluminium composite film (min. 0,007 mm Aluminium)

7.3 Specific end use(s)

- Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Limestone	1317-65-3	TWA	10 mg/m3	BG OEL
		TWA (Respirable)	1 fibres per cubic centimeter	BG OEL
		TWA (Inhalable)	10 mg/m3	BG OEL

Further occupational exposure limits

Description	Value type	Control parameters	Basis
Mesosulfuron-methyl (CAS-No. 208465-21-8)	TWA	10 mg/m3	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
Thiencarbazone-methyl	TWA	10 mg/m3	OES BCS: Internal

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version 1.0 Revision Date: 18.02.2026 SDS Number: 50003141 Date of last issue: -
Date of first issue: 18.02.2026

(CAS-No. 317815-83-1)			Bayer AG, Crop Science Division "Occupational Exposure Standard"
Mefenpyr-diethyl (CAS-No. 135590-91-9)	TWA	10 mg/m ³	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Mefenpyr-diethyl	Workers	Inhalation	Long-term systemic effects	7 mg/m ³
	Workers	Dermal	Long-term systemic effects	6 mg/kg
	Consumers	Inhalation	Long-term systemic effects	3 mg/kg
	Consumers	Dermal	Long-term systemic effects	3 mg/kg
silica gel	Workers	Inhalation	Long-term systemic effects	4 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Mefenpyr-diethyl	Fresh water	0,01 mg/l
	Marine water	0,001 mg/l
	Fresh water sediment	0,384 mg/kg
	Sewage treatment plant	10 mg/l
	Intermittent use (freshwater)	0,024 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0,4 mm
Directive : Equipment should conform to EN 374
Protective index : Class 6

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Wear standard coveralls and Category 3 Type 5 suit. If there is a risk of significant exposure, consider a higher protective

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Wear respirator with a particle filter mask (protection factor 4) conforming to European Norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: solid
Form	: granules
Colour	: brown
Odour	: odourless
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: Not applicable
Flammability	: does not ignite
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Self-Accelerating decomposition temperature (SADT)	: No data available
pH	: 7,5 - 9,5 (23 °C) Concentration: 1 % (deionized water)
Viscosity	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Bulk density	:	620 kg/m ³ loose
Relative vapour density	:	No data available
Particle characteristics	:	
Assessment	:	This substance/ mixture does not contain nanoforms (according to REACH Regulation)
Particle size	:	No data available

9.2 Other information

Explosives	:	Not explosive Method: Regulation (EC) No. 440/2008, Annex, A.14
Oxidizing properties	:	Non-oxidizing
Self-ignition	:	259 °C
Evaporation rate	:	Not applicable
Minimum ignition energy	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
	:	No hazardous reactions when stored and handled according to prescribed instructions.
	:	Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid	:	Extremes of temperature and direct sunlight.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid	:	Store only in the original container. Avoid strong acids, bases, and oxidizers
--------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,09 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Highest attainable concentration.
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg

Components:

thiencarbazone-methyl (ISO):

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 2,018 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg

Mefenpyr-diethyl:

Acute oral toxicity	:	LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC0 (Rat, male and female): > 1,32 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: no mortality
Acute dermal toxicity	:	LD50 (Rat, male and female): > 4.000 mg/kg Method: OECD Test Guideline 402

Reaction product of naphtalene, propan-2-ol, sulfonated and neutralized by caustic soda:

Acute oral toxicity	:	LD50 (Rat, male and female): 600 - 1.800 mg/kg LD50 (Rat, male): ca. 1.350 mg/kg
---------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Acute inhalation toxicity : LC50 (Rat, male): 1,09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat, female): 2,93 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male): ca. 4.200 mg/kg

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

silica gel:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC0 (Rat, male and female): > 0,14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Remarks: Based on data from similar materials

Limestone:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Product:

Species	:	Rabbit
Result	:	Mild skin irritation
Remarks	:	Minimal effects that do not meet the threshold for classification.

Components:

Mefenpyr-diethyl:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Reaction product of naphthalene, propan-2-ol, sulfonated and neutralized by caustic soda:

Species	:	Rabbit
Exposure time	:	4 h
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks	:	No data available
---------	---	-------------------

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

silica gel:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Limestone:

Result	:	No skin irritation
--------	---	--------------------

Starch:

Method	:	EPISKIN Human Skin Model Test
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Product:

Species	:	Rabbit
Result	:	Eye irritation

Components:

Mefenpyr-diethyl:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Reaction product of naphthalene, propan-2-ol, sulfonated and neutralized by caustic soda:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result	:	Eye irritation
--------	---	----------------

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Species	:	Bovine cornea
Result	:	slight irritation

silica gel:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

Limestone:

Result	:	No eye irritation
--------	---	-------------------

Starch:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Product:

Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Components:

Mefenpyr-diethyl:

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

Reaction product of naphtalene, propan-2-ol, sulfonated and neutralized by caustic soda:

Result	:	Not a skin sensitizer.
Remarks	:	Expert judgement

Starch:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

thiencarbazone-methyl (ISO):

Germ cell mutagenicity- Assessment	:	In vitro tests did not show mutagenic effects
------------------------------------	---	---

Mefenpyr-diethyl:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Test system: Escherichia coli Method: OECD Test Guideline 471 Result: negative Test Type: reverse mutation assay Test system: Escherichia coli Method: OECD Test Guideline 472 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells Method: OECD Test Guideline 473 Result: negative Test Type: gene mutation test
-----------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Test system: Chinese hamster lung cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Method: OECD Test Guideline 482
Result: negative

silica gel:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Species: Rat (male)
Application Route: Inhalation
Result: negative
Remarks: Based on data from similar materials

Starch:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Components:

silica gel:

Species	: Rat
Application Route	: Oral
Exposure time	: 103 weeks
Method	: OECD Test Guideline 453
Result	: negative
Remarks	: Based on data from similar materials

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

silica gel:

Effects on fertility	: Species: Rat General Toxicity - Parent: NOAEL: 1,5 mg/kg bw/day Fertility: NOAEL: > 6,9 mg/kg body weight
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 2 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 2 mg/kg bw/day Symptoms: Reduced foetal weight, Reduced number of viable fetuses Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 500 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 500 mg/kg bw/day Symptoms: Reduced foetal weight, fused or incompletely ossified sternebrae

Starch:

Effects on fertility	: Remarks: No data available
Effects on foetal development	: Remarks: No data available

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

Reaction product of naphtalene, propan-2-ol, sulfonated and neutralized by caustic soda:

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Limestone:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

Limestone:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

silica gel:

Species : Rat, male and female
NOAEL : 2.500 mg/kg
Application Route : Oral
Exposure time : 13 weeks
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 1,3 - 10 mg/l
LOAEL : 5,9 mg/l
Application Route : Inhalation
Exposure time : 13 weeks
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version 1.0	Revision Date: 18.02.2026	SDS Number: 50003141	Date of last issue: - Date of first issue: 18.02.2026
----------------	------------------------------	-------------------------	--

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: semi-static test

Toxicity to algae/aquatic plants : ErC50 (Lemna gibba (duckweed)): 0,0183 mg/l
Exposure time: 7 d
Test Type: semi-static test

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 52,9 mg/l
Exposure time: 96 h
Test Type: Growth inhibition

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

mesosulfuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

thiencarbazone-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 104 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 98,6 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (algae)): 0,17 mg/l
Exposure time: 72 h

EbC50 (Lemna minor (common duckweed)): 0,0008 mg/l
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 1.000

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version 1.0	Revision Date: 18.02.2026	SDS Number: 50003141	Date of last issue: - Date of first issue: 18.02.2026
----------------	------------------------------	-------------------------	--

Toxicity to fish (Chronic toxicity) : NOEC: 4,8 mg/l
Exposure time: 21 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 3,54 mg/l
Exposure time: 21 d
Species: Daphnia (water flea)

M-Factor (Chronic aquatic toxicity) : 1.000

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.000 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LD50: > 200 mg/kg
Species: Apis mellifera (bees)
Remarks: Oral

Mefenpyr-diethyl:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 2,4 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 4,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,1 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test
Method: OECD Test Guideline 215

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,32 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version 1.0	Revision Date: 18.02.2026	SDS Number: 50003141	Date of last issue: - Date of first issue: 18.02.2026
----------------	------------------------------	-------------------------	--

Toxicity to soil dwelling organisms	: LC50: > 1.000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	: NOEC: 106 mg/kg Exposure time: 6 Weeks Species: Coturnix japonica (Japanese quail) Method: OECD Test Guideline 206

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Reaction product of naphtalene, propan-2-ol, sulfonated and neutralized by caustic soda:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (algae)): > 200 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201 ErC10 (Pseudokirchneriella subcapitata (algae)): 95,52 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC: 3,2 mg/l Exposure time: 34 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10: 1,2 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish	: LC50 (Zebra fish): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

plants	mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10: > 10 - 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Toxicity to fish	: LC50 (Fish): 33 mg/l Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 24 mg/l Exposure time: 48 h Test Type: flow-through test Analytical monitoring: yes Method: EPA-660/3-75-009
Toxicity to soil dwelling organisms	: NOEC: > 1 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207 NOEC: > 0,36 mg/kg Exposure time: 28 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2,150 mg/kg Exposure time: 21 d Species: Colinus virginianus (Bobwhite quail) LC50: > 5 mg/kg Exposure time: 8 d Species: Anas platyrhynchos (Mallard duck)

silica gel:

Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): > 10.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version 1.0	Revision Date: 18.02.2026	SDS Number: 50003141	Date of last issue: - Date of first issue: 18.02.2026
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOELR (Desmodesmus subspicatus (green algae)): 10.000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Limestone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10.000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 200 mg/l
Exposure time: 72 h

Starch:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

12.2 Persistence and degradability

Components:

mesosulfuron-methyl (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Biodegradability : Result: Not rapidly biodegradable

thiencarbazone-methyl (ISO):

Biodegradability : Result: Not rapidly biodegradable

Mefenpyr-diethyl:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Biodegradation: 2,5 %
Exposure time: 42 d
Method: OECD Test Guideline 301B

Reaction product of naphtalene, propan-2-ol, sulfonated and neutralized by caustic soda:

Biodegradability : Result: Not readily biodegradable.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

(Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt:

Biodegradability : Result: Not biodegradable

silica gel:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

Starch:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

mesosulfuron-methyl (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

thiencarbazone-methyl (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Mefenpyr-diethyl:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 28 d
Concentration: 0,01 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Bioconcentration factor (BCF): 196
Method: OECD Test Guideline 305
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Pow: 6.783 (21 °C)
pH: 6,3

Reaction product of naphtalene, propan-2-ol, sulfonated and neutralized by caustic soda:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

silica gel:

Bioaccumulation : Bioconcentration factor (BCF): 3,16
Remarks: Based on data from similar materials

Starch:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

12.4 Mobility in soil

Components:

mesosulfuron-methyl (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

thiencarbazone-methyl (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Mefenpyr-diethyl:

Distribution among environmental compartments : Remarks: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version 1.0	Revision Date: 18.02.2026	SDS Number: 50003141	Date of last issue: - Date of first issue: 18.02.2026
----------------	------------------------------	-------------------------	--

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mesosulfuron-methyl, Thienicarbazone-methyl)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mesosulfuron-methyl, Thienicarbazone-methyl)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mesosulfuron-methyl, Thien carbazon-methyl)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mesosulfuron-methyl, Thien carbazon-methyl)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Mesosulfuron-methyl, Thien carbazon-methyl)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous
IATA (Passenger)	
Packing instruction (passen-	: 956

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

ger aircraft)
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version 1.0	Revision Date: 18.02.2026	SDS Number: 50003141	Date of last issue: - Date of first issue: 18.02.2026
----------------	------------------------------	-------------------------	--

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Mefenpyr-diethyl Reaction product of naphtalene, propan-2-ol, sulfonated and neutralized by caustic soda mesosulfuron-methyl (ISO) thiencarbazone-methyl (ISO) Limestone
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
STOT SE	: Specific target organ toxicity - single exposure
BG OEL	: Bulgaria. Ordinance on the Protection of Workers from Risks related to Exposure to Chemical Agents at Work.
BG OEL / TWA	: 8-hr Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ATEVIOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2026	50003141	Date of first issue: 18.02.2026

Classification of the mixture:

Eye Irrit. 2	H319
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

BG / 6N