

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.1     | 2025/09/03     | 50000099    | Date of first issue: 2018/03/01 |

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Verimark® 200SC Insecticide

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

#### Manufacturer or supplier's details

Company : PT BINA GUNA KIMIA

Address : WISMA KODEL LANTAI 10 JALAN HR.RASUNA  
SAID,KAV.B-4,KEL.SETIA BUDI,  
KEC.SETIABUDI,  
KOTA ADM. JAKARTA SELATAN,PROV.DKI JAKAR  
Indonesia

Telephone : +62 21-50890890

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:  
001-803-017-9114 (CHEMTREC)  
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:  
0800 140 1447

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal Word : WARNING

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.1     | 2025/09/03     | 50000099    | Date of first issue: 2018/03/01 |

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name    | CAS-No.     | Concentration (% w/w) |
|------------------|-------------|-----------------------|
| Cyantraniliprole | 736994-63-1 | 19,3                  |

## 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : Move to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : Take off all contaminated clothing immediately.  
Wash contaminated clothing before re-use.  
Wash off immediately with plenty of water for at least 15 minutes.  
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

- |                                                             |                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If swallowed                                                | : Do not induce vomiting without medical advice.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.                                            |
| Most important symptoms and effects, both acute and delayed | : None known.                                                                                                                                                                                                                                                                |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection and use the recommended protective clothing<br>Avoid inhalation, ingestion and contact with skin and eyes.<br>If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician                                          | : Treat symptomatically.                                                                                                                                                                                                                                                     |

### 5. FIRE-FIGHTING MEASURES

- |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                   | : Dry chemical, CO2, water spray or regular foam.                                                                                                                                                                                                                                                                                                                                                                                                                |
| Unsuitable extinguishing media                 | : High volume water jet<br>Do not spread spilled material with high-pressure water streams.                                                                                                                                                                                                                                                                                                                                                                      |
| Specific hazards during fire fighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                                                                                                                                                                                                                                                                      |
| Hazardous combustion products                  | : Fire may produce irritating, corrosive and/or toxic gases.<br>Nitrogen oxides (NOx)<br>Carbon oxides<br>Hydrogen chloride<br>Hydrogen cyanide<br>Bromine compounds<br>Chlorinated compounds                                                                                                                                                                                                                                                                    |
| Specific extinguishing methods                 | : Remove undamaged containers from fire area if it is safe to do so.<br>Use a water spray to cool fully closed containers.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus.                                                                                                                                                                                                                                                                                                                                                                           |

### 6. ACCIDENTAL RELEASE MEASURES

**Verimark® 200SC Insecticide**

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
If it can be safely done, stop the leak.  
Evacuate personnel to safe areas.  
Do not touch or walk through the spilled material.  
Ensure adequate ventilation.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labeled containers.  
Keep in suitable, closed containers for disposal.
- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

**7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage.  
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorized persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not

**Verimark® 200SC Insecticide**

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

be present. A hand wash station should be available.

Recommended storage temperature : > 0 °C

Further information on storage stability : No decomposition if stored and applied as directed.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Personal protective equipment**

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection  
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.  
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.  
Do not inhale aerosol.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid

Form : suspension

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

|                                                  |   |                                                                    |
|--------------------------------------------------|---|--------------------------------------------------------------------|
| Color                                            | : | white                                                              |
| Odor                                             | : | odorless                                                           |
| Odor Threshold                                   | : | No data available                                                  |
| pH                                               | : | 4 - 8<br>Concentration: 10 g/l                                     |
| Melting point/ range                             | : | No data available                                                  |
| Boiling point/boiling range                      | : | 98 °C                                                              |
| Flash point                                      | : | > 98 °C<br><br>Method: closed cup<br>No flash up to boiling point. |
| Evaporation rate                                 | : | No data available                                                  |
| Upper explosion limit / Upper flammability limit | : | No data available                                                  |
| Lower explosion limit / Lower flammability limit | : | No data available                                                  |
| Vapor pressure                                   | : | Not available for this mixture.                                    |
| Relative vapor density                           | : | No data available                                                  |
| Density                                          | : | No data available                                                  |
| Bulk density                                     | : | 1,0 - 1,2 g/cm <sup>3</sup>                                        |
| Solubility(ies)                                  |   |                                                                    |
| Water solubility                                 | : | soluble                                                            |
| Solubility in other solvents                     | : | No data available                                                  |
| Partition coefficient: n-octanol/water           | : | Not available for this mixture.                                    |
| Autoignition temperature                         | : | No data available                                                  |
| Decomposition temperature                        | : | No data available                                                  |
| Viscosity                                        |   |                                                                    |
| Viscosity, dynamic                               | : | 799 mPa.s                                                          |

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

|                      |                      |
|----------------------|----------------------|
|                      | 25 rpm               |
|                      | 474 mPa.s<br>50 rpm  |
|                      | 286 mPa.s<br>100 rpm |
| Viscosity, kinematic | : No data available  |
| Explosive properties | : Not explosive      |
| Oxidizing properties | : Non-oxidizing      |
| Molecular weight     | : Not applicable     |
| Particle size        | : Not applicable     |

---

### 10. STABILITY AND REACTIVITY

|                                    |                                                                                                                                                                             |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No decomposition if stored and applied as directed.                                                                                                                       |
| Chemical stability                 | : No decomposition if stored and applied as directed.                                                                                                                       |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed.                                                                                                                       |
| Conditions to avoid                | : Avoid extreme temperatures.<br>Avoid formation of aerosol.<br>Protect from frost, heat and sunlight.<br>Heating of the product will produce harmful and irritant vapours. |
| Incompatible materials             | : Avoid strong acids, bases, and oxidizers.                                                                                                                                 |
| Hazardous decomposition products   | : Stable under recommended storage conditions.                                                                                                                              |

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

|                           |                                                                                                |
|---------------------------|------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat): > 5.000 mg/kg<br>Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : LC50 (Rat): > 3,7 mg/l<br>Exposure time: 4 h                                                 |

---

**Verimark® 200SC Insecticide**

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

**Components:****Cyantraniliprole:**

Acute oral toxicity : LD50 (Mouse, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

LD50 (Rat, female): > 5.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: no mortality

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Product:**

Species : Rabbit  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 404



**Verimark® 200SC Insecticide**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.1     | 2025/09/03     | 50000099    | Date of first issue: 2018/03/01 |

---

Result : No skin irritation  
GLP : yes

**Components:****Cyantraniliprole:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

**Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

**Product:**

Species : Rabbit  
Result : No eye irritation  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 405  
GLP : yes

**Components:****Cyantraniliprole:**

Species : Rabbit  
Result : slight irritation  
Assessment : Not classified as irritant  
Method : OECD Test Guideline 405  
GLP : yes

**Respiratory or skin sensitization****Skin sensitization**

Based on available data, the classification criteria are not met.

**Respiratory sensitization**

Based on available data, the classification criteria are not met.

**Product:**

Species : multiple species  
Assessment : Does not cause skin sensitization.  
Method : OECD Test Guideline 429  
Result : Not a skin sensitizer.

**Components:****Cyantraniliprole:**

Test Type : Local lymph node test  
Routes of exposure : Dermal  
Species : Mouse  
Method : OECD Test Guideline 429

## Verimark® 200SC Insecticide

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.1     | 2025/09/03     | 50000099    | Date of first issue: 2018/03/01 |

---

Result : Does not cause skin sensitization.  
GLP : yes

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.  
GLP : yes

Test Type : Buehler Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.  
GLP : yes

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Components:****Cyantraniliprole:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: reverse mutation assay  
Test system: Escherichia coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

**Verimark® 200SC Insecticide**

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Components:****Cyantraniliprole:**

Species : Rat, male  
Application Route : Ingestion  
Exposure time : 2 Years  
NOAEL : 200 ppm  
Method : OECD Test Guideline 453  
Result : negative

Species : Rat, female  
Application Route : Ingestion  
Exposure time : 2 Years  
NOAEL : 2.000 ppm  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse, male and female  
Application Route : Ingestion  
Exposure time : 18 month(s)  
NOAEL : 7.000 ppm  
Method : OECD Test Guideline 451  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Components:****Cyantraniliprole:**

Effects on fetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 1.000 mg/kg bw/day  
Embryo-fetal toxicity.: NOAEL: 1.000 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Test Type: Pre-natal  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day  
Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day  
Symptoms: Maternal effects.

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Components:

##### Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Components:

##### Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### Cyantraniliprole:

Species : Rat  
NOAEL : > 1.000 mg/kg  
Application Route : Oral  
Exposure time : 28 Days  
Method : OECD Test Guideline 407  
Symptoms : increased liver weight  
Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female  
NOAEL : 6,9 - 168 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female  
NOAEL : 1091,8 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3100  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 3,08 - 3,48 mg/kg bw/day

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.1     | 2025/09/03     | 50000099    | Date of first issue: 2018/03/01 |

---

Application Route : Ingestion  
Exposure time : 90 Days  
Method : OPPTS 870.3150  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 8,3 - 106,6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 2 yr  
Method : OPPTS 870.4300  
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female  
NOAEL : 768,8 - 903,8 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 18 Months  
Method : OPPTS 870.4200  
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female  
NOAEL : 5,67 - 6 mg/kg bw/day  
Application Route : Ingestion  
Exposure time : 1 yr  
Method : OPPTS 870.4100  
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female  
NOAEL : 1000 mg/kg  
Application Route : Dermal  
Exposure time : 28 Days  
Method : OECD Test Guideline 410  
GLP : yes  
Symptoms : Irritation  
Remarks : Effects are of limited toxicological significance.

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Components:

#### **Cyantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

### Neurological effects

### Components:

#### **Cyantraniliprole:**

No neurotoxicity observed in animal studies.

### Further information

### Product:

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

Remarks : No data available

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 99 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0724 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: (Data on the product itself)  
Information source: Internal study report

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 66,3 mg/l  
Exposure time: 72 h

##### Components:

##### Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l  
Exposure time: 96 h  
Method: US EPA Test Guideline OPP 72-1  
GLP: yes

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0204 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13 mg/l  
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,278 mg/l  
Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0,060 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 2,9 mg/l  
Exposure time: 28 d

## Verimark® 200SC Insecticide

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.1     | 2025/09/03     | 50000099    | Date of first issue: 2018/03/01 |

---

|                                                                        |   |                                                                                                                                                                                             |
|------------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                        |   | NOEC (Oncorhynchus mykiss (rainbow trout)): 0,11 mg/l<br>Exposure time: 21 d                                                                                                                |
|                                                                        |   | NOEC (Oncorhynchus mykiss (rainbow trout)): 1,01 mg/l<br>Exposure time: 90 d<br>Test Type: Early Life-Stage<br>Method: US EPA Test Guideline OPP 72-4<br>GLP: yes                           |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0,00656 mg/l<br>End point: Growth<br>Exposure time: 21 d<br>Test Type: Static-Renewal<br>Method: US EPA Test Guideline OPPTS 850.1300<br>GLP: yes        |
|                                                                        |   | LOEC (Daphnia magna (Water flea)): 0,00969 mg/l<br>End point: Growth<br>Exposure time: 21 d<br>Test Type: Static-Renewal<br>Method: US EPA Test Guideline OPPTS 850.1300<br>GLP: yes        |
|                                                                        |   | NOEC (Daphnia magna (Water flea)): 0,00447 mg/l<br>Exposure time: 21 d                                                                                                                      |
|                                                                        |   | NOEC (Americamysis bahia (mysid shrimp)): 0,72 mg/l<br>End point: reproduction<br>Exposure time: 35 d<br>Test Type: flow-through test<br>Method: US EPA Test Guideline OPP 72-4<br>GLP: yes |
| M-Factor (Chronic aquatic toxicity)                                    | : | 10                                                                                                                                                                                          |
| Toxicity to soil dwelling organisms                                    | : | NOEC (Eisenia fetida (earthworms)): 1.000 mg/kg<br>Exposure time: 14 d<br>Method: OECD Test Guideline 222<br>GLP: yes                                                                       |
|                                                                        |   | Method: OECD Test Guideline 216<br>Remarks: No significant adverse effect on Nitrogen mineralization.                                                                                       |
|                                                                        |   | Method: OECD Test Guideline 217<br>Remarks: No significant adverse effect on Carbon mineralization.                                                                                         |
| Toxicity to terrestrial organisms                                      | : | LD50 (Apis mellifera (bees)): > 0,0934 µg/bee<br>Exposure time: 72 h<br>End point: Acute contact toxicity<br>Method: OECD Test Guideline 214<br>GLP: yes                                    |

## Verimark® 200SC Insecticide

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

LD50 (*Apis mellifera* (bees)): > 0,1055 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Method: OECD Test Guideline 213  
GLP: yes

LD50 (*Colinus virginianus*): > 2.250 mg/kg  
End point: Acute oral toxicity  
Method: US EPA Test Guideline OPPTS 850.2100  
GLP: yes

NOEC (*Anas platyrhynchos* (Mallard duck)): 1.000 ppm  
End point: Reproduction Test  
Method: OECD Test Guideline 206  
GLP: yes

**Persistence and degradability****Components:****Cyantraniliprole:**

|                    |   |                                                                                                                                                                                                                    |
|--------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Biodegradability   | : | Remarks: Not readily biodegradable.                                                                                                                                                                                |
| Stability in water | : | Degradation half life (DT50): 9,09 - 37,7 d<br>Remarks: Fresh water<br><br>Degradation half life (DT50): 76,6 - 119 d<br>Remarks: Soil<br><br>Degradation half life (DT50): 22,8 - 25,1 d<br>Remarks: total system |

**Bioaccumulative potential****Product:**

|                 |   |                                                      |
|-----------------|---|------------------------------------------------------|
| Bioaccumulation | : | Remarks: No data is available on the product itself. |
|-----------------|---|------------------------------------------------------|

**Components:****Cyantraniliprole:**

|                                        |   |                                                                                                                                       |
|----------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------|
| Bioaccumulation                        | : | Species: <i>Lepomis macrochirus</i> (Bluegill sunfish)<br>Bioconcentration factor (BCF): < 1<br>Remarks: Bioaccumulation is unlikely. |
| Partition coefficient: n-octanol/water | : | log Pow: 1,97 (22 °C)<br>pH: 4<br><br>log Pow: 2,07 (22 °C)<br>pH: 7<br><br>log Pow: 1,74 (22 °C)<br>pH: 9                            |



# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

### Mobility in soil

#### Components:

##### **Cyantraniliprole:**

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2,38  
Kd: 3,73 ml/g  
Remarks: Mobile in soils

### Other adverse effects

#### Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Cyantraniliprole)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### **IATA-DGR**

UN/ID No. : UN 3082

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Cyantraniliprole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Cyantraniliprole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

### Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

### Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.1 | Revision Date:<br>2025/09/03 | SDS Number:<br>50000099 | Date of last issue: -<br>Date of first issue: 2018/03/01 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

### The ingredients of this product are reported in the following inventories:

|       |                                                                                                                                     |
|-------|-------------------------------------------------------------------------------------------------------------------------------------|
| TCSI  | : On the inventory, or in compliance with the inventory                                                                             |
| TSCA  | : Product contains substance(s) not listed on TSCA inventory.                                                                       |
| AIIC  | : Not in compliance with the inventory                                                                                              |
| DSL   | : This product contains the following components that are not on the Canadian DSL nor NDSL.<br><br>Cyantraniliprole<br>Palygorskite |
| ENCS  | : Not in compliance with the inventory                                                                                              |
| ISHL  | : Not in compliance with the inventory                                                                                              |
| KECI  | : Not in compliance with the inventory                                                                                              |
| PICCS | : Not in compliance with the inventory                                                                                              |
| IECSC | : Not in compliance with the inventory                                                                                              |
| NZIoC | : Not in compliance with the inventory                                                                                              |
| TECI  | : Not in compliance with the inventory                                                                                              |

---

## 16. OTHER INFORMATION

Revision Date : 2025/09/03

Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

# SAFETY DATA SHEET



## Verimark® 200SC Insecticide

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.1     | 2025/09/03     | 50000099    | Date of first issue: 2018/03/01 |

---

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

ID / EN