

SAFETY DATA SHEET

Ally® 20 WG Herbicide



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/03	50000936	Date of first issue: 2018/03/01

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ally® 20 WG Herbicide

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : PT BINA GUNA KIMIA

Address : WISMA KODEL LANTAI 10 JALAN HR.RASUNA
SAID,KAV.B-4,KEL.SETIA BUDI,
KEC.SETIABUDI,
KOTA ADM. JAKARTA SELATAN,PROV.DKI JAKAR
Indonesia

Telephone : +62 21-50890890

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
001-803-017-9114 (CHEMTREC)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
0800 140 1447

2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : WARNING

SAFETY DATA SHEET

Ally® 20 WG Herbicide



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/03	50000936	Date of first issue: 2018/03/01

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.

Response:
P391 Collect spillage.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Metsulfuron-methyl	74223-64-6	>= 10 -< 25
Ethoxylated alcohols(C=12-14)	68439-50-9	>= 2,5 -< 10
Silica, amorphous, fumed, cryst.-free	112945-52-5	< 10

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : Get medical attention if irritation develops and persists.
Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : It may be helpful to show this safety data sheet to physician. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam
Water spray
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Sulfur oxides
Carbon oxides
Nitrogen oxides (NO_x)

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

- Advice on safe handling : Avoid formation of respirable particles.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : granular
- Color : tan, to, light brown

SAFETY DATA SHEET

Ally® 20 WG Herbicide



Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Odor	:	mild, pungent
pH	:	5 - 7
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	Not available for this mixture.
Flammability (solid, gas)	:	The product is not flammable.
Self-ignition	:	Not available for this mixture.
Upper explosion limit / Upper flammability limit	:	Not available for this mixture.
Lower explosion limit / Lower flammability limit	:	Not available for this mixture.
Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	Not available for this mixture.
Relative density	:	Not available for this mixture.
Bulk density	:	Not applicable
Partition coefficient: n-octanol/water	:	not determined
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	not determined
Oxidizing properties	:	Non-oxidizing

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac-	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

tions

Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: Sulfur oxides Carbon oxides Nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: Assessment: The substance or mixture has no acute inhalation toxicity Remarks: The product contains no ingredient classified for inhalation toxicity.
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Components:

Metsulfuron-methyl:

Acute oral toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: US EPA Test Guideline OPP 81-1 Assessment: The substance or mixture has no acute oral toxicity LD50 (Rat, female): > 5.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5,11 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

SAFETY DATA SHEET

Ally® 20 WG Herbicide



Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Symptoms: Breathing difficulties
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Ethoxylated alcohols(C=12-14):

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1,6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3.000 mg/kg
Method: OECD Test Guideline 402

Silica, amorphous, fumed, cryst.-free:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5,01 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

Metsulfuron-methyl:

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/03	50000936	Date of first issue: 2018/03/01

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Result	:	No skin irritation

Ethoxylated alcohols(C=12-14):

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Silica, amorphous, fumed, cryst.-free:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Components:

Metsulfuron-methyl:

Species	:	Rabbit
Result	:	slight irritation
Assessment	:	Not classified as irritant
Method	:	EPA OPP 81-4

Ethoxylated alcohols(C=12-14):

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Silica, amorphous, fumed, cryst.-free:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks	:	Not expected to cause skin sensitisation.
---------	---	---

SAFETY DATA SHEET

Ally® 20 WG Herbicide



Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/03	50000936	Date of first issue: 2018/03/01

Components:

Metsulfuron-methyl:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: US EPA Test Guideline OPPTS 870.2600
Result	: Not a skin sensitizer.

Ethoxylated alcohols(C=12-14):

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: Directive 67/548/EEC, Annex V, B.6.
Result	: Does not cause skin sensitization.

Routes of exposure	: Skin contact
Species	: Humans
Result	: Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Metsulfuron-methyl:

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	--

	: Test Type: Chromosome aberration test in vitro Metabolic activation: Metabolic activation Result: positive GLP: yes
--	--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative
----------------------	--

Ethoxylated alcohols(C=12-14):

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
-----------------------	---

	: Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative
--	--

Genotoxicity in vivo	: Application Route: Intraperitoneal injection Method: OECD Test Guideline 474
----------------------	---

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Metsulfuron-methyl:

Species	: Rat, male and female
Exposure time	: 104 weeks
NOAEL	: 500 ppm
Result	: negative

Species	: Mouse, male and female
Exposure time	: 18 month(s)
NOAEL	: 5.000 ppm
Result	: negative

Ethoxylated alcohols(C=12-14):

Species	: Rat, male and female
Exposure time	: 24 month(s)
Result	: negative

Silica, amorphous, fumed, cryst.-free:

Result	: negative
--------	------------

Reproductive toxicity

Not classified based on available information.

Components:

Metsulfuron-methyl:

Effects on fertility	: Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Result: negative
----------------------	---

Effects on fetal development	: Test Type: Embryo-fetal development Species: Rabbit, female Application Route: Ingestion Symptoms: Maternal effects. Result: negative
------------------------------	---

	: Test Type: Embryo-fetal development Species: Rat, female Application Route: Ingestion Symptoms: Maternal effects. Result: negative
--	--

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Ethoxylated alcohols(C=12-14):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Silica, amorphous, fumed, cryst.-free:

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for more information on target organs if applicable.

Components:

Ethoxylated alcohols(C=12-14):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Metsulfuron-methyl:

Species	: Rat, male and female
NOEL	: 1000 ppm
Application Route	: Oral - feed
Exposure time	: 90 days
Symptoms	: Reduced body weight

Ethoxylated alcohols(C=12-14):

Species	: Rat, male and female
NOAEL	: 110 mg/kg
Application Route	: Oral
Exposure time	: 2160 h

Silica, amorphous, fumed, cryst.-free:

Remarks : No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

SAFETY DATA SHEET

Ally® 20 WG Herbicide



Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Neurological effects

Components:

Metsulfuron-methyl:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Metsulfuron-methyl:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 43,1 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 65,7 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400
GLP: yes

NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400
GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l
Exposure time: 72 h
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 50 µg/l
Exposure time: 72 h
GLP: yes

M-Factor (Acute aquatic tox- : 10

SAFETY DATA SHEET

Ally® 20 WG Herbicide



Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

icity)

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 68 mg/l
Exposure time: 21 d

NOEC (Pimephales promelas (fathead minnow)): 10 mg/l
End point: reproduction
Exposure time: 21 d
Method: OECD Test Guideline 229
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 3,13 mg/l
End point: reproduction
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211

NOEC (Daphnia magna (Water flea)): 0,5 mg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 6 mg/kg
Exposure time: 56 d

NOEC (Eisenia fetida (earthworms)): 5,6 mg/kg
End point: reproduction
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 50 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OEPP/EPPO Test Guideline 170

LD50 (Apis mellifera (bees)): > 50 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OEPP/EPPO Test Guideline 170

LD50 (Anas platyrhynchos (Mallard duck)): > 2.510 mg/kg

NOEC (Colinus virginianus): 1.000 mg/kg
End point: Reproduction Test

NOEC (Anas platyrhynchos (Mallard duck)): 1.000 ppm
End point: Reproduction Test
Method: OECD Test Guideline 206

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Ethoxylated alcohols(C=12-14):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,1 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,7 mg/l
Exposure time: 48 h
Test Type: static test
Method: Directive 67/548/EEC, Annex V, C.2.
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,87 mg/l
Exposure time: 72 h
Test Type: static test
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): 0,96 mg/l
Exposure time: 30 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0,53 mg/l
Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (Pseudomonas putida): 1.000 g/l
Exposure time: 3 h
- Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 220 mg/kg
Method: OECD Test Guideline 222
- Plant toxicity : NOEC: >= 100 mg/l
Exposure time: 456 h

Silica, amorphous, fumed, cryst.-free:

- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 10.000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 24 h

Persistence and degradability

Components:

Metsulfuron-methyl:

- Biodegradability : Result: Not readily biodegradable.
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and

SAFETY DATA SHEET

Ally® 20 WG Herbicide



Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

water.

Ethoxylated alcohols(C=12-14):

Biodegradability : Result: Readily biodegradable.
Biodegradation: 78 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Silica, amorphous, fumed, cryst.-free:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

Metsulfuron-methyl:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Exposure time: 28 d
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : Pow: 0,018 (25 °C)
log Pow: -1,7 (25 °C)
pH: 7

Ethoxylated alcohols(C=12-14):

Bioaccumulation : Bioconcentration factor (BCF): < 800
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 5,12 - 5,32 (25 °C)

Mobility in soil

Components:

Metsulfuron-methyl:

Distribution among environmental compartments : Remarks: Under normal conditions the substance/mixture is mobile in soil.

Ethoxylated alcohols(C=12-14):

Distribution among environmental compartments : Koc: > 4656 ml/g, log Koc: > 3,7
Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological information : See product label for additional application instructions relating to

SAFETY DATA SHEET

Ally® 20 WG Herbicide



Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

mation

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | | |
|------------------------|---|--|
| Waste from residues | : | The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers. |

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- | | | |
|---------------------------|---|--|
| UN number | : | UN 3077 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Metsulfuron-methyl) |
| Class | : | 9 |
| Subsidiary risk | : | ENVIRONM. |
| Packing group | : | III |
| Labels | : | 9 (ENVIRONM.) |
| Environmentally hazardous | : | yes |

IATA-DGR

- | | | |
|--|---|--|
| UN/ID No. | : | UN 3077 |
| Proper shipping name | : | Environmentally hazardous substance, solid, n.o.s.
(Metsulfuron-methyl) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 956 |
| Packing instruction (passenger aircraft) | : | 956 |
| Environmentally hazardous | : | yes |

IMDG-Code

- | | | |
|----------------------|---|--|
| UN number | : | UN 3077 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Metsulfuron-methyl) |

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AICS : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Metsulfuron-methyl

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version 1.1	Revision Date: 2025/09/03	SDS Number: 50000936	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 2025/09/03
Date format	: yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to

SAFETY DATA SHEET



Ally® 20 WG Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/03	50000936	Date of first issue: 2018/03/01

insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

ID / EN