

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** AFFINITY®

#### Other means of identification

**Product code** 50000505

**Unique Formula Identifier (UFI)** : RDAY-N20U-8N45-8N5S

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Crop desiccant / Undesired shoot control

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC Chemicals Hellas MEPE  
Syngrou Avenue 348  
17674 Kallithea  
Greece

Telephone: +30 211 1982768  
Telefax: +30 211 1138614  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Greece: 30-2111768478 (CHEMTREC)

Medical emergency:  
Greece: 30 210 77 93 777

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

|                                                |                                                             |
|------------------------------------------------|-------------------------------------------------------------|
| Skin sensitisation, Category 1                 | H317: May cause an allergic skin reaction.                  |
| Carcinogenicity, Category 2                    | H351: Suspected of causing cancer.                          |
| Short-term (acute) aquatic hazard, Category 1  | H400: Very toxic to aquatic life.                           |
| Long-term (chronic) aquatic hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :  
H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

#### Prevention:

P201 Obtain special instructions before use.  
P261 Avoid breathing gases/ droplets/ vapors/ sprays.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/protective clothing/personal protective equipment for eyes/face.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Disposal of contents/container in accordance with national legislation.

### Additional Labelling

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

|        |                                                                                           |
|--------|-------------------------------------------------------------------------------------------|
| EUH066 | Repeated exposure may cause skin dryness or cracking.                                     |
| EUH401 | To avoid risks to human health and the environment, comply with the instructions for use. |

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name                                                                                                        | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                                                                                                 | Concentration<br>(% w/w) |
|----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| carfentrazone-ethyl (ISO)                                                                                            | 128639-02-1<br><br>607-309-00-5                       | Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity): 10<br>M-Factor (Chronic<br>aquatic toxicity): 10                           | >= 2,5 - < 10            |
| Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether | 134180-76-0                                           | Acute Tox. 4; H332<br>Acute Tox. 4; H312<br>Eye Irrit. 2; H319<br>Aquatic Chronic 2;<br>H411<br><br>Acute toxicity estimate<br><br>Acute inhalation toxicity (dust/mist): 1,08 | >= 2,5 - < 10            |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

Version 1.0      Revision Date: 18.09.2025      SDS Number: 50000505      Date of last issue: -  
Date of first issue: 18.09.2025

|                                                                         |                         |                                                                                                                                                                           |                  |
|-------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
|                                                                         |                         | mg/l<br>Acute dermal toxicity:<br>1.550 mg/kg                                                                                                                             |                  |
| Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts | 68953-96-8<br>273-234-6 | Acute Tox. 4; H312<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Aquatic Chronic 2;<br>H411<br><hr/> Acute toxicity estimate<br><br>Acute dermal toxicity:<br>1.001 mg/kg | $\geq 1 - < 2,5$ |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Remove to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.  
Wash off with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Do not induce vomiting without medical advice.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

---

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.  
Immediate medical attention is required in case of ingestion.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Fluorine compounds  
Hydrogen cyanide  
Hydrogen chloride  
Chlorinated compounds

### 5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Ensure adequate ventilation.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

---

Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installa-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

Version 1.0      Revision Date: 18.09.2025      SDS Number: 50000505      Date of last issue: -  
Date of first issue: 18.09.2025

tions / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                                          | End Use   | Exposure routes | Potential health effects   | Value             |
|-------------------------------------------------------------------------|-----------|-----------------|----------------------------|-------------------|
| Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts | Workers   | Inhalation      | Long-term systemic effects | 6 mg/m3           |
|                                                                         | Workers   | Dermal          | Long-term systemic effects | 8,5 mg/kg bw/day  |
|                                                                         | Consumers | Inhalation      | Long-term systemic effects | 1,48 mg/m3        |
|                                                                         | Consumers | Dermal          | Long-term systemic effects | 4,25 mg/kg bw/day |
|                                                                         | Consumers | Oral            | Long-term systemic effects | 0,43 mg/kg bw/day |

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name              | Environmental Compartment | Value                        |
|-----------------------------|---------------------------|------------------------------|
| 2-ethylhexyl oleate         | Fresh water sediment      | 1,44 mg/kg dry weight (d.w.) |
|                             | Marine sediment           | 1,44 mg/kg dry weight (d.w.) |
|                             | Soil                      | 20 mg/kg dry weight (d.w.)   |
| Benzenesulfonic acid, mono- | Fresh water               | 0,023 mg/l                   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

Version 1.0      Revision Date: 18.09.2025      SDS Number: 50000505      Date of last issue: -  
Date of first issue: 18.09.2025

|                                              |                               |             |
|----------------------------------------------|-------------------------------|-------------|
| C11-13-branched alkyl derivs., calcium salts |                               |             |
|                                              | Marine water                  | 0,002 mg/l  |
|                                              | Sewage treatment plant        | 5,5 mg/l    |
|                                              | Fresh water sediment          | 1,35 mg/kg  |
|                                              | Marine sediment               | 0,135 mg/kg |
|                                              | Soil                          | 0,124 mg/kg |
|                                              | Intermittent use (freshwater) | 0,290 mg/l  |

### 8.2 Exposure controls

#### Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : liquid  
Colour : yellow-orange  
Odour : oily  
Odour Threshold : not determined  
Melting point/freezing point : not determined  
Boiling point/boiling range : not determined  
Upper explosion limit / Upper flammability limit : not determined  
Lower explosion limit / Lower flammability limit : not determined

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

|                                        |   |                                  |
|----------------------------------------|---|----------------------------------|
| Flash point                            | : | 111 °C                           |
| Decomposition temperature              | : | not determined                   |
| pH                                     | : | 4,86                             |
|                                        |   | Concentration: 1 %               |
|                                        |   | In a 1% aqueous dispersion       |
| Viscosity                              |   |                                  |
| Viscosity, dynamic                     | : | not determined                   |
| Viscosity, kinematic                   | : | 20,42 mm <sup>2</sup> /s (40 °C) |
|                                        |   | 23,44 mm <sup>2</sup> /s (40 °C) |
| Solubility(ies)                        |   |                                  |
| Water solubility                       | : | No data available                |
| Solubility in other solvents           | : | No data available                |
| Partition coefficient: n-octanol/water | : | Not available for this mixture.  |
| Vapour pressure                        | : | Not available for this mixture.  |
| Relative density                       | : | 0,9308 (20 °C)                   |
| Relative vapour density                | : | not determined                   |
| Particle characteristics               |   |                                  |
| Particle size                          | : | Not applicable                   |
| Particle Size Distribution             | : | Not applicable                   |

### 9.2 Other information

|                        |   |                                                                                                             |
|------------------------|---|-------------------------------------------------------------------------------------------------------------|
| Explosives             | : | Not explosive                                                                                               |
| Oxidizing properties   | : | Non-oxidizing                                                                                               |
| Flammability (liquids) | : | ignitable, Based on available information, the classification criteria for flammability hazard are not met. |
| Self-ignition          | : | 356 °C                                                                                                      |
| Miscibility with water | : | dispersible                                                                                                 |
| Surface tension        | : | 30 mN/m, 25 °C                                                                                              |
|                        |   | 29 mN/m, 40 °C                                                                                              |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

|                     |   |                                                     |
|---------------------|---|-----------------------------------------------------|
| Hazardous reactions | : | No decomposition if stored and applied as directed. |
|---------------------|---|-----------------------------------------------------|

### 10.4 Conditions to avoid

|                     |   |                                                                   |
|---------------------|---|-------------------------------------------------------------------|
| Conditions to avoid | : | Heat, flames and sparks.                                          |
|                     |   | Heating of the product will produce harmful and irritant vapours. |

### 10.5 Incompatible materials

|                    |   |                                          |
|--------------------|---|------------------------------------------|
| Materials to avoid | : | Avoid strong acids, bases, and oxidizers |
|--------------------|---|------------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.  
No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

#### Components:

##### **carfentrazone-ethyl (ISO):**

|                           |                                                                                                                                                                                                                                                                                                  |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat, female): 5.143 mg/kg<br>Method: US EPA Test Guideline OPP 81-1<br>Symptoms: Tremors<br>GLP: yes<br><br>LD50 (Rat, female): > 5.000 mg/kg<br>Method: OECD Test Guideline 425<br>GLP: yes<br>Assessment: The substance or mixture has no acute oral toxicity<br>Remarks: no mortality |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 5,09 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: EPA OPP 81 - 3<br>Symptoms: Tremors, chromodacryorrhea, nasal discharge<br>GLP: yes<br>Assessment: The substance or mixture has no acute inhalation toxicity<br>Remarks: no mortality  |
| Acute dermal toxicity     | : LD50 (Rat, male and female): > 4.000 mg/kg<br>Method: US EPA Test Guideline OPP 81-2<br>GLP: yes<br>Assessment: The component/mixture is minimally toxic after single contact with skin.<br>Remarks: no mortality                                                                              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

|                           |                                                                                                                |
|---------------------------|----------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat): 3.200 mg/kg                                                                                      |
| Acute inhalation toxicity | : LC50 (Rat): 1,08 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403 |
| Acute dermal toxicity     | : LD50 (Rabbit): 1.550 mg/kg<br><br>LD50 (Rat): > 2.000 mg/kg                                                  |

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

|                       |                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------|
| Acute oral toxicity   | : LD0 (Rat, male and female): > 2.000 mg/kg<br>Method: OECD Test Guideline 401<br>Remarks: no mortality |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 1.000 - 1.600 mg/kg<br>Method: OECD Test Guideline 402                 |

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Result  | : No skin irritation |

### **Components:**

#### **carfentrazone-ethyl (ISO):**

|            |                                  |
|------------|----------------------------------|
| Species    | : Rabbit                         |
| Assessment | : Not classified as irritant     |
| Method     | : US EPA Test Guideline OPP 81-5 |
| Result     | : slight irritation              |
| GLP        | : yes                            |

### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

|        |                     |
|--------|---------------------|
| Result | : slight irritation |
|--------|---------------------|

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

|         |                   |
|---------|-------------------|
| Species | : Rabbit          |
| Result  | : Skin irritation |

### **Serious eye damage/eye irritation**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

---

### **Product:**

|            |   |                                                                    |
|------------|---|--------------------------------------------------------------------|
| Species    | : | Rabbit                                                             |
| Assessment | : | No eye irritation                                                  |
| Remarks    | : | Minimal effects that do not meet the threshold for classification. |

### **Components:**

#### **carfentrazone-ethyl (ISO):**

|            |   |                            |
|------------|---|----------------------------|
| Species    | : | Rabbit                     |
| Assessment | : | Not classified as irritant |
| Method     | : | EPA OPP 81-4               |
| Result     | : | slight irritation          |
| GLP        | : | yes                        |

#### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Result  | : | Moderate eye irritation |

#### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

|         |   |                                 |
|---------|---|---------------------------------|
| Species | : | Rabbit                          |
| Result  | : | Irreversible effects on the eye |

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Product:**

|         |   |                                          |
|---------|---|------------------------------------------|
| Species | : | Guinea pig                               |
| Result  | : | May cause sensitisation by skin contact. |

### **Components:**

#### **carfentrazone-ethyl (ISO):**

|                 |   |                                    |
|-----------------|---|------------------------------------|
| Exposure routes | : | Skin contact                       |
| Species         | : | Guinea pig                         |
| Method          | : | US EPA Test Guideline OPP 81-6     |
| Result          | : | Does not cause skin sensitisation. |
| GLP             | : | yes                                |

|           |   |                                    |
|-----------|---|------------------------------------|
| Test Type | : | Local lymph node assay (LLNA)      |
| Species   | : | Mouse                              |
| Method    | : | OECD Test Guideline 429            |
| Result    | : | Does not cause skin sensitisation. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

GLP : yes

### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Species : Guinea pig  
Result : Not a skin sensitizer.

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **carfentrazone-ethyl (ISO):**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: U.S. EPA 84-2  
Result: negative  
GLP: yes

Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Result: negative  
GLP: yes

Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Result: negative  
GLP: yes

Germ cell mutagenicity- Assessment : No genotoxic potential

### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection  
Result: negative

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: reverse mutation assay  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Application Route: Oral  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Suspected of causing cancer.

#### **Product:**

Carcinogenicity - Assessment : Suspected of causing cancer.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

ment

Remarks: Estimation based on data obtained on active ingredient.  
The GHS classification specified by the authority

### Components:

#### **carfentrazone-ethyl (ISO):**

|                   |                                  |
|-------------------|----------------------------------|
| Species           | : Rat, female                    |
| Application Route | : Ingestion                      |
| Exposure time     | : 2 Years                        |
| NOAEL             | : 3 mg/kg bw/day                 |
| LOAEL             | : 12 mg/kg bw/day                |
| Method            | : U.S. EPA 83-5                  |
| Result            | : no increase in tumors observed |
| Target Organs     | : Liver                          |
| GLP               | : yes                            |

|                   |                                  |
|-------------------|----------------------------------|
| Species           | : Mouse, female                  |
| Application Route | : Ingestion                      |
| Exposure time     | : 80 weeks                       |
| NOAEL             | : 10 mg/kg bw/day                |
| LOAEL             | : 110 mg/kg bw/day               |
| Method            | : U.S. EPA 83-5                  |
| Result            | : no increase in tumors observed |
| Target Organs     | : Liver                          |
| GLP               | : yes                            |

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **carfentrazone-ethyl (ISO):**

Effects on fertility : Test Type: Multi-generation study  
Species: Rat, male and female  
Application Route: Ingestion  
Fertility: NOEL: 4.000 ppm  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: NOEL: 100 mg/kg bw/day  
Embryo-foetal toxicity: NOEL: 600 mg/kg bw/day  
Result: negative

Test Type: Embryo-foetal development  
Species: Rabbit, female  
Application Route: Oral

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

General Toxicity Maternal: NOEL: 150 mg/kg bw/day  
Embryo-foetal toxicity: NOEL: > 300 mg/kg bw/day  
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Effects on fertility : Test Type: Three-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 14, 70, 350 mg/kg bw d  
General Toxicity - Parent: NOAEL: 350 mg/kg body weight  
General Toxicity F1: NOAEL: 350 mg/kg bw/day  
General Toxicity F2: NOAEL: 350 mg/kg bw/day  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Oral  
Dose: 0.2, 2.0, 300 and 600 mg/kg  
Duration of Single Treatment: 20 d  
General Toxicity Maternal: LOAEL: 600 mg/kg body weight  
Teratogenicity: LOAEL: 600 mg/kg bw/day  
Result: negative  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **STOT - single exposure**

Not classified based on available information.

#### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Components:**

##### **carfentrazone-ethyl (ISO):**

Remarks : No significant adverse effects were reported

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT - repeated exposure**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

---

### **Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Components:**

#### **carfentrazone-ethyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

##### **carfentrazone-ethyl (ISO):**

Species : Mouse, male  
NOAEL : 143 mg/kg  
LOAEL : 571 mg/kg  
Application Route : Oral  
Exposure time : 90 days  
Method : EPA 82-1  
GLP : yes  
Target Organs : Blood, Liver

Species : Dog, male and female  
NOEL : 150 mg/kg  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 90 days  
Target Organs : Blood

Species : Dog, male and female  
NOEL : 50 mg/kg  
NOAEL : 150 mg/kg  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 12 months  
GLP : yes  
Target Organs : Blood

Species : Rat, male  
NOAEL : 58 mg/kg  
Exposure time : 90 d  
Method : EPA 82-1  
GLP : yes

##### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Species : Rat  
NOAEL : 200 mg/kg  
Application Route : Oral

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

---

Exposure time : 28 d  
Method : OECD Test Guideline 407

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Species : Rat, male and female  
NOAEL : 40 mg/kg bw/day  
LOAEL : 115 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 6 months  
Dose : 40, 115, 340, 1030 mg/kg bw d  
Remarks : Based on data from similar materials

### **Aspiration toxicity**

Not classified based on available information.

#### **Product:**

The mixture does not have properties associated with aspiration hazard potential.

#### **Components:**

##### **carfentrazone-ethyl (ISO):**

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Neurological effects**

#### **Components:**

##### **carfentrazone-ethyl (ISO):**

No neurotoxicity observed in animal studies

### **Further information**

#### **Product:**

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

Toxicity to algae/aquatic plants : ErC50 (algae): 0,45 mg/l  
NOEC (algae): 0,1 mg/l

##### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.  
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

##### Components:

##### **carfentrazone-ethyl (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,55 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
  
LC50 (Menidia beryllina (Silverside)): 1,14 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
  
LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: EPA OPP 72-1  
  
LC50 (Lepomis macrochirus (Bluegill sunfish)): 2 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
  
Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 9,8 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility  
  
Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0,0133 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
  
NOEC (Selenastrum capricornutum (green algae)): 0,00933 mg/l  
End point: Growth rate

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

EbC50 (*Selenastrum capricornutum* (green algae)): 16 µg/l  
Exposure time: 120 h

EC50 (*Navicula pelliculosa* (Diatom)): 12 µg/l  
Exposure time: 72 h  
Test Type: static test

EC50 (*Skeletonema costatum* (Diatom)): 15 µg/l  
Exposure time: 72 h  
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : NOEC (activated sludge): 1.000 mg/l  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 22 µg/l  
Exposure time: 89 d  
Species: *Oncorhynchus mykiss* (rainbow trout)  
Test Type: Early Life-Stage  
Method: OECD Test Guideline 210  
GLP: yes

NOEC: 0,118 mg/l  
Exposure time: 102 d  
Species: *Oncorhynchus mykiss* (rainbow trout)  
Test Type: flow-through test  
Method: US EPA Test Guideline OPP 72-4

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,309 mg/l  
End point: Growth  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Method: OECD Test Guideline 202

NOEC: 0,316 mg/l  
End point: Growth  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
Method: OECD Test Guideline 202

NOEC: 35 mg/l  
End point: reproduction  
Exposure time: 21 d  
Species: *Daphnia* (water flea)  
Method: US EPA Test Guideline OPPTS 850.1300  
Remarks: Information given is based on data obtained from

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

similar product.

M-Factor (Chronic aquatic toxicity)

: 10

Toxicity to soil dwelling organisms

: NOEC: 820 mg/kg  
Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms

: LD50: > 5.620 ppm  
End point: Acute oral toxicity  
Species: Anas platyrhynchos (Mallard duck)  
Remarks: Dietary

LC50: > 5.620 ppm  
End point: Acute oral toxicity  
Species: Colinus virginianus (Bobwhite quail)  
Remarks: Dietary

LD50: > 2.000 mg/kg  
End point: Acute oral toxicity  
Species: Colinus virginianus (Bobwhite quail)  
Method: EPA OPP 71-1

LD50: > 2.250 mg/kg  
End point: Acute oral toxicity  
Species: Colinus virginianus (Bobwhite quail)  
Method: EPA OPP 71-1

NOEL: 1000 ppm  
End point: Reproduction Test  
Species: Colinus virginianus (Bobwhite quail)

LD50: > 200 µg/bee  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: > 200 µg/bee  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

### Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

### **Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,1 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): 28,2 mg/l  
Exposure time: 72 h

EC50 (Scenedesmus subspicatus): 152,2 mg/l  
Exposure time: 72 h

### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 31,6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 62 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,5 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 550 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,23 mg/l  
Exposure time: 72 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: flow-through test  
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : NOEC: 250 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

Method: OECD Test Guideline 207  
Remarks: Based on data from similar materials

LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
Remarks: Based on data from similar materials

Plant toxicity : EC50: 167 mg/kg  
Exposure time: 21 d  
Species: Sorghum bicolor (sorghum)

80 mg/kg  
Exposure time: 14 d  
Species: Avena sativa (oats)

Toxicity to terrestrial organisms : EC10: 82 mg/kg  
Exposure time: 21 d  
Species: Hypoaspis aculeifer  
Remarks: Information given is based on data obtained from similar substances.

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Estimation based on data obtained on active ingredient.  
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### Components:

##### **carfentrazone-ethyl (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 3,9 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

Stability in water : Degradation half life: 3,6 h  
pH: 9

Degradation half life: 8,6 d  
pH: 7

Photodegradation :

##### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Biodegradability : Inoculum: activated sludge, non-adapted

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Result: Not readily biodegradable.  
Biodegradation: 2,9 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

Result: Inherently biodegradable.  
Biodegradation: > 35 - 45 %  
Exposure time: 10 d

### 12.3 Bioaccumulative potential

#### **Product:**

Bioaccumulation : Remarks: Does not bioaccumulate.  
Estimation based on data obtained on active ingredient.

#### **Components:**

##### **carfentrazone-ethyl (ISO):**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Exposure time: 28 d  
Bioconcentration factor (BCF): 176  
Method: OECD Test Guideline 305E  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,7 (20 °C)

##### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:**

Bioaccumulation : Bioconcentration factor (BCF): 3,16  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,595 (20 °C)

### 12.4 Mobility in soil

#### **Product:**

Distribution among environmental compartments : Remarks: Under normal conditions the substance/mixture is mobile in soil.  
Estimation based on data obtained on active ingredient.

#### **Components:**

##### **carfentrazone-ethyl (ISO):**

Distribution among environmental compartments : Remarks: The substance/mixture and its soil metabolites have a potential for being mobile, but were not detected in a field leaching study.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

---

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

|                        |                                                                                                                                                                                                                                                                                   |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                | : The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company.                                                                |
| Contaminated packaging | : Empty remaining contents.<br>Triple rinse containers.<br>Do not re-use empty containers.<br>Packaging that is not properly emptied must be disposed of as the unused product.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal. |

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

|     |           |
|-----|-----------|
| ADN | : UN 3082 |
| ADR | : UN 3082 |
| RID | : UN 3082 |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

**IMDG** : UN 3082

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Carfentrazone-ethyl)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Carfentrazone-ethyl)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Carfentrazone-ethyl)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Carfentrazone-ethyl)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(Carfentrazone-ethyl)

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADN</b>  | : 9   |                  |
| <b>ADR</b>  | : 9   |                  |
| <b>RID</b>  | : 9   |                  |
| <b>IMDG</b> | : 9   |                  |
| <b>IATA</b> | : 9   |                  |

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>18.09.2025 | SDS Number:<br>50000505 | Date of last issue: -<br>Date of first issue: 18.09.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 2,95 %

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

|      |                                                                                                                                                                                                                                                                                                                                       |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TCSI | : Not in compliance with the inventory                                                                                                                                                                                                                                                                                                |
| TSCA | : Product contains substance(s) not listed on TSCA inventory.                                                                                                                                                                                                                                                                         |
| AIIC | : Not in compliance with the inventory                                                                                                                                                                                                                                                                                                |
| DSL  | : This product contains the following components that are not on the Canadian DSL nor NDSL.<br><br>ETHYL (RS)-2-CHLORO-3-{2-CHLORO-5-[4-(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE<br>acetic acid<br>Polymeric surfactant<br>Aromatic hydrocarbons, C9; Alkylbenzenes; C9-aromatics |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether 2-ethylhexyl oleate

|       |   |                                      |
|-------|---|--------------------------------------|
| ENCS  | : | Not in compliance with the inventory |
| ISHL  | : | Not in compliance with the inventory |
| KECI  | : | Not in compliance with the inventory |
| PICCS | : | Not in compliance with the inventory |
| IECSC | : | Not in compliance with the inventory |
| NZIoC | : | Not in compliance with the inventory |
| TECI  | : | Not in compliance with the inventory |

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

|      |   |                                                       |
|------|---|-------------------------------------------------------|
| H312 | : | Harmful in contact with skin.                         |
| H315 | : | Causes skin irritation.                               |
| H318 | : | Causes serious eye damage.                            |
| H319 | : | Causes serious eye irritation.                        |
| H332 | : | Harmful if inhaled.                                   |
| H400 | : | Very toxic to aquatic life.                           |
| H410 | : | Very toxic to aquatic life with long lasting effects. |
| H411 | : | Toxic to aquatic life with long lasting effects.      |

### Full text of other abbreviations

|                 |   |                                    |
|-----------------|---|------------------------------------|
| Acute Tox.      | : | Acute toxicity                     |
| Aquatic Acute   | : | Short-term (acute) aquatic hazard  |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard |
| Eye Dam.        | : | Serious eye damage                 |
| Eye Irrit.      | : | Eye irritation                     |
| Skin Irrit.     | : | Skin irritation                    |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## AFFINITY®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 18.09.2025     | 50000505    | Date of first issue: 18.09.2025 |

laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Skin Sens. 1      | H317 |
| Carc. 2           | H351 |
| Aquatic Acute 1   | H400 |
| Aquatic Chronic 1 | H410 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Based on product data or assessment |
| Calculation method                  |
| Based on product data or assessment |

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GR / 6N