

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name AFFINITY®

Other means of identification

Product code 50000505

Unique Formula Identifier (UFI) : RDAY-N20U-8N45-8N5S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Crop desiccant / Undesired shoot control

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Chemicals Hellas MEPE
Syngrou Avenue 348
17674 Kallithea
Greece

Telephone: +30 211 1982768
Telefax: +30 211 1138614
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
Cyprus: 1401

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0	Revision Date: 10.10.2025	SDS Number: 50000505	Date of last issue: - Date of first issue: 10.10.2025
----------------	------------------------------	-------------------------	--

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P201 Obtain special instructions before use.
P261 Avoid breathing gases/ droplets/ vapors/ sprays.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/personal protective equipment for eyes/face.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Disposal of contents/container in accordance with national legislation.

Additional Labelling

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0 Revision Date: 10.10.2025 SDS Number: 50000505 Date of last issue: -
Date of first issue: 10.10.2025

- EUH066 Repeated exposure may cause skin dryness or cracking.
- EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
carfentrazone-ethyl (ISO)	128639-02-1 607-309-00-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 2,5 - < 10
Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether	134180-76-0	Acute Tox. 4; H332 Acute Tox. 4; H312 Eye Irrit. 2; H319 Aquatic Chronic 2; H411 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 1,08	>= 2,5 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0 Revision Date: 10.10.2025 SDS Number: 50000505 Date of last issue: -
Date of first issue: 10.10.2025

		mg/l Acute dermal toxicity: 1.550 mg/kg	
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8 273-234-6	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411 Acute toxicity estimate Acute dermal toxicity: 1.001 mg/kg	$\geq 1 - < 2,5$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Fluorine compounds
Hydrogen cyanide
Hydrogen chloride
Chlorinated compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Ensure adequate ventilation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installa-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0 Revision Date: 10.10.2025 SDS Number: 50000505 Date of last issue: -
Date of first issue: 10.10.2025

tions / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	6 mg/m3
	Workers	Dermal	Long-term systemic effects	8,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,48 mg/m3
	Consumers	Dermal	Long-term systemic effects	4,25 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,43 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-ethylhexyl oleate	Fresh water sediment	1,44 mg/kg dry weight (d.w.)
	Marine sediment	1,44 mg/kg dry weight (d.w.)
	Soil	20 mg/kg dry weight (d.w.)
Benzenesulfonic acid, mono-	Fresh water	0,023 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0 Revision Date: 10.10.2025 SDS Number: 50000505 Date of last issue: -
Date of first issue: 10.10.2025

C11-13-branched alkyl derivs., calcium salts		
	Marine water	0,002 mg/l
	Sewage treatment plant	5,5 mg/l
	Fresh water sediment	1,35 mg/kg
	Marine sediment	0,135 mg/kg
	Soil	0,124 mg/kg
	Intermittent use (freshwater)	0,290 mg/l

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : liquid
Colour : yellow-orange
Odour : oily
Odour Threshold : not determined
Melting point/freezing point : not determined
Boiling point/boiling range : not determined
Upper explosion limit / Upper flammability limit : not determined
Lower explosion limit / Lower flammability limit : not determined

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Flash point	:	111 °C
Decomposition temperature	:	not determined
pH	:	4,86
		Concentration: 1 %
		In a 1% aqueous dispersion
Viscosity		
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	20,42 mm ² /s (40 °C)
		23,44 mm ² /s (40 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Relative density	:	0,9308 (20 °C)
Relative vapour density	:	not determined
Particle characteristics		
Particle size	:	Not applicable
Particle Size Distribution	:	Not applicable

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Flammability (liquids)	:	ignitable, Based on available information, the classification criteria for flammability hazard are not met.
Self-ignition	:	356 °C
Miscibility with water	:	dispersible
Surface tension	:	30 mN/m, 25 °C
		29 mN/m, 40 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks. Heating of the product will produce harmful and irritant vapours.
---------------------	---	---

10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers
--------------------	---	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

10.6 Hazardous decomposition products

Stable under recommended storage conditions.
No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Components:

carfentrazone-ethyl (ISO):

Acute oral toxicity : LD50 (Rat, female): 5.143 mg/kg
Method: US EPA Test Guideline OPP 81-1
Symptoms: Tremors
GLP: yes

LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Tremors, chromodacryorrhea, nasal discharge
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 4.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Acute oral toxicity	: LD50 (Rat): 3.200 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 1,08 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rabbit): 1.550 mg/kg LD50 (Rat): > 2.000 mg/kg

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Acute oral toxicity	: LD0 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 401 Remarks: no mortality
Acute dermal toxicity	: LD50 (Rat, male and female): > 1.000 - 1.600 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	: Rabbit
Result	: No skin irritation

Components:

carfentrazone-ethyl (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: US EPA Test Guideline OPP 81-5
Result	: slight irritation
GLP	: yes

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Result	: slight irritation
--------	---------------------

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	: Rabbit
Result	: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Product:

Species	:	Rabbit
Assessment	:	No eye irritation
Remarks	:	Minimal effects that do not meet the threshold for classification.

Components:

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	EPA OPP 81-4
Result	:	slight irritation
GLP	:	yes

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Species	:	Rabbit
Result	:	Moderate eye irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Species	:	Guinea pig
Result	:	May cause sensitisation by skin contact.

Components:

carfentrazone-ethyl (ISO):

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPP 81-6
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

GLP : yes

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Species : Guinea pig
Result : Not a skin sensitizer.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Components:

carfentrazone-ethyl (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: U.S. EPA 84-2
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0	Revision Date: 10.10.2025	SDS Number: 50000505	Date of last issue: - Date of first issue: 10.10.2025
----------------	------------------------------	-------------------------	--

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Result: negative
GLP: yes

Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Result: negative
GLP: yes

Germ cell mutagenicity- Assessment : No genotoxic potential

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Result: negative

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Components:

carfentrazone-ethyl (ISO):

Species	: Rat, female
Application Route	: Ingestion
Exposure time	: 2 Years
NOAEL	: 3 mg/kg bw/day
LOAEL	: 12 mg/kg bw/day
Method	: U.S. EPA 83-5
Result	: no increase in tumors observed
Target Organs	: Liver
GLP	: yes

Species	: Mouse, female
Application Route	: Ingestion
Exposure time	: 80 weeks
NOAEL	: 10 mg/kg bw/day
LOAEL	: 110 mg/kg bw/day
Method	: U.S. EPA 83-5
Result	: no increase in tumors observed
Target Organs	: Liver
GLP	: yes

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Components:

carfentrazone-ethyl (ISO):

Effects on fertility	: Test Type: Multi-generation study Species: Rat, male and female Application Route: Ingestion Fertility: NOEL: 4.000 ppm Result: negative
----------------------	--

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat, female
-------------------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Application Route: Oral
General Toxicity Maternal: NOEL: 100 mg/kg bw/day
Embryo-foetal toxicity: NOEL: 600 mg/kg bw/day
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOEL: 150 mg/kg bw/day
Embryo-foetal toxicity: NOEL: > 300 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 14, 70, 350 mg/kg bw d
General Toxicity - Parent: NOAEL: 350 mg/kg body weight
General Toxicity F1: NOAEL: 350 mg/kg bw/day
General Toxicity F2: NOAEL: 350 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 0.2, 2.0, 300 and 600 mg/kg
Duration of Single Treatment: 20 d
General Toxicity Maternal: LOAEL: 600 mg/kg body weight
Teratogenicity: LOAEL: 600 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

carfentrazone-ethyl (ISO):

Species : Mouse, male
NOAEL : 143 mg/kg
LOAEL : 571 mg/kg
Application Route : Oral
Exposure time : 90 days
Method : EPA 82-1
GLP : yes
Target Organs : Blood, Liver

Species : Dog, male and female
NOEL : 150 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 90 days
Target Organs : Blood

Species : Dog, male and female
NOEL : 50 mg/kg
NOAEL : 150 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 12 months
GLP : yes
Target Organs : Blood

Species : Rat, male
NOAEL : 58 mg/kg
Exposure time : 90 d
Method : EPA 82-1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

GLP : yes

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Species	: Rat
NOAEL	: 200 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Method	: OECD Test Guideline 407

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	: Rat, male and female
NOAEL	: 40 mg/kg bw/day
LOAEL	: 115 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 6 months
Dose	: 40, 115, 340, 1030 mg/kg bw d
Remarks	: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

carfentrazone-ethyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0	Revision Date: 10.10.2025	SDS Number: 50000505	Date of last issue: - Date of first issue: 10.10.2025
----------------	------------------------------	-------------------------	--

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to algae/aquatic plants : ErC50 (algae): 0,45 mg/l

NOEC (algae): 0,1 mg/l

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

carfentrazone-ethyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,55 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

LC50 (Menidia beryllina (Silverside)): 1,14 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: EPA OPP 72-1

LC50 (Lepomis macrochirus (Bluegill sunfish)): 2 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 9,8 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0,0133 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0	Revision Date: 10.10.2025	SDS Number: 50000505	Date of last issue: - Date of first issue: 10.10.2025
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 201
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 0,00933 mg/l

End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

EbC50 (Selenastrum capricornutum (green algae)): 16 µg/l
Exposure time: 120 h

EC50 (Navicula pelliculosa (Diatom)): 12 µg/l
Exposure time: 72 h
Test Type: static test

EC50 (Skeletonema costatum (Diatom)): 15 µg/l
Exposure time: 72 h
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : NOEC (activated sludge): 1.000 mg/l
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 22 µg/l
Exposure time: 89 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

NOEC: 0,118 mg/l
Exposure time: 102 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,309 mg/l
End point: Growth
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

NOEC: 0,316 mg/l
End point: Growth
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0	Revision Date: 10.10.2025	SDS Number: 50000505	Date of last issue: - Date of first issue: 10.10.2025
----------------	------------------------------	-------------------------	--

NOEC: 35 mg/l
End point: reproduction
Exposure time: 21 d
Species: Daphnia (water flea)
Method: US EPA Test Guideline OPPTS 850.1300
Remarks: Information given is based on data obtained from similar product.

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC: 820 mg/kg
Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 5.620 ppm
End point: Acute oral toxicity
Species: Anas platyrhynchos (Mallard duck)
Remarks: Dietary

LC50: > 5.620 ppm
End point: Acute oral toxicity
Species: Colinus virginianus (Bobwhite quail)
Remarks: Dietary

LD50: > 2.000 mg/kg
End point: Acute oral toxicity
Species: Colinus virginianus (Bobwhite quail)
Method: EPA OPP 71-1

LD50: > 2.250 mg/kg
End point: Acute oral toxicity
Species: Colinus virginianus (Bobwhite quail)
Method: EPA OPP 71-1

NOEL: 1000 ppm
End point: Reproduction Test
Species: Colinus virginianus (Bobwhite quail)

LD50: > 200 µg/bee
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 200 µg/bee

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

End point: Acute contact toxicity
Species: Apis mellifera (bees)

Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,1 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): 28,2 mg/l
Exposure time: 72 h

EC50 (Scenedesmus subspicatus): 152,2 mg/l
Exposure time: 72 h

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 31,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 62 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,5 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 550 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,23 mg/l
Exposure time: 72 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,18 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0	Revision Date: 10.10.2025	SDS Number: 50000505	Date of last issue: - Date of first issue: 10.10.2025
----------------	------------------------------	-------------------------	--

Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : NOEC: 250 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
Remarks: Based on data from similar materials

LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
Remarks: Based on data from similar materials

Plant toxicity : EC50: 167 mg/kg
Exposure time: 21 d
Species: Sorghum bicolor (sorghum)

80 mg/kg
Exposure time: 14 d
Species: Avena sativa (oats)

Toxicity to terrestrial organisms : EC10: 82 mg/kg
Exposure time: 21 d
Species: Hypoaspis aculeifer
Remarks: Information given is based on data obtained from similar substances.

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Remarks: Estimation based on data obtained on active ingredient.
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 3,9 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Stability in water : Degradation half life: 3,6 h
pH: 9

Degradation half life: 8,6 d
pH: 7

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Photodegradation :

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Biodegradation: 2,9 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

Result: Inherently biodegradable.
Biodegradation: > 35 - 45 %
Exposure time: 10 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

Components:

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Exposure time: 28 d
Bioconcentration factor (BCF): 176
Method: OECD Test Guideline 305E
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,7 (20 °C)

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Bioaccumulation : Bioconcentration factor (BCF): 3,16
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,595 (20 °C)

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: Under normal conditions the substance/mixture is mobile in soil.
Estimation based on data obtained on active ingredient.

Components:

carfentrazone-ethyl (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Distribution among environmental compartments : Remarks: The substance/mixture and its soil metabolites have a potential for being mobile, but were not detected in a field leaching study.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0	Revision Date: 10.10.2025	SDS Number: 50000505	Date of last issue: - Date of first issue: 10.10.2025
----------------	------------------------------	-------------------------	--

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Carfentrazone-ethyl)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version 1.0	Revision Date: 10.10.2025	SDS Number: 50000505	Date of last issue: - Date of first issue: 10.10.2025
----------------	------------------------------	-------------------------	--

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 2,95 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

ETHYL (RS)-2-CHLORO-3-[2-CHLORO-5-[4-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

(DIFLUOROMETHYL)-4,5-DIHYDRO-3-METHYL-5-OXO-1H-1,2,4-TRIAZOL-1-YL]-4-FLUOROPHENYL}PROPIONATE
acetic acid
Polymeric surfactant
Aromatic hydrocarbons, C9; Alkylbenzenes; C9-aromatics
Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether
2-ethylhexyl oleate

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H312	:	Harmful in contact with skin.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1	H317
Carc. 2	H351
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AFFINITY®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.10.2025	50000505	Date of first issue: 10.10.2025

© 2021-2025 FMC Corporation. All Rights Reserved.

CY / 6N