



Product Name: **PF-83-18 Herbicide (PCP# 35858)**

Specification ID# **50003161**

PF-83-18 Herbicide is considered a mechanical mixture of two (2) individual products.

Attached are the component product SDSs which make up **PF-83-18 Herbicide**:

Carfentrazone 40 WG MUP

PCP # **34141**

SDS Date: **02/20/2026**

Specification ID#: **50002567**

Pyroxasulfone 85 WG

PCP # **35222**

SDS Date: **02/18/2026**

Specification ID#: **50002920**

Please read the SDS in order to have a complete understanding of all the risks associated with each product before use.

Manufacturer/Distributor:

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Telephone Numbers:

Product Information: 1-833-362-7722

Medical Emergency: 1-800-331-3148 (USA & Canada) Preparation

Date: 02/23/2026

Member of CropLife Canada®/TM Registered trademarks/trademarks of FMC Corporation or an affiliate.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

SECTION 1. IDENTIFICATION

Product identifier

Product name Carfentrazone 40 WG MUP

Other means of identification

Product code 50002567

Product Registration Number PCP #34141

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version 1.1 Revision Date: 02/20/2026 SDS Number: 50002567 Date of last issue: 07/20/2021
Date of first issue: 07/20/2021

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
carfentrazone-ethyl (ISO)	Carfentrazone-ethyl	128639-02-1	40
Silicon dioxide	Silicon dioxide	112926-00-8	$\geq 10 - < 30$ *
kaolin	Kaolin	1332-58-7	$\geq 10 - < 30$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Fluorine compounds
Hydrogen cyanide
Hydrogen chloride
Chlorinated compounds

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version 1.1 Revision Date: 02/20/2026 SDS Number: 50002567 Date of last issue: 07/20/2021
Date of first issue: 07/20/2021

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Evacuate personnel to safe areas.
Avoid dust formation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Avoid formation of respirable particles.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version 1.1 Revision Date: 02/20/2026 SDS Number: 50002567 Date of last issue: 07/20/2021
Date of first issue: 07/20/2021

Silicon dioxide	112926-00-8	TWA (Respirable)	1.5 mg/m3	CA BC OEL
		TWA (Total)	4 mg/m3	CA BC OEL
		TWAEV (respirable dust)	6 mg/m3	CA QC OEL
kaolin	1332-58-7	TWA (Respirable)	2 mg/m3	CA AB OEL
		TWA (Respirable)	2 mg/m3	CA BC OEL
		TWAEV (respirable dust)	2 mg/m3	CA QC OEL
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product. Always have on hand a cyanide first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Hygiene measures : General industrial hygiene practice.
Avoid contact with the skin and the eyes.
Do not breathe dust or spray mist.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: powder
Color	: off-white
Odor	: Latex smell slight
Odor Threshold	: not determined
pH	: 8.63 (23.9 °C)
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Flash point	: not determined
Evaporation rate	: not determined
Flammability (solid, gas)	: Not highly flammable
Self-ignition	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapor pressure	: Not available for this mixture.
Relative vapor density	: not determined
Relative density	: 0.55

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Density	:	0.716 g/cm3 Pour density
		0.735 g/cm3 Tap density
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Autoignition temperature	:	No data available
Decomposition temperature	:	not determined
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Avoid extreme temperatures. Avoid dust formation. Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	Stable under recommended storage conditions.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 5.18 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality
Highest attainable concentration. |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes |

Components:

carfentrazone-ethyl (ISO):

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat, female): 5,143 mg/kg
Method: US EPA Test Guideline OPP 81-1
Symptoms: Tremors
GLP: yes

LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 5.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Tremors, chromodacryorrhea, nasal discharge
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Method: US EPA Test Guideline OPP 81-2
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Silicon dioxide:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50: 5.07 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : No skin irritation

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Method	:	OECD Test Guideline 404
GLP	:	yes
Remarks	:	Minimal effects that do not meet the threshold for classification.

Components:

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Method	:	US EPA Test Guideline OPP 81-5
Result	:	No skin irritation
GLP	:	yes
Remarks	:	slight irritation Minimal effects that do not meet the threshold for classification.

Silicon dioxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

kaolin:

Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Minimal effects that do not meet the threshold for classification.

Components:

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Result	:	No eye irritation
Method	:	EPA OPP 81-4
GLP	:	yes
Remarks	:	slight irritation Minimal effects that do not meet the threshold for classification.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Silicon dioxide:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

kaolin:

Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.
GLP	:	yes

Components:

carfentrazone-ethyl (ISO):

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPP 81-6
Result	:	Does not cause skin sensitization.
GLP	:	yes

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.
GLP	:	yes

kaolin:

Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Components:

carfentrazone-ethyl (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: U.S. EPA 84-2
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Result: negative
GLP: yes

Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : No genotoxic potential.

Silicon dioxide:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Remarks: Based on data from similar materials

Genotoxicity in vivo : Species: Rat (male)
Application Route: Inhalation
Result: negative
Remarks: Based on data from similar materials

kaolin:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

carfentrazone-ethyl (ISO):

Species : Rat, female
Application Route : Ingestion
Exposure time : 2 Years
NOAEL : 3 mg/kg bw/day
LOAEL : 12 mg/kg bw/day
Method : U.S. EPA 83-5
Result : no increase in tumors observed
Target Organs : Liver
GLP : yes

Species : Mouse, female
Application Route : Ingestion
Exposure time : 80 weeks
NOAEL : 10 mg/kg bw/day
LOAEL : 110 mg/kg bw/day
Method : U.S. EPA 83-5
Result : no increase in tumors observed
Target Organs : Liver
GLP : yes

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Silicon dioxide:

Species : Rat
Application Route : Oral
Exposure time : 103 weeks
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

carfentrazone-ethyl (ISO):

Effects on fertility : Test Type: Multi-generation study
Species: Rat, male and female
Application Route: Ingestion
Fertility: NOEL: 4,000 ppm
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOEL: 100 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 600 mg/kg bw/day
Result: negative

Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOEL: 150 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: > 300 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

Silicon dioxide:

Effects on fertility : Species: Rat
General Toxicity Parent: NOAEL: 1.5 mg/kg bw/day
Fertility: NOAEL: > 6.9 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 2 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 2 mg/kg bw/day
Symptoms: Reduced fetal weight., Reduced number of viable fetuses.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 500 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 500 mg/kg bw/day
Symptoms: Reduced fetal weight., fused or incompletely ossified sternebrae

kaolin:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

carfentrazone-ethyl (ISO):

Species : Mouse, male
NOAEL : 143 mg/kg
LOAEL : 571 mg/kg
Application Route : Oral
Exposure time : 90 days
Method : EPA 82-1
GLP : yes
Target Organs : Blood, Liver

Species : Dog, male and female
NOEL : 150 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 90 days
Target Organs : Blood

Species : Dog, male and female

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

NOEL	: 50 mg/kg
NOAEL	: 150 mg/kg
LOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 12 months
GLP	: yes
Target Organs	: Blood

Species	: Rat, male
NOAEL	: 58 mg/kg
Exposure time	: 90 d
Method	: EPA 82-1
GLP	: yes

Silicon dioxide:

Species	: Rat, male and female
NOAEL	: 2,500 mg/kg
Application Route	: Oral
Exposure time	: 13 weeks
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 1.3 - 10 mg/l
LOAEL	: 5.9 mg/l
Application Route	: Inhalation
Exposure time	: 13 weeks
Method	: OECD Test Guideline 413
Remarks	: Based on data from similar materials

kaolin:

Remarks	: No data available
---------	---------------------

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

carfentrazone-ethyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to algae/aquatic plants	: NOEC (algae): 0.0063 mg/l Exposure time: 72 h ErC50 (algae): 0.067 mg/l Exposure time: 72 h NOEC (Lemna gibba (gibbous duckweed)): 0.00158 µg/l Exposure time: 7 d Method: OECD Test Guideline 221 EC50 (Lemna gibba (gibbous duckweed)): 0.030 µg/l Exposure time: 7 d Method: OECD Test Guideline 221
Toxicity to soil dwelling organisms	: NOEC (Eisenia fetida (earthworms)): 45.9 mg/kg Method: OECD Test Guideline 222 LC50 (Eisenia fetida (earthworms)): > 45.9 mg/kg Method: OECD Test Guideline 222
Toxicity to terrestrial organisms	: LD50 (Apis mellifera (bees)): > 200 µg/bee Exposure time: 48 h End point: Acute oral toxicity Method: OECD Test Guideline 213

Components:

carfentrazone-ethyl (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 2.55 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 LC50 (Menidia beryllina (Silverside)): 1.14 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l Exposure time: 96 h
------------------	--

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Test Type: flow-through test
Method: EPA OPP 72-1

LC50 (Lepomis macrochirus (Bluegill sunfish)): 2 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 9.8 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0.0133 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 0.00933 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

EbC50 (Selenastrum capricornutum (green algae)): 16 µg/l
Exposure time: 120 h

EC50 (Navicula pelliculosa (Diatom)): 12 µg/l
Exposure time: 72 h
Test Type: static test

EC50 (Skeletonema costatum (Diatom)): 15 µg/l
Exposure time: 72 h
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 22 µg/l
Exposure time: 89 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.118 mg/l
Exposure time: 102 d
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.309 mg/l
End point: Growth
Exposure time: 21 d
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

NOEC (Daphnia magna (Water flea)): 0.316 mg/l

End point: Growth

Exposure time: 21 d

Method: OECD Test Guideline 202

NOEC (Daphnia): 35 mg/l

End point: reproduction

Exposure time: 21 d

Method: US EPA Test Guideline OPPTS 850.1300

Remarks: Information given is based on data obtained from similar product.

Toxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 820 mg/kg

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm
End point: Acute oral toxicity
Remarks: Dietary

LC50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

End point: Acute oral toxicity

Remarks: Dietary

LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg

End point: Acute oral toxicity

Method: EPA OPP 71-1

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

End point: Acute oral toxicity

Method: EPA OPP 71-1

NOEL (Colinus virginianus (Bobwhite quail)): 1000 ppm

End point: Reproduction Test

LD50 (Apis mellifera (bees)): > 200 µg/bee

End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee

End point: Acute contact toxicity

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

Silicon dioxide:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOELR (Desmodesmus subspicatus (green algae)): 10,000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Components:

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 3.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Stability in water : Degradation half life: 3.6 h pH: 9
Degradation half life: 8.6 d pH: 7

Photodegradation :

Silicon dioxide:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 176
Exposure time: 28 d
Method: OECD Test Guideline 305E
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3.7 (20 °C)

Silicon dioxide:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Remarks: Based on data from similar materials

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : Remarks: Not applicable

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

octanol/water

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Koc: 866, log Koc: 2.93
Remarks: Mobile in soils

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers can be landfilled, when in accordance with the local regulations.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carfentrazone-ethyl)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carfentrazone-ethyl)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carfentrazone-ethyl)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(Carfentrazone-ethyl)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : formaldehyde

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

PMRA/PCPA Information

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label., Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

WARNING

May be harmful if contacts the eyes., Avoid breathing dust or spray mist., Avoid contact with skin, eyes and clothing., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., This product is toxic to fish and invertebrates.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Carfentrazone 40 WG MUP

Version	Revision Date:	SDS Number:	Date of last issue: 07/20/2021
1.1	02/20/2026	50002567	Date of first issue: 07/20/2021

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

SECTION 1. IDENTIFICATION

Product identifier

Product name Pyroxasulfone 85 WG

Other means of identification

Product code 50002920

Product Registration Number PCP #53222

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Specific target organ toxicity : Category 2 (Nervous system, Kidney, Liver, Cardio-vascular system, Bladder)
- repeated exposure

GHS label elements

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Hazard pictograms

:



Signal Word

: WARNING

Hazard Statements

: H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements

:

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P273 Avoid release to the environment.

Response:

P314 Get medical attention if you feel unwell.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Pyroxasulfone	Pyroxasulfone	447399-55-5	85

SECTION 4. FIRST AID MEASURES

General advice

: Treat symptomatically.

If inhaled

: If symptoms persist, call a physician.

In case of skin contact

: Wash off with warm water.
If skin irritation persists, call a physician.

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 5 minutes.
If eye irritation persists, consult a specialist.

If swallowed

: Get medical advice/ attention if you feel unwell.

Most important symptoms

: May cause damage to organs through prolonged or repeated

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

and effects, both acute and delayed

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing. Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides
Hydrogen fluoride
Fluorinated compounds
Nitrogen oxides (NO_x)
Sulfur oxides
Sulphuric acid
Hydrogen cyanide
Fire may produce irritating, corrosive and/or toxic gases.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: granular
Color	: light brown
Odor	: characteristic
Odor Threshold	: No data available
Melting point/freezing point	: 130.7 °C Data on the active ingredient only
Initial boiling point and boiling range	: 362.4 °C Data on the active ingredient only
Flash point	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: 0.0000024 Pa (25 °C)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Data on the active ingredient only

Relative density : 1.6

Density : 1.60 g/cm³

Data on the active ingredient only

Solubility(ies)

Water solubility : 3.48 mg/l Data on the active ingredient only (20 °C)

Solubility in other solvents : 250 g/l (20 °C)
Data on the active ingredient only
Solvent: Acetone

11.4 g/l (20 °C)
Data on the active ingredient only
Solvent: Methanol

3.48 g/l (20 °C)
Data on the active ingredient only
Solvent: water

0.0721 g/l (20 °C)
Data on the active ingredient only
Solvent: n-hexane

11.3 g/l (20 °C)
Data on the active ingredient only
Solvent: Toluene

151 g/l (20 °C)
Data on the active ingredient only
Solvent: 1,2-Dichloroethane

97.0 g/l (20 °C)
Data on the active ingredient only
Solvent: ethyl acetate

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong acids and strong bases

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute inhalation toxicity : LC50: > 5.8 mg/l
Test atmosphere: dust/mist

Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Components:

Pyroxasulfone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat): > 6.56 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

Pyroxasulfone:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

Pyroxasulfone:

Species : Rabbit
Result : slight irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

Pyroxasulfone:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Pyroxasulfone:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Pyroxasulfone:

Species	: Rat, male
Exposure time	: 2 Years
	: 2.2 mg/kg bw/day
Result	: positive
Target Organs	: Bladder

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Pyroxasulfone:

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs (Nervous system, Kidney, Liver, Cardio-vascular system, Bladder) through prolonged or repeated exposure.

Components:

Pyroxasulfone:

Target Organs	: Nervous system, Kidney, Liver, Cardio-vascular system, Bladder
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): 0.00263 mg/l Exposure time: 72 h
		NOEC (Selenastrum capricornutum (green algae)): 0.00060 mg/l Exposure time: 72 h

Components:

Pyroxasulfone:

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): > 202 mg/l Exposure time: 96 h
		LL50 (Lepomis macrochirus (Bluegill sunfish)): > 208 mg/l Exposure time: 96 h
		LL50 (Cyprinodon variegatus (sheepshead minnow)): > 3.3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 4.4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (green algae): 0.000743 mg/l Exposure time: 72 h
		EC50 (Lemna gibba (duckweed)): 0.00043 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 2 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.9 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 997 mg/kg Exposure time: 14 d

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 100 µg/bee
Exposure time: 48 d
Remarks: Contact

LOEC (Anas platyrhynchos (Mallard duck)): 60 mg/kg
End point: Reproduction Test

Persistence and degradability

Components:

Pyroxasulfone:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

Pyroxasulfone:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.39 (25 °C)

Mobility in soil

Components:

Pyroxasulfone:

Distribution among environmental compartments : Adsorption/Soil
Koc: 57 - 114 ml/g, log Koc: > 1.75
Remarks: Highly mobile in soils

Stability in soil :

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Pyroxasulfone)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Pyroxasulfone)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Pyroxasulfone)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

	N.O.S.
	(Pyroxasulfone)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(Pyroxasulfone)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

Pyroxasulfone

INERT INGREDIENTS (NULL)

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Pyroxasulfone 85 WG

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2026
1.2	02/18/2026	50002920	Date of first issue: 01/26/2024

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet