

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

SECTION 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY OR UNDERTAKING

Chemical product identification : RHIZOMAGIC®

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Crop nutrition

Restrictions on use : Use as recommended by the label.

Details of the supplier of the safety data sheet

Company name of supplier : FMC QUIMICA CHILE LTDA

Supplier's address : AVDA VITACURA 2670,
PISO 15, LAS CONDES,
VITACURA, SANTIAGO, CHILE
+56 2 28204200

E-mail address : SDS-Info@fmc.com

Emergency and toxicological information number in Chile : Chile: Spills: CITUC: +56 2 2247 3600 (24 hours) Fire: 132 (24 hours)
+56-22-5814934 (CHEMTREC - Chile)
1 703 / 741-5970 (CHEMTREC - International)

Medical Emergency Number : Chile: CITUC: +56 2 2635 3800 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Corrosive to Metals : Category 1

Serious eye damage/eye irritation : Category 2

Long-term (chronic) aquatic hazard : Category 2

Label elements

Hazard pictograms :  

Signal Word : WARNING

Hazard Statements : H290 May be corrosive to metals.
H319 Causes serious eye irritation.

SAFETY DATA SHEET



RHIZOMAGIC®

Version 3.0 Revision Date: 18.12.2025 SDS Number: 50001219 Date of last issue: -
Date of first issue: 18.12.2025

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P234 Keep only in original packaging.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P390 Absorb spillage to prevent material damage.
P391 Collect spillage.

Storage:

P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Systematic chemical name	Common Name	CAS-No.	Concentration or range (% w/w)	Classification
phosphoric acid	Orthophosphoric acid	7664-38-2	$\geq 5 - < 10$	Corrosive to Metals, Category 1 Skin corrosion/irritation, Sub-category 1B Serious eye damage/eye irritation, Category 1 Long-term (chronic) aquatic hazard, Category 2
boric acid	boric acid	10043-35-3	$\geq 0,3 - < 1$	Reproductive toxicity, Category 1B
Sulfuric acid, zinc salt	zinc sulfate	7446-19-7	$\geq 0,1 - < 0,25$	Acute toxicity (Oral),

SAFETY DATA SHEET



RHIZOMAGIC®

Version 3.0 Revision Date: 18.12.2025 SDS Number: 50001219 Date of last issue: -
Date of first issue: 18.12.2025

(1:1), monohydrate				Category 4 Serious eye damage/eye irritation, Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1
1,2-benzisothiazol-3(2H)-one	1,2-Benzisothiazol-3(2H)-one	2634-33-5	$\geq 0,0025 - < 0,025$	Acute toxicity (Oral), Category 4 Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Skin sensitization, Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 2

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Inhalation : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- Skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- Eye contact : Rinse thoroughly with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist.

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

- Ingestion : Gently wipe or rinse the inside of the mouth with water.
Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Sulfur oxides
Metal oxides
phosphorus oxides
metal fumes

Fire may produce irritating, corrosive and/or toxic gases.
- Related specific hazards : Do not allow run-off from fire fighting to enter drains or water courses.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Recommendations for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and material for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Handling

- Precautions for safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Operational and technical measures : Normal measures for preventive fire protection.
- Contact prevention : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage, including any incompatibilities

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SAFETY DATA SHEET



RHIZOMAGIC®

Version 3.0 Revision Date: 18.12.2025 SDS Number: 50001219 Date of last issue: -
Date of first issue: 18.12.2025

Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

Specific end use(s)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible maximum concentration	Basis
phosphoric acid	7664-38-2	TWA	1 mg/m ³	ACGIH
		STEL	3 mg/m ³	ACGIH
boric acid	10043-35-3	TWA (Inhalable particulate matter)	2 mg/m ³ (Borate)	ACGIH
		STEL (Inhalable particulate matter)	6 mg/m ³ (Borate)	ACGIH

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

No personal respiratory protective equipment normally required.

Protective measures : Plan first aid action before beginning work with this product.

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	:	liquid
Form	:	No data available
Color	:	dark brown
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	4,0 - 5,0 Concentration: 100 %
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Vapor density	:	No data available
Relative density	:	1,19 - 1,23
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Other information

Molecular weight : Not applicable

Self-ignition : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.
Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

phosphoric acid:

Acute oral toxicity : LD50 (Rat, female): 2.600 mg/kg
Method: OECD Test Guideline 423

boric acid:

Acute oral toxicity : LD50 (Rat, male): > 2.600 mg/kg
Method: OECD Test Guideline 401
Remarks: no mortality

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Acute inhalation toxicity : LC50 (Rat, male and female): > 2,03 mg/l
Exposure time: 5 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Remarks: no mortality

Sulfuric acid, zinc salt (1:1), monohydrate:

Acute oral toxicity : LD50 (Rat, male): 1.710 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: irritating
Remarks: no mortality

1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

phosphoric acid:

Species : Rabbit
Assessment : Corrosive

Result : Corrosive after 3 minutes to 1 hour of exposure

boric acid:

Species : Rabbit
Result : No skin irritation

Sulfuric acid, zinc salt (1:1), monohydrate:

Species : Mouse
Result : slight irritation
Remarks : Based on data from similar materials

Species : Rabbit
Result : slight irritation
Remarks : Based on data from similar materials

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Species	:	Guinea pig
Result	:	slight irritation
Remarks	:	Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage or eye irritation

Causes serious eye irritation.

Product:

Assessment	:	Irritating to eyes.
Result	:	Eye irritation
Remarks	:	Eye irritation

Components:

phosphoric acid:

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity

boric acid:

Species	:	Rabbit
Result	:	slight irritation

Sulfuric acid, zinc salt (1:1), monohydrate:

Result	:	Irreversible effects on the eye
--------	---	---------------------------------

1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Result	:	No data available
--------	---	-------------------

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Remarks : Not expected to cause skin sensitisation.

Components:

boric acid:

Test Type	: Buehler Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.

Sulfuric acid, zinc salt (1:1), monohydrate:

Routes of exposure	: Skin contact
Species	: Mouse
Result	: Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.

Species	: Guinea pig
Method	: FIFRA 81.06
Result	: May cause sensitization by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

phosphoric acid:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative

boric acid:

Genotoxicity in vitro	: Test Type: reverse mutation assay Result: negative
	Test Type: sister chromatid exchange assay Result: negative
	Test Type: gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse (male and female)

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Sulfuric acid, zinc salt (1:1), monohydrate:

Genotoxicity in vitro : Test Type: gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

boric acid:

Species : Mouse, male and female

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Application Route	: Oral
Exposure time	: 103 weeks
Dose	: 0, 446, 1150mg/kg/bw/day
	: > 1.150 mg/kg bw/day
Result	: negative
Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen

Sulfuric acid, zinc salt (1:1), monohydrate:

Remarks : No human information is available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

phosphoric acid:

Effects on fertility	: Test Type: reproductive and developmental toxicity study Species: Rat, male and female Application Route: Ingestion General Toxicity Parent: NOAEL: 500 mg/kg body weight General Toxicity F1: NOAEL: 500 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion General Toxicity Maternal: NOAEL: 370 mg/kg body weight Developmental Toxicity: NOAEL: 370 mg/kg body weight Result: negative Remarks: Based on data from similar materials

boric acid:

Effects on fertility	: Test Type: Three-generation study Species: Rat, male and female Application Route: Oral Dose: 5.9, 17.5, 58.5(mgb)/kg/bw/d General Toxicity Parent: LOAEL: 58,5 mg/kg bw/day General Toxicity F1: LOAEL: 58,5 mg/kg bw/day General Toxicity F2: LOAEL: 58,5 mg/kg bw/day Result: negative
Effects on fetal development	: Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Dose: 3.3, 6.3, 9.6, 13.3, 25mgb/kg General Toxicity Maternal: LOAEL: 13,3 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: >= 12,9 mg/kg bw/day Method: OECD Test Guideline 414

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Result: negative

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

Sulfuric acid, zinc salt (1:1), monohydrate:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters.
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Specific particular organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific particular organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Components:

boric acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Sulfuric acid, zinc salt (1:1), monohydrate:

Remarks : No data available

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

phosphoric acid:

Species : Rat, male and female
NOAEL : 250 mg/kg
Application Route : Oral - gavage

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Exposure time : 42 - 54 d
Method : OECD Test Guideline 422

boric acid:

Species : Rat, male and female
LOAEL : 58.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 2 years
Dose : 0, 5.9, 17.5, 58.5mg/kg/bw/d

Species : Rat, female
NOAEC : 0,47 mg/l
Application Route : inhalation (dust/mist/fume)
Dose : 0.077, 0.175, 0.47 mg/l

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female
NOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 28 d
Method : OECD Test Guideline 407
Symptoms : Irritation

Species : Rat, male and female
NOAEL : 69 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Symptoms : Irritation, Reduced body weight

Inhalation hazard

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Components:

phosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3,25 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

boric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 79,7 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Based on data from similar materials

LC50 (Limanda limanda): 74 mg/l
Exposure time: 96 h
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 102 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 40,2 mg/l
Exposure time: 74,5 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 17,5 mg/l
Exposure time: 74,5 h
Method: OECD Test Guideline 201

LOEC: 3,6 mg/l
Exposure time: 10 d
Test Type: semi-static test

Toxicity to microorganisms : EC50 (activated sludge): > 175 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

NOEC (activated sludge): 17,5 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 6,4 mg/l
Exposure time: 34 d
Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 210

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 6,4 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

Toxicity to soil dwelling organisms : LC50: > 175 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

NOEC: >= 175 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Sulfuric acid, zinc salt (1:1), monohydrate:

Toxicity to fish : LC50 (Fish): 0,112 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,131 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (microalgae)): 0,0052 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : EC10:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0056 mg/l
Exposure time: 10 d

M-Factor (Chronic aquatic toxicity) : 10

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

phosphoric acid:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Sulfuric acid, zinc salt (1:1), monohydrate:

Biodegradability : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Components:

boric acid:

Bioaccumulation : Species: Fish
Exposure time: 60 d
Bioconcentration factor (BCF): < 0,1

Partition coefficient: n-octanol/water : log Pow: -1,09 (22 °C)

Sulfuric acid, zinc salt (1:1), monohydrate:

Bioaccumulation : Remarks: Not inherently biodegradable.

Partition coefficient: n-octanol/water : Remarks: Not applicable

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7

log Pow: 0,99 (20 °C)
pH: 5

Mobility in soil

Components:

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

Components:

phosphoric acid:

Additional ecological information : Harmful effects on aquatic organisms also due to pH shift.

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging, and contaminated material : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, puncture the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.
- Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Dispose of the packaging in accordance with the local regulations in force.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 1805
Proper shipping name : PHOSPHORIC ACID, SOLUTION
Class : 8
Packing group : III
Labels : 8
Environmentally hazardous : no

IATA-DGR

- UN/ID No. : UN 1805
Proper shipping name : Phosphoric acid, solution
Class : 8
Packing group : III
Labels : Corrosive
Packing instruction (cargo aircraft) : 856

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

Packing instruction (passenger aircraft) : 852

IMDG-Code

UN number : UN 1805
Proper shipping name : PHOSPHORIC ACID SOLUTION

Class : 8
Packing group : III
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

NCh382

UN number : UN 1805
Proper shipping name : PHOSPHORIC ACID, SOLUTION
Class : 8
Packing group : III
Labels : 8
Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

National Regulations

Chile. Decree 190. Carcinogenic Substances, Hazardous Waste Management. : Not applicable

Decree 1358 - Establishment of rules governing the control measures of precursors and essential chemicals. : sodium hydroxide

Resolution 408/16 Exempt, Approving List of Health Hazardous Substances : Included in list of Article 3, item a)

Other regulations

Decree 43/2015, Approving Regulation on Storage of Hazardous Substances
NCh 2245:2021 Safety data sheet for chemical products - Content and order of sections
NCh 2190:2019 Land transport of dangerous goods - Hazard identification marks
NCh 382:2021 Dangerous Goods – Classification
Decree 57 of 2019, Regulation on Classification, Labeling, and Notification of Hazardous Chemicals and Mixtures
D.S. 148/03 Sanitary Regulation on hazardous wastes handling
D.S. 298/94 Regulation on transport of hazardous cargo on streets and roads

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

D.S. 594/99 Regulation on sanitary and environmental basic conditions at work places
Exempt Resolution 15 of 2023 approving the List of Hazardous Substances Subject to Import Process

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: On the inventory, or in compliance with the inventory
DSL	: This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL. sodium [[α,α'-(ethylenediimino)bis[2-hydroxybenzene-1-acetato]](4-)]ferrate(1-)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
TECI	: Not in compliance with the inventory

The receiver should verify the possible existence of legal regulations applicable to chemical.

SECTION 16. OTHER INFORMATION

Revision Date	: 18.12.2025
Date format	: dd.mm.yyyy

Full text of H-Statements

Abbreviations and acronyms

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Met. Corr.	: Corrosive to Metals
Repr.	: Reproductive toxicity
Serious eye damage/eye irritation	: Serious eye damage/eye irritation
Skin corrosion/irritation	: Skin corrosion/irritation
Skin Sens.	: Skin sensitization

SAFETY DATA SHEET



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	18.12.2025	50001219	Date of first issue: 18.12.2025

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CL / EN