

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product name SINERGE® 500 EC

Other means of identification

Product code 50001626

Product Registration Number RSCO-MEZC-1238-301-009-049

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details**Manufacturer**

FMC AGROQUÍMICA DE MÉXICO,
S. DE R.L. DE C.V AV. VALLARTA NO.
6503, LOCAL A1-6, COL. CD. GRANJA,
45010 ZAPOPAN, JALISCO, MÉXICO
TEL.: 800 FMC AGRO (362 2476)
CONTACTOMEXICO@FMC.COM
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
800-681-9531 (CHEMTREC - Mexico)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
911
SINTOX (Toxicological Information Service): 800 009 2800; 55
5611 2634 and 55 5598 6659, service 24 hours a day, 365
days a year.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 3

Germ cell mutagenicity : Category 1B

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Carcinogenicity : Category 1B

Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H226 Flammable liquid and vapor.
H302 + H332 Harmful if swallowed or if inhaled.
H304 May be fatal if swallowed and enters airways.
H316 Causes mild skin irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H340 May cause genetic defects.
H350 May cause cancer.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light arom.	64742-95-6	>= 30 -< 50
ametryn (ISO)	834-12-8	>= 20 -< 30
clomazone (ISO)	81777-89-1	>= 10 -< 20
methanol	67-56-1	>= 0.1 -< 1
naphthalene	91-20-3	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses.

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.
May be fatal if swallowed and enters airways.
Causes mild skin irritation.
May cause respiratory irritation.
May cause drowsiness or dizziness.
May cause genetic defects.
May cause cancer.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

In case of poisoning, call the emergency numbers SINTOX (control center of intoxications): 800-009-2800; (55) 5611 2634 and (55) 5598 6659, 24-hour service on 365 days of the year. For emergencies: 911.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides
Hazardous combustion products
Thermal decomposition can lead to release of irritating gases and vapors.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Use a water spray to cool fully closed containers.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Collect as much of the spill as possible with a suitable absorbent material.
Never return spills in original containers for re-use.
Pick up and transfer to properly labeled containers.

For further cleaning instructions call CHEMTREC, 800-681-9531.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.

SAFETY DATA SHEET



SINERGE® 500 EC

Version 1.0 Revision Date: 15.12.2025 SDS Number: 50001626 Date of last issue: -
Date of first issue: 15.12.2025

Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.

Hygiene measures : General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.

When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ametryn (ISO)	834-12-8	VLE-PPT	5 mg/m ³	NOM-010-STPS-2014
		TWA (Inhalable particulate matter)	2 mg/m ³	ACGIH
methanol	67-56-1	VLE-PPT	200 ppm	NOM-010-STPS-2014
		VLE-CT	250 ppm	NOM-010-STPS-2014
		TWA STEL	200 ppm 250 ppm	ACGIH ACGIH
naphthalene	91-20-3	VLE-PPT	10 ppm	NOM-010-STPS-2014
		VLE-CT	15 ppm	NOM-010-STPS-2014
		TWA	10 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
------------	---------	--------------------	---------------------	---------------	---------------------------	-------

SAFETY DATA SHEET



SINERGE® 500 EC

Version 1.0 Revision Date: 15.12.2025 SDS Number: 50001626 Date of last issue: -
Date of first issue: 15.12.2025

methanol	67-56-1	Methanol	Urine	End of shift	15 mg/l	MX BEI
		Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection
Material : Protective gloves
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid (23.5 °C)
- Form : liquid
- Color : No data available
- Odor : No data available
- Odor Threshold : No data available
- pH : 6.35 (23.3 °C)
Concentration: 10 g/l
- Melting point/ range : No data available
- Boiling point/boiling range : No data available

SAFETY DATA SHEET



SINERGE® 500 EC

Version 1.0	Revision Date: 15.12.2025	SDS Number: 50001626	Date of last issue: - Date of first issue: 15.12.2025
----------------	------------------------------	-------------------------	--

Flash point	: 46 °C
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Density	: 1.01 g/cm ³ (23 °C)
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: 9.5 mm ² /s (25 °C)
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	: Avoid formation of aerosol. Avoid extreme temperatures. Heat, flames and sparks.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.

SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

- | | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): 1,961.4 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion. |
| Acute inhalation toxicity | : | LC50 (Rat): 1.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation. |
| Acute dermal toxicity | : | LD50 (Rat): 5,109 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity |

Components:**Solvent naphtha (petroleum), light arom.:**

- | | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat, female): 3,492 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, male): 6,984 mg/kg
Method: OECD Test Guideline 401 |
| Acute inhalation toxicity | : | LC50 (Rat, male and female): > 6.193 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality |
| Acute dermal toxicity | : | LD50 (Rabbit, male and female): > 3,160 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin. |

ametryn (ISO):

- | | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 Oral (Rat, female): 1,360 mg/kg
Method: OECD Test Guideline 425
Symptoms: Fatality, Necrosis |
| Acute inhalation toxicity | : | LC0 (Rat, male and female): > 2.22 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: no mortality |

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402

clomazone (ISO):

Acute oral toxicity : LD50 (Rat, female): 768 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): 300 - 2,000 mg/kg
Method: OECD Test Guideline 423
Target Organs: Liver
Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1,564 mg/kg
Symptoms: ataxia

Acute inhalation toxicity : LC50 (Rat): > 5.02 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

LC50 (Rat, female): 4.23 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

methanol:

Acute oral toxicity : LD50 (Rat): 1,187 mg/kg

Acute toxicity estimate (Humans): 100 mg/kg
Method: Expert judgment

Acute inhalation toxicity : LC50 (Rat, female): 82.1 mg/l
Exposure time: 4 h
Test atmosphere: vapor

LC50 (Rat, male): 92.6 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute toxicity estimate: 5 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Expert judgment

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Acute dermal toxicity : LD50 (Rabbit): 17,100 mg/kg

Acute toxicity estimate: 300 mg/kg
Method: Expert judgment

naphthalene:

Acute oral toxicity : LD50 (Mouse, female): 710 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.4 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 16,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

Solvent naphtha (petroleum), light arom.:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Mild skin irritation

ametryn (ISO):

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

clomazone (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: slight or no skin irritation.

methanol:

Species	: Rabbit
Result	: No skin irritation

naphthalene:

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

Components:

Solvent naphtha (petroleum), light arom.:

Species : Rabbit
Result : No eye irritation

ametryn (ISO):

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

clomazone (ISO):

Species : Rabbit
Result : Slight or no eye irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
GLP : yes

methanol:

Species : Rabbit
Result : No eye irritation

naphthalene:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Solvent naphtha (petroleum), light arom.:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

ametryn (ISO):

Test Type : Maximization Test
Species : Guinea pig
Result : Does not cause skin sensitization.

clomazone (ISO):

Species : Guinea pig
Assessment : Not a skin sensitizer.
Method : US EPA Test Guideline OPP 81-6
Result : Not a skin sensitizer.

methanol:

Test Type : Maximization Test
Species : Guinea pig
Result : Not a skin sensitizer.

naphthalene:

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

Germ cell mutagenicity

May cause genetic defects.

Components:

Solvent naphtha (petroleum), light arom.:

Genotoxicity in vitro : Test Type: in vitro DNA damage and/or repair study
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat (male and female)
Application Route: Inhalation
Result: negative

ametryn (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Application Route: Oral
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

clomazone (ISO):

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat
Method: OECD Test Guideline 473
Result: negative

methanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster fibroblasts
Result: negative

Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

naphthalene:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

May cause cancer.

Components:

Solvent naphtha (petroleum), light arom.:

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies
------------------------------	---	---

ametryn (ISO):

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	24 month(s)
Dose	:	75, 280, and 1000 ppm 75 ppm
Method	:	OECD Test Guideline 453
Result	:	negative

clomazone (ISO):

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative
Species	:	Mouse
Method	:	OECD Test Guideline 453
Result	:	negative

methanol:

Species	:	Mouse, male and female
Application Route	:	inhalation (vapor)
Exposure time	:	18 month(s)
NOAEC	:	1.3 mg/l
Result	:	negative
Species	:	Rat, male and female
Application Route	:	inhalation (vapor)
Exposure time	:	2 Years
NOAEC	:	1.3 mg/l
Result	:	negative

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

naphthalene:

Species : Rat
Application Route : Inhalation
Exposure time : 2 Years
Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), light arom.:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: inhalation (vapor)
Fertility: NOAEC Mating/Fertility: 7.5 mg/l
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Mouse
Application Route: inhalation (vapor)
General Toxicity Maternal: LOAEC: 500 part per million
Symptoms: Maternal effects.

ametryn (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 75, 300, 1200 mg/l
General Toxicity Parent: NOEL: 75 mg/l
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Species: Rabbit
Application Route: Oral
Dose: 10, 30, 60mg/kg bw
General Toxicity Maternal: NOEL: 30 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 60 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

clomazone (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Symptoms: Maternal effects.
Result: negative

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Symptoms: Maternal effects.
Result: negative

methanol:

Effects on fertility : Test Type: one-generation reproductive toxicity
Species: Monkey, female
Application Route: inhalation (vapor)
General Toxicity F1: NOAEC: 2.39 mg/l
Result: negative

Test Type: Two-generation study
Species: Rat, male and female
Application Route: inhalation (vapor)
General Toxicity F1: LOAEC: 1.3 mg/l
General Toxicity F2: LOAEC: 1.3 mg/l
Result: negative

Effects on fetal development : Test Type: Pre-natal
Species: Mouse
Application Route: inhalation (vapor)
Developmental Toxicity: NOAEC: 6.65 mg/L
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

Test Type: Pre-natal
Species: Rat
Application Route: inhalation (vapor)
Developmental Toxicity: NOAEC: 1.33 mg/L
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

naphthalene:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Inhalation
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

STOT-single exposure

May cause respiratory irritation.
May cause drowsiness or dizziness.

Components:

Solvent naphtha (petroleum), light arom.:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

methanol:

Target Organs : Central nervous system, Eyes
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light arom.:

Species : Rat, male and female
NOAEC : 0.8 - 0.9 mg/l
Application Route : Inhalation
Test atmosphere : vapor
Remarks : Based on data from similar materials

Species : Rat, male
NOAEL : 600 mg/kg
Application Route : Oral
Remarks : Based on data from similar materials

ametryn (ISO):

Species : Rat, male
NOEL : 3.8 mg/kg, 75 ppm
Application Route : Oral
Exposure time : 24 months
Dose : 75, 280, and 1000 ppm
Method : OECD Test Guideline 453

Species : Rat, male
NOEL : 7.4 mg/kg, 100 ppm
Application Route : Oral - feed
Exposure time : 90 d
Method : OECD Test Guideline 408
Target Organs : spleen, Blood

Species : Rabbit, male and female
NOEL : 100 mg/kg

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Application Route : Dermal
Exposure time : 21d
Dose : 0, 10, 100, 1000mg/kg

clomazone (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 d
Symptoms : increased liver weight

Species : Rat
LOAEL : 400 mg/kg
Exposure time : 90 d
Method : OECD Test Guideline 408
Symptoms : Liver effects

methanol:

Species : Monkey
LOAEL : 2,340 mg/kg
Application Route : Ingestion
Exposure time : 3 days

Species : Rat
NOEC : 0.13 mg/l
LOAEL : 1.3 mg/l
Application Route : inhalation (vapor)
Exposure time : 12 months
Remarks : No toxicologically significant effects were found.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), light arom.:

May be fatal if swallowed and enters airways.

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

Experience with human exposure

Components:

methanol:

Ingestion : Target Organs: Eyes
Remarks: Based on Human Evidence

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.

Components:

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Solvent naphtha (petroleum), light arom.:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LL50 (Pimephales promelas (fathead minnow)): 8.2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox- : NOELR (Pimephales promelas (fathead minnow)): 2.6 mg/l

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

icity)	Exposure time: 14 d Method: OECD Test Guideline 204 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOELR (Daphnia magna (Water flea)): 2.6 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50 (Tetrahymena pyriformis): 15.41 mg/l Exposure time: 40 h Test Type: Growth inhibition Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Ecotoxicology Assessment

Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

ametryn (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Method: EPA OPP 72-1
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 15 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 0.003 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): 0.001 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Pseudokirchneriella subcapitata (algae)): 3.67 µg/l Exposure time: 7 d Test Type: static test NOEC (Pseudokirchneriella subcapitata (algae)): 1.14 µg/l Exposure time: 7 d Test Type: static test
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.7 mg/l Exposure time: 35 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC50 (Daphnia magna (Water flea)): > 1.4 mg/l Exposure time: 21 d Test Type: flow-through test

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to soil dwelling organisms : NOEC (*Eisenia fetida* (earthworms)): 37 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
- Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 100 µg/bee
Exposure time: 48 h
Method: OECD Test Guideline 214
- LD50 (*Coturnix japonica* (Japanese quail)): 1,040 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 223
- NOEC (*Colinus virginianus* (Bobwhite quail)): 1,780 ppm
Exposure time: 5 d
Method: OECD Test Guideline 205
- clomazone (ISO):**
- Toxicity to fish : LC50 (*Menidia beryllina* (Silverside)): 6.3 mg/l
Exposure time: 96 h
- LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 45 mg/l
Exposure time: 96 h
- LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 34 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 40.8 mg/l
Exposure time: 48 h
- EC50 (*Daphnia*): 5.2 mg/l
Exposure time: 48 h
- EC50 (*Daphnia magna* (Water flea)): 12.7 mg/l
Exposure time: 48 h
Test Type: static test
- EC50 (*Mysidopsis bahia* (opossum shrimp)): 9.8 mg/l
Exposure time: 48 h
- LC50 (*Americamysis bahia* (mysid shrimp)): 0.57 mg/l
Exposure time: 96 h
Test Type: flow-through test
- Toxicity to algae/aquatic plants : EbC50 (*Selenastrum capricornutum* (green algae)): 2 mg/l
Exposure time: 72 h
- ErC50 (*Selenastrum capricornutum* (green algae)): 4.1 mg/l
Exposure time: 72 h

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.136 mg/l
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 13.9 mg/l
Exposure time: 7 d

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.05 mg/l
End point: Growth rate
Exposure time: 120 h

NOEC (algae): 0.05 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (duckweed)): 13.9 mg/l
Exposure time: 7 d

EC50 (algae): 0.136 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 2.3 mg/l
Exposure time: 21 d
Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): 2.29 mg/l
Exposure time: 57 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.2 mg/l
Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0.032 mg/l
Exposure time: 28 d
Test Type: flow-through test

NOEC (Daphnia magna (Water flea)): 1.25 mg/l
Exposure time: 21 d
Test Type: static test

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 156 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg

LC50 (Anas platyrhynchos (Mallard duck)): > 5620 ppm
Remarks: Dietary

LD50 (Coturnix japonica (Japanese quail)): > 2000

NOEC (Colinus virginianus): 94 mg/kg
End point: Reproduction Test

LC50 (Apis mellifera (bees)): > 85.29

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

LC50 (*Apis mellifera* (bees)): > 100

Remarks: Contact

methanol:

- Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 15,400 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 18,260 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (*Selenastrum capricornutum* (green algae)): ca. 22,000 mg/l
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 450 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 208 mg/l
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): 19,800 mg/l
Exposure time: 96 h

naphthalene:

- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 1.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2.16 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (*Skeletonema costatum* (marine diatom)): 0.4 - 0.5 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus kisutch* (coho salmon)): 0.37 mg/l
Exposure time: 40 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia pulex* (Water flea)): 0.59 mg/l
Exposure time: 125 d
- Toxicity to microorganisms : IC50 (Bacteria): 29 mg/l
Exposure time: 24 h

Persistence and degradability

Components:

Solvent naphtha (petroleum), light arom.:

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

Biodegradability : Concentration: 49.2 mg/l
Result: Inherently biodegradable.
Biodegradation: 77.05 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

ametryn (ISO):

Biodegradability : Inoculum: activated sludge
Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

methanol:

Biodegradability : Result: Readily biodegradable.

naphthalene:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 67 %
Exposure time: 12 d

Bioaccumulative potential

Components:

ametryn (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 110

Partition coefficient: n-octanol/water : log Pow: 3

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2.61 - 2.69 (20 - 21 °C)
pH: 4 - 10
Method: Regulation (EC) No. 440/2008, Annex, A.8

methanol:

Partition coefficient: n-octanol/water : log Pow: -0.77 (20 °C)

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

naphthalene:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 168

Partition coefficient: n-octanol/water : log Pow: 3.7

Mobility in soil

Components:

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2.47
Remarks: Moderately mobile in soils

Stability in soil :

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Appropriate personal protective equipment, as described in Sections 7 and 8, should be worn when handling materials for waste disposal.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Aromatic hydrocarbons, Clomazone, Ametryn)
Class	: 3
Packing group	: III
Labels	: 3
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 1993
Proper shipping name	: Flammable liquid, n.o.s. (Aromatic hydrocarbons, Clomazone, Ametryn)
Class	: 3
Packing group	: III
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355

IMDG-Code

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Aromatic hydrocarbons, Clomazone, Ametryn)
Class	: 3
Packing group	: III
Labels	: 3
EmS Code	: F-E, <u>S-E</u>
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Aromatic hydrocarbons, Clomazone, Ametryn)
Class	: 3
Packing group	: III
Labels	: 3

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

This document has been prepared in accordance with the Globally Harmonized System (GHS). The document consists of 16 points that cover the Official Mexican STANDARD NOM-018-STPS-2015 Harmonized system for the identification and communication of hazards and risks due to dangerous chemical substances in the workplace. 271000

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 2,(2-chlorobenzyl)-4,4-dimethyl-1,2-oxazolidin-3-on ametryn (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 15.12.2025
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
-------	---

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
MX BEI : Official Mexican Norm NOM-047-SSA1-2011, Environmental Health - Biological exposure indices for workers occupationally exposed to chemical agents
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
NOM-010-STPS-2014 / VLE- : Time weighted average limit value
PPT
NOM-010-STPS-2014 / VLE- : Short term exposure limit value
CT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein re-

SAFETY DATA SHEET



SINERGE® 500 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	50001626	Date of first issue: 15.12.2025

lates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MX / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet