

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Product name : FYFANON 40.9 EW

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Principal Supplier : FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000
SDS-Info@fmc.com

Local registrant : FMC Chemicals (Malaysia) Sdn Bhd
Level 16, 1 Sentral, Jalan Stesen Sentral 5,
Kuala Lumpur Sentral
50470, Kuala Lumpur, Malaysia
Phone No: +60320929423
Fax No: +603-2092 9201

Emergency telephone : For leak, fire, spill or accident emergencies, call:
CHEMTREC (Asia-Pacific Regional Number): +65 3163 8374

Medical emergency:
All other countries: +1 651 / 632-6793 (Collect)
1 703 / 741-5970 (CHEMTREC - International)

SECTION 2: Hazards identification

Classification of the hazardous chemical

Skin sensitization : Category 1

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

Label elements

SAFETY DATA SHEET



FYFANON 40.9 EW

Version 1.0 Revision Date: 16.02.2026 SDS Number: 50001290 Date of last issue: -
Date of first issue: 16.02.2026

Hazard pictograms :  

Signal Word : WARNING

Hazard Statements : H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
malathion (ISO) [containing ≤ 0,03 % isomalathion]	121-75-5	≥ 30 -< 60

SECTION 4: First aid measures

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Malathion is a cholinesterase inhibitor affecting the central and peripheral nervous systems producing respiratory depression. If any sign of cholinesterase inhibition occurs, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to an organophosphorus insecticide. Describe his/her condition and the extent of exposure. Imme-

SAFETY DATA SHEET



FYFANON 40.9 EW

Version 1.0	Revision Date: 16.02.2026	SDS Number: 50001290	Date of last issue: - Date of first issue: 16.02.2026
----------------	------------------------------	-------------------------	--

diately remove the exposed person from the area where the product is present.

This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.

- | | |
|---|---|
| If inhaled | : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : May cause an allergic skin reaction. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician | : Treat symptomatically.
ANTIDOTE: If symptoms of cholinesterase inhibition are present, administer atropine sulphate, which often is a lifesaving antidote, in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as possible. Repeat at 5 to 10 minute intervals until signs of atropinisation appear and maintain full atropinisation until all organophosphate is metabolised.
Relapse can occur after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS, DEPENDING ON THE SEVERITY OF POISONING.
If any of the signs of cholinesterase inhibition occurs, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to an organophosphorus insecticide. |

FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present.

In an industrial setting, the antidote atropine sulphate should be available at the workplace.

Decontamination procedures such as whole body washing, gastric lavage and administration of activated charcoal are often required.

Obidoxime chloride (Toxogonin), alternatively pralidoxime chloride (2-PAM), may be administered as an adjunct to, but not a substitute for atropine sulphate. Treatment with oxime should be maintained as long as atropine sulphate is administered.

At first sign of pulmonary oedema the patient should be given supplementary oxygen and treated symptomatically.

Much information on (acetyl)cholinesterase inhibition and its treatment can be found on the internet.

It may be helpful to show this safety data sheet to physician.

SECTION 5: Firefighting measures**Extinguishing media**

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

Physicochemical hazards arising from the chemical

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : phosphorus oxides
Carbon oxides
Sulfur oxides

Special protective equipment and precautions for fire-fighters

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazchem Code : •3Z

FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

SECTION 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage**Handling****Precautions for safe handling**

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- In an industrial environment, it is recommended to avoid all personal contact with the product, if possible, by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

The product should never be heated above 55°C. Local heating above this temperature should be avoided as well.

Storage**Conditions for safe storage, including any incompatibilities**

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

Recommended storage temperature : $\leq 25^{\circ}\text{C}$

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8: Exposure controls and personal protection**Control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
malathion (ISO) [containing $\leq 0,03\%$ isomalathion]	121-75-5	TWA	10 mg/m ³	MY PEL
		Further information: Skin		
		TWA (Inhalable fraction and vapor)	1 mg/m ³	ACGIH

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Ensure that eyewash stations and safety showers are close to the workstation location.

Skin protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

Hand protection	
Material	: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Respiratory protection	: In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Hygiene measures	: General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Physical state	: liquid
Form	: suspension
Color	: off-white
Odor	: glue-like
Odor Threshold	: No data available
pH	: 4.53 (25 °C) Concentration: 100 % (undiluted)
Melting point/ range	: < 0 °C
Boiling point/boiling range	: No data available
Flash point	: > 100 °C Method: Pensky-Martens closed cup - PMCC
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Self-ignition	: No data available

SAFETY DATA SHEET



FYFANON 40.9 EW

Version 1.0	Revision Date: 16.02.2026	SDS Number: 50001290	Date of last issue: - Date of first issue: 16.02.2026
----------------	------------------------------	-------------------------	--

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.072 (20 °C)
Density	:	No data available
Bulk density	:	No data available
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	1,092 mPa.s (20 °C) 973 mPa.s (40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable
Particle size	:	No data available

SECTION 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	Malathion will decompose rapidly when heated to temperatures above 140°C, significantly increasing the risk of explosion. Direct local heating such as electric heating or by steam must be avoided. The decomposition is dependent on time as well as tempera-

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

ture due to self-accelerating exothermic and autocatalytic reactions. The reactions involve rearrangements and polymerisation releasing volatile malodorous and inflammable compounds such as dimethyl sulphide and methyl mercaptan.

- Possibility of hazardous reactions : No decomposition if stored and applied as directed.
- Conditions to avoid : Avoid extreme temperatures.
Avoid formation of aerosol.
Heating of the mixture may evolve harmful and irritant vapours.
- Incompatible materials : Avoid strong acids, bases, and oxidizers.
Amines
The product can corrode metals (but does not meet the criteria for classification).
- Hazardous decomposition products : Stable under recommended storage conditions.

SECTION 11: Toxicological information

Information on likely routes of exposure : Inhalation

Acute toxicity

Not classified based on available information.

Product:

- Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.75 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat): > 4,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

- Acute oral toxicity : LD50 (Rat): 1,857 mg/kg
Method: OECD Test Guideline 401

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

LD50 (Rat, female): 1,608 - 2,550 mg/kg
Method: OECD Test Guideline 401
Symptoms: Tremors, hypoactivity
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
GLP: yes
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: US EPA Test Guideline OPP 81-2
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.

LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Species : Rabbit
Method : US EPA Test Guideline OPP 81-5
Result : No skin irritation
GLP : yes

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : slight irritation
Method : OECD Test Guideline 405

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

Components:**malathion (ISO) [containing $\leq 0,03$ % isomalathion]:**

Species	: Rabbit
Result	: No eye irritation
Method	: EPA OPP 81-4
GLP	: yes

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: The product is a skin sensitizer, sub-category 1B.
Remarks	: Causes sensitization.

Components:**malathion (ISO) [containing $\leq 0,03$ % isomalathion]:**

Routes of exposure	: Dermal
Species	: Guinea pig
Method	: US EPA Test Guideline OPP 81-6
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Dermal
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:**malathion (ISO) [containing $\leq 0,03$ % isomalathion]:**

Genotoxicity in vitro	: Test Type: Ames test
	Result: negative

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

Test Type: In vitro mammalian cell gene mutation test
Result: positive
Remarks: Based on data from similar materials

Test Type: unscheduled DNA synthesis assay
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat
Result: negative
Remarks: Based on data from similar materials

Test Type: unscheduled DNA synthesis assay
Species: Rat
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 24 month(s)
NOAEL	: 6,000 ppm
Result	: positive

Carcinogenicity - Assessment : Occurrence of tumors has been observed at excessive exposure levels. This can be considered as not relevant for possible carcinogenicity to humans during normal use.

Reproductive toxicity

Not classified based on available information.

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
General Toxicity F1: NOAEL: 132 - 152 mg/kg bw/day
Symptoms: Reduced offspring weight gain.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
General Toxicity Maternal: NOAEL: 400 mg/kg bw/day
Teratogenicity: NOAEL: 800 mg/kg bw/day
Result: No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rabbit
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

Teratogenicity: NOAEL: 25 mg/kg bw/day
Result: No teratogenic effects.

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Species	: Rat
LOAEL	: 34.4 mg/kg
Application Route	: Oral - feed
Exposure time	: 90 d
Target Organs	: Nervous system
Symptoms	: cholinesterase inhibition

Aspiration toxicity

Not classified based on available information.

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Remarks : The active ingredient malathion is a cholinesterase inhibitor of low mammalian toxicity. However, prolonged storage or storage at too high temperatures may induce formation of the much more toxic and synergistic contaminant isomalathion (LD50, oral, rat, 89 mg/kg). Both malathion and isomalathion rapidly enter the body on contact with all skin surfaces and eyes.
Repeated exposures to cholinesterase inhibitors such as malathion or isomalathion may, without warning, cause increased susceptibility to doses of any cholinesterase inhibitor.

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

SECTION 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish : LC50 (*Salmo gairdneri*): 0.74 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1.8 µg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 285 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (*Colinus virginianus* (Bobwhite quail)): 528 mg/kg

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.18 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia similis* (Water flea)): 1.71 µg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 (*Selenastrum capricornutum* (green algae)): 4.06 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.021 mg/l
Exposure time: 37 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.00006 mg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1,000

Toxicity to soil dwelling organisms : (*Eisenia fetida* (earthworms)): 613 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (*Colinus virginianus* (Bobwhite quail)): 359 mg/kg
Exposure time: 5 d

LC50 (*Colinus virginianus* (Bobwhite quail)): 3,497 mg/kg
Exposure time: 5 d

SAFETY DATA SHEET



FYFANON 40.9 EW

Version 1.0	Revision Date: 16.02.2026	SDS Number: 50001290	Date of last issue: - Date of first issue: 16.02.2026
----------------	------------------------------	-------------------------	--

Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): > 2,250 mg/kg

LD50 (Apis mellifera (bees)): 0.38 µg/bee
End point: Acute oral toxicity

Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

Other organisms relevant to the environment : Harmful to terrestrial vertebrates., Harmful to terrestrial invertebrates.

Persistence and degradability

Product:

Biodegradability : Remarks: Malathion is biodegradable but does not meet the criteria for being readily biodegradable. It undergoes rapid degradation in the environment and in wastewater treatment plants. No adverse effects are found at concentrations up to 100 mg/l in wastewater treatment plants. Degradation occurs both aerobically and anaerobically, mostly biologically.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 95
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.75

Mobility in soil

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Distribution among environmental compartments : Remarks: medium mobility in soil

FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

Other adverse effects**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal information**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
It is recommended to consider possible ways of disposal in the following order:
1. Reuse or recycling should first be considered. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.
2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill, containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

SECTION 14: Transport information**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Malathion)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

(Malathion)

Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Malathion)

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Hazchem Code	: •3Z
--------------	-------

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

SECTION 16: Other information

Revision Date	:	16.02.2026
Date format	:	dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
MY PEL	:	Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

ACGIH / TWA	:	8-hour, time-weighted average
MY PEL / TWA	:	Eight-hour time-weighted average airborne concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



FYFANON 40.9 EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.02.2026	50001290	Date of first issue: 16.02.2026

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MY / EN