

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DIAMOND FAST 100 SC

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Agro Philippines, Inc.

Address : 32nd Floor Seven Neo Building,
5th Avenue between 26th and 28th Street,
Bonifacio Global City, Taguig City 1634
Philippines

Telephone : +63 (2) 5323-5750

E-mail address : SDS-Info@fmc.com

National Poison Control Center : U.P. PGH, Padre Faura, Manila (+63) 2 8524 1078
East Avenue, Quezon City (+63) 2 8928 0611
Southern Philippines Medical Center (+63) 82 227 2731
(formerly Davao Medical Center Davao City)

Emergency telephone : For leak, fire, spill or accident emergencies, call:
+(63) 2-395-3308 (CHEMTREC)
Toll-free mobile enabled: 1800 1 322 0553 (CHEMTREC)

Medical emergency:
All other countries: +1 651 / 632-6793 (Collect)

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 2 (Central nervous system)

Specific target organ toxicity - repeated exposure : Category 2 (Liver, Blood, Central nervous system)

Short-term (acute) aquatic : Category 1

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

hazard

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :

Signal Word : WARNING

Hazard Statements : H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H371 May cause damage to organs (Central nervous system).
H373 May cause damage to organs (Liver, Blood, Central nervous system) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version 1.0 Revision Date: 2025/12/02 SDS Number: 50003107 Date of last issue: -
Date of first issue: 2025/12/02

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Novaluron	116714-46-6	>= 2.5 -< 10
Bifenthrin	82657-04-3	>= 2.5 -< 10

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May cause an allergic skin reaction.
May cause damage to organs.
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

SAFETY DATA SHEET



DIAMOND FAST 100 SC

Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

- | | |
|--|---|
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Hydrogen cyanide
Chlorinated compounds
Hydrogen fluoride
Fluorinated compounds
Nitrogen oxides (NOx)
Carbon oxides
Hydrogen chloride |
| Specific extinguishing methods | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |

6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Avoid formation of aerosol.
Use personal protective equipment.
Keep people away from and upwind of spill/leak. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal. |

7. HANDLING AND STORAGE

- | | |
|---|---|
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection. |
| Advice on safe handling | : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. |

SAFETY DATA SHEET



DIAMOND FAST 100 SC

Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : liquid

Color : white, to, light pink

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

Odor	:	characteristic
pH	:	5.5 - 6.5 (22 °C) Concentration: 1 % Method: CIPAC MT 75
Melting point	:	Not applicable
	:	130 °C
Flash point	:	Method: closed cup Non-flammable
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative density	:	1.0 - 1.1 (24 °C) Method: OECD Test Guideline 109
Bulk density	:	Not applicable
Partition coefficient: n-octanol/water	:	Not applicable
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	595 mm ² /s (40 °C) Method: OECD Test Guideline 114
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Surface tension	:	No data available

10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	: LD50 (Rat): 310.2 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat): > 1.54 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration.
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402

Components:

Novaluron:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): 5.604 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The component/mixture is minimally toxic after single contact with skin.

Bifenthrin:

Acute oral toxicity	: LD50 (Rat, male and female): 56.7 mg/kg
---------------------	---

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/02	50003107	Date of first issue: 2025/12/02

Symptoms: Convulsions, Tremors, ataxia

LD50 (Mouse, female): 42.5 mg/kg
Method: OPPTS 870.1100

Acute inhalation toxicity : LC50 (Rat, female): 0.6 - 1.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Convulsions

LC50 (Rat, male): 1.10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Remarks: no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Remarks : May cause skin irritation and/or dermatitis.

Components:

Novaluron:

Remarks : No data available

Bifenthrin:

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight or no skin irritation.
GLP : yes

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/02	50003107	Date of first issue: 2025/12/02

Components:

Novaluron:

Remarks : No data available

Bifenthrin:

Species : Rabbit
Result : Slight or no eye irritation
Method : OECD Test Guideline 405
GLP : yes

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Magnusson-Kligman test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : The product is a skin sensitizer, sub-category 1B.

Remarks : Causes sensitization.

Components:

Novaluron:

Remarks : No data available

Bifenthrin:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitization by skin contact.
GLP : yes

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Novaluron:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: equivocal

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

Result: negative

Test Type: gene mutation test
Test system: mouse lymphoma cells
Result: negative

Bifenthrin:

Genotoxicity in vitro

: Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Mouse lymphoma assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo

: Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Method: OECD Test Guideline 486
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse (male and female)
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Novaluron:

Species : Rat
Exposure time : 2 y
Result : negative

Bifenthrin:

Species : Rat, female
Application Route : Oral

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/02	50003107	Date of first issue: 2025/12/02

Exposure time	: 2 Years
NOAEL	: 3 mg/kg bw/day
Result	: negative
Species	: Mouse, male
Application Route	: Oral
Exposure time	: 18 month(s)
NOAEL	: 7.6 mg/kg bw/day
Result	: positive
Symptoms	: malignant tumors

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Novaluron:

Effects on fertility	: Test Type: Two-generation study Species: Rat General Toxicity Parent: LOAEL: 74 mg/kg bw/day Fertility: LOAEL: 74 mg/kg bw/day Early Embryonic Development: LOAEL: 74 mg/kg bw/day
Effects on fetal development	: Species: Rat Developmental Toxicity: LOAEL: 250 mg/kg bw/day

Bifenthrin:

Effects on fertility	: Test Type: Two-generation study Species: Rat Application Route: Oral General Toxicity Parent: NOAEL: 3 mg/kg bw/day General Toxicity F1: NOAEL: 5 mg/kg bw/day Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day Teratogenicity: NOAEL: 2.7 mg/kg bw/day Symptoms: Maternal effects. Result: No teratogenic effects. Test Type: Embryo-fetal development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 1 mg/kg bw/day Teratogenicity: NOAEL: 2 mg/kg bw/day Result: No teratogenic effects. Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 7.2 mg/kg bw/day Developmental Toxicity: LOAEL: 7.2 mg/kg bw/day

SAFETY DATA SHEET



DIAMOND FAST 100 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/02	50003107	Date of first issue: 2025/12/02

Embryo-fetal toxicity.: NOEL: 9.0 mg/kg bw/day
Method: OECD Test Guideline 426
Result: Animal testing did not show any effects on fertility.,
Some evidence of adverse effects on development, based on
animal experiments.

STOT-single exposure

May cause damage to organs (Central nervous system).

Components:

Bifenthrin:

Target Organs	: Central nervous system
Assessment	: Causes damage to organs.

STOT-repeated exposure

May cause damage to organs (Liver, Blood, Central nervous system) through prolonged or repeated exposure.

Components:

Novaluron:

Target Organs	: Liver, Blood
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Bifenthrin:

Target Organs	: Central nervous system
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Novaluron:

Species	: Rat
NOAEL	: 1.1 mg/kg
LOAEL	: 30.6 mg/kg
Exposure time	: 2 y
Target Organs	: Liver, Blood

Species	: Mouse
LOAEL	: 4.2 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Liver, Blood

Bifenthrin:

Species	: Rat, male and female
NOEL	: 100 ppm
Application Route	: Oral - feed

SAFETY DATA SHEET



DIAMOND FAST 100 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/02	50003107	Date of first issue: 2025/12/02

Exposure time : 90 d
Remarks : No toxicologically significant effects were found.

Species : Dog, male and female
NOEL : 2.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 13 w
Symptoms : Tremors

Species : Dog, male and female
NOEL : 1.5 mg/kg
Application Route : Oral
Exposure time : 52 w
Dose : 0.75, 1.5, 3, 5 mg/kg bw/day
GLP : yes
Symptoms : Tremors

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 42.4 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.00028 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Scenedesmus capricornutum (fresh water algae)):
plants : 88.34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Components:

Novaluron:

SAFETY DATA SHEET



DIAMOND FAST 100 SC

Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.01 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia): 0.058 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (algae)): 9.68 mg/l Exposure time: 72 h EC50 (Lemna gibba (duckweed)): 0.075 mg/l Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00616 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Chironomus riparius (harlequin fly)): 0.00004 mg/l Exposure time: 28 d Test Type: static test
M-Factor (Chronic aquatic toxicity)	: 1,000
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg NOEC (Eisenia fetida (earthworms)): 3 mg/kg End point: reproduction Remarks: No significant adverse effect on Nitrogen mineralization. No significant adverse effect on Carbon mineralization.
Toxicity to terrestrial organisms	: LD50 (Anas platyrhynchos (Mallard duck)): > 2,000 mg/kg LD50 (Apis mellifera (bees)): > 100 µg/bee End point: Acute oral toxicity LD50 (Apis mellifera (bees)): 122 µg/bee End point: Acute contact toxicity
Bifenthrin:	
Toxicity to fish	: LC50 (Salmo gairdneri): 0.00015 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00035 mg/l Exposure time: 96 h Test Type: flow-through test

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.000256 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Pimephales promelas (fathead minnow)): 0.000234 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 0.00011 mg/l
Exposure time: 48 h

LC50 (Daphnia): 0.0016 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 0.822 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00012 mg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0013 µg/l
Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.00095 µg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 100,000

Toxicity to soil dwelling organisms : LD50 (Eisenia fetida (earthworms)): > 16 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1,800 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 2,150 mg/kg

LD50 (Apis mellifera (bees)): 0.07 µg a.i./bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (Apis mellifera (bees)): 0.0201 µg a.i./bee
Exposure time: 48 h
End point: Acute contact toxicity

DIAMOND FAST 100 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/02	50003107	Date of first issue: 2025/12/02

Method: OECD Test Guideline 214

ED50 (Apis mellifera (bees)): 143 ng ai larva
Exposure time: 7 d
End point: Acute larval toxicity
Method: OECD 237

ED50 (Apis mellifera (bees)): 15.15 ng ai larva/day
Exposure time: 22 d
End point: Chronic larval toxicity
Method: OECD 239

NOAEL (Apis mellifera (bees)): 2.30 ng ai larva/day
Exposure time: 22 d
End point: Chronic larval toxicity
Method: OECD 239

ED50 (Apis mellifera (bees)): 300 ng a.i./bee/day
Exposure time: 10 d
End point: Chronic oral toxicity
Method: OECD TG 245

NOAEL (Apis mellifera (bees)): 170 ng a.i./bee/day
Exposure time: 10 d
End point: Chronic oral toxicity
Method: OECD TG 245

Persistence and degradability**Components:****Novaluron:**

Biodegradability : Remarks: No data available

Bifenthrin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2.2 d
Hydrolysis: at 60 °C

Degradation half life (DT50): 15.6 d
Hydrolysis: at 40 °C

Bioaccumulative potential**Components:****Novaluron:**

Bioaccumulation : Bioconcentration factor (BCF): 2,091

Partition coefficient: n-octanol/water : Pow: 2,000 (20 °C)
log Pow: 4.36 (20 °C)

SAFETY DATA SHEET



DIAMOND FAST 100 SC

Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

Bifenthrin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: 6.6

Mobility in soil

Components:

Bifenthrin:

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5.37
Remarks: immobile

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Bifenthrin, Novaluron)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

SAFETY DATA SHEET

DIAMOND FAST 100 SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/02	50003107	Date of first issue: 2025/12/02

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Bifenthrin, Novaluron)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Bifenthrin, Novaluron)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Priority Chemical List (PCL) : Not applicable

Chemical Control Order (CCO) : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Novaluron

SAFETY DATA SHEET



DIAMOND FAST 100 SC

Version 1.0	Revision Date: 2025/12/02	SDS Number: 50003107	Date of last issue: - Date of first issue: 2025/12/02
----------------	------------------------------	-------------------------	--

Bifenthrin

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 2025/12/02
Date format	: yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

SAFETY DATA SHEET



DIAMOND FAST 100 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/02	50003107	Date of first issue: 2025/12/02

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PH / EN