

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

SECTION 1. IDENTIFICATION

Product identifier

Product name TRANSPORT™ GHP INSECTICIDE

Other means of identification

Product code 50001784

Recommended use of the chemical and restrictions on use

Recommended use Termiticide and insecticide

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA
+1 (215) 299-6000
SDS-Info@fmc.com

Supplier Address FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

Carcinogenicity : Category 2

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Specific target organ toxicity : Category 1
- single exposure

Specific target organ toxicity : Category 1
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H302 Harmful if swallowed.
H331 Toxic if inhaled.
H351 Suspected of causing cancer.
H370 Causes damage to organs.
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to a local hazardous waste disposal facility.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version 1.1 Revision Date: 09/30/2025 SDS Number: 50001784 Date of last issue: -
Date of first issue: 10/26/2017

Other hazards

Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Bifenthrin	82657-04-3	27.3
acetamiprid (ISO)	135410-20-7	22.7
Silicon dioxide	112926-00-8	>= 15 - <= 40
Alkylated Naphthalene Sulfonate Sodium Salt	68425-94-5	>= 3 - <= 7
docusate sodium	577-11-7	>= 1 - <= 5
Quartz (SiO ₂)	14808-60-7	>= 0.1 - <= 1

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.

If inhaled : Move to fresh air.
Call a physician or poison control center immediately.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.
Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed	: Harmful if swallowed. Toxic if inhaled. Suspected of causing cancer. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Dry chemical, CO2, water spray or regular foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet Do not spread spilled material with high-pressure water streams.
Specific hazards during fire fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Fire may produce irritating, corrosive and/or toxic gases. Carbon oxides Fluorinated compounds Chlorinated compounds Hydrogen chloride Hydrogen fluoride
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	: Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Never return spills in original containers for re-use.
Make sure that there is a sufficient amount of neutralizing/absorbent material near the storage area.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Prevent unauthorized access.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

inert or nuisance dust

50 Million particles per cubic foot
Value type (Form of exposure): TWA (total dust)
Basis: OSHA Z-3

15 mg/m³
Value type (Form of exposure): TWA (total dust)
Basis: OSHA Z-3

5 mg/m³
Value type (Form of exposure): TWA (respirable fraction)
Basis: OSHA Z-3

15 Million particles per cubic foot
Value type (Form of exposure): TWA (respirable fraction)
Basis: OSHA Z-3

Dust, nuisance dust and particulates

10 mg/m³
Value type (Form of exposure): PEL (Total dust)
Basis: CAL PEL

5 mg/m³
Value type (Form of exposure): PEL (respirable dust fraction)
Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Silicon dioxide	112926-00-8	TWA	6 mg/m ³	OSHA P0
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3
		TWA	6 mg/m ³ (Silica)	NIOSH REL
acetamiprid (ISO)	135410-20-7	TWA (Inhalable fraction and vapor)	0.05 mg/m ³	ACGIH
Quartz (SiO ₂)	14808-60-7	TWA (Respirable dust)	0.05 mg/m ³	OSHA Z-1
		TWA (respir-	10 mg/m ³ /	OSHA Z-3

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version 1.1 Revision Date: 09/30/2025 SDS Number: 50001784 Date of last issue: -
Date of first issue: 10/26/2017

		able)	%SiO ₂ +2	
		TWA (respirable)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		PEL (respirable)	0.05 mg/m ³	OSHA CARC
		TWA (respirable dust fraction)	0.1 mg/m ³	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m ³ (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m ³ (Silica)	NIOSH REL

4. Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version 1.1	Revision Date: 09/30/2025	SDS Number: 50001784	Date of last issue: - Date of first issue: 10/26/2017
----------------	------------------------------	-------------------------	--

Hygiene measures : Avoid contact with skin, eyes and clothing.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: powder
Color	: white
Odor	: Faint odour hydrocarbon-like
Odor Threshold	: No data available
pH	: 6.5 - 7.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 9.6 - 13.4 lb/scf

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version 1.1	Revision Date: 09/30/2025	SDS Number: 50001784	Date of last issue: - Date of first issue: 10/26/2017
----------------	------------------------------	-------------------------	--

Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Avoid dust formation. Protect from frost, heat and sunlight.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.
Toxic if inhaled.

Product:

Acute oral toxicity	:	LD50 (Rat): > 550 mg/kg
---------------------	---	-------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Acute inhalation toxicity : LC50 (Rat): > 0.51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Components:

Bifenthrin:

Acute oral toxicity : LD50 (Rat, male and female): 50.2 - 58.8 mg/kg
Symptoms: Convulsions, Tremors

Acute inhalation toxicity : LC50 (Rat, female): 0.6 - 1.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Convulsions

LC50 (Rat, male): 1.10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Remarks: no mortality

acetamiprid (ISO):

Acute oral toxicity : LD50 (Rat, male): 217 mg/kg

LD50 (Rat, female): 146 mg/kg

LD50 (Mouse, male): 198 mg/kg

LD50 (Mouse, female): 184 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Silicon dioxide:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials

Alkylated Naphthalene Sulfonate Sodium Salt:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

docusate sodium:

Acute oral toxicity : LD50 (Rat, male and female): > 2,100 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit, male): > 10,000 mg/kg
Method: OECD Test Guideline 402

Quartz (SiO₂):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.01 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Assessment : Not classified as irritant
Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Components:

Bifenthrin:

Species	:	Rabbit
Result	:	slight or no skin irritation.
GLP	:	yes

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	slight or no skin irritation.
GLP	:	yes

acetamiprid (ISO):

Species	:	Rabbit
Result	:	No skin irritation

Silicon dioxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Alkylated Naphthalene Sulfonate Sodium Salt:

Remarks	:	No data available
---------	---	-------------------

docusate sodium:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Quartz (SiO₂):

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Result	:	Moderate eye irritation
Remarks	:	May cause irreversible eye damage.

Components:

Bifenthrin:

Species	:	Rabbit
---------	---	--------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Result	:	Slight or no eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

acetamiprid (ISO):

Species	:	Rabbit
Result	:	No eye irritation

Silicon dioxide:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Alkylated Naphthalene Sulfonate Sodium Salt:

Result	:	Eye irritation
--------	---	----------------

docusate sodium:

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.
Method	:	OECD Test Guideline 405

Quartz (SiO₂):

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Assessment	:	Not a skin sensitizer.
Result	:	Does not cause skin sensitization.

Components:

Bifenthrin:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

GLP : yes

acetamiprid (ISO):

Species : Guinea pig
Result : Not a skin sensitizer.

docusate sodium:

Routes of exposure : Skin contact
Species : Humans
Result : Does not cause skin sensitization.

Quartz (SiO₂):

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Mouse lymphoma assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Method: OECD Test Guideline 486
Result: negative

acetamiprid (ISO):

Genotoxicity in vitro : Test Type: Ames test

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Result: negative

Test Type: unscheduled DNA synthesis assay
Result: negative

Test Type: Chromosome aberration test in vitro
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

Silicon dioxide:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Species: Rat (male)
Application Route: Inhalation
Result: negative
Remarks: Based on data from similar materials

docosate sodium:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Remarks: No data available

Quartz (SiO₂):

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Components:

Bifenthrin:

Species	: Rat, female
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 3 mg/kg bw/day
Result	: negative

Species	: Mouse, male
Application Route	: Oral
Exposure time	: 18 month(s)
NOAEL	: 7.6 mg/kg bw/day
Result	: positive
Symptoms	: malignant tumors

acetamiprid (ISO):

Species	: Rat
Result	: negative

Species	: Mouse
Result	: negative

Silicon dioxide:

Species	: Rat
Application Route	: Oral
Exposure time	: 103 weeks
Method	: OECD Test Guideline 453
Result	: negative
Remarks	: Based on data from similar materials

Quartz (SiO₂):

Carcinogenicity - Assessment	: Human carcinogen.
------------------------------	---------------------

IARC	Group 1: Carcinogenic to humans Quartz (SiO ₂) (Silica dust, crystalline)	14808-60-7
-------------	---	------------

OSHA	OSHA specifically regulated carcinogen Quartz (SiO ₂) (crystalline silica)	14808-60-7
-------------	--	------------

NTP	Known to be human carcinogen Quartz (SiO ₂) (Silica, Crystalline (Respirable Size))	14808-60-7
------------	---	------------

Reproductive toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Components:

Bifenthrin:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 3 mg/kg bw/day
General Toxicity F1: NOAEL: 5 mg/kg bw/day
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day
Teratogenicity: NOAEL: 2.7 mg/kg bw/day
Symptoms: Maternal effects.
Result: No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1 mg/kg bw/day
Teratogenicity: NOAEL: 2 mg/kg bw/day
Result: No teratogenic effects.

Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 7.2 mg/kg bw/day
Developmental Toxicity: LOAEL: 7.2 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 9.0 mg/kg bw/day
Method: OECD Test Guideline 426
Result: Animal testing did not show any effects on fertility.,
Some evidence of adverse effects on development, based on
animal experiments.

acetamiprid (ISO):

Effects on fertility : Species: Rat
Result: negative

Effects on fetal development : Species: Rat
Result: negative

Species: Rabbit
Result: negative

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on
animal experiments.
Remarks: Based on EU Harmonised classification - Annex VI
of Regulation (EC) No 1272/2008 (CLP Regulation)

Silicon dioxide:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Effects on fertility : Species: Rat
General Toxicity Parent: NOAEL: 1.5 mg/kg bw/day
Fertility: NOAEL: > 6.9 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 2 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 2 mg/kg bw/day
Symptoms: Reduced fetal weight., Reduced number of viable fetuses.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 500 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 500 mg/kg bw/day
Symptoms: Reduced fetal weight., fused or incompletely ossified sternebrae

docusate sodium:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Duration of Single Treatment: 6 - 15 d
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

STOT-single exposure

Causes damage to organs.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

Components:

Bifenthrin:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Components:

Bifenthrin:

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Quartz (SiO₂):

Routes of exposure : Inhalation
Target Organs : Lungs
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Routes of exposure : Inhalation
Target Organs : Immune system, Kidney
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Bifenthrin:

Species : Rat, male and female
NOEL : 100 ppm
Application Route : Oral - feed
Exposure time : 90 d
Remarks : No toxicologically significant effects were found.

Species : Dog, male and female
NOEL : 2.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 13 w
Symptoms : Tremors

acetamiprid (ISO):

Species : Rat, male and female
NOAEL : 7.1 - 8.8 mg/kg
Exposure time : 2 years

Species : Mouse, male and female
NOAEL : 20.3 - 25.2 mg/kg
Exposure time : 1.5 years

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Silicon dioxide:

Species	: Rat, male and female
NOAEL	: 2,500 mg/kg
Application Route	: Oral
Exposure time	: 13 weeks
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 1.3 - 10 mg/l
LOAEL	: 5.9 mg/l
Application Route	: Inhalation
Exposure time	: 13 weeks
Method	: OECD Test Guideline 413
Remarks	: Based on data from similar materials

docusate sodium:

Species	: Rat, male and female
NOAEL	: 750 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Method	: OECD Test Guideline 408

Quartz (SiO₂):

Species	: Rat
LOAEC	: 0.0025 mg/l
Application Route	: Inhalation
Exposure time	: 90 day
Method	: OECD Test Guideline 413
Target Organs	: Lungs
Remarks	: Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks	: No data available
---------	---------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Bifenthrin:

Toxicity to fish	:	LC50 (<i>Salmo gairdneri</i>): 0.00015 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): 0.00035 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 0.000256 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes LC50 (<i>Pimephales promelas</i> (fathead minnow)): 0.000234 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Daphnia</i>): 0.00011 mg/l Exposure time: 48 h LC50 (<i>Daphnia</i>): 0.0016 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 0.822 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (<i>Oncorhynchus mykiss</i> (rainbow trout)): 0.00012 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Daphnia magna</i> (Water flea)): 0.0013 µg/l Exposure time: 21 d NOEC (<i>Daphnia magna</i> (Water flea)): 0.00095 µg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	:	LD50 (<i>Eisenia fetida</i> (earthworms)): > 16 mg/kg Exposure time: 14 d Method: OECD Test Guideline 216 Remarks: No significant adverse effect on Nitrogen minerali-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

zation.

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1,800 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 2,150 mg/kg

LD50 (Apis mellifera (bees)): 0.07 µg a.i./bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (Apis mellifera (bees)): 0.0201 µg a.i./bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

ED50 (Apis mellifera (bees)): 143 ng ai larva
Exposure time: 7 d
End point: Acute larval toxicity
Method: OECD 237

ED50 (Apis mellifera (bees)): 15.15 ng ai larva/day
Exposure time: 22 d
End point: Chronic larval toxicity
Method: OECD 239

NOAEL (Apis mellifera (bees)): 2.30 ng ai larva/day
Exposure time: 22 d
End point: Chronic larval toxicity
Method: OECD 239

ED50 (Apis mellifera (bees)): 300 ng a.i./bee/day
Exposure time: 10 d
End point: Chronic oral toxicity
Method: OECD TG 245

NOAEL (Apis mellifera (bees)): 170 ng a.i./bee/day
Exposure time: 10 d
End point: Chronic oral toxicity
Method: OECD TG 245

acetamiprid (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 119.3 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 49.8 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

		EC50 (Chironomus riparius (harlequin fly)): 0.024 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 98.3 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Chironomus riparius (harlequin fly)): 5 µg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): 0.00885 mg/kg End point: Acute oral toxicity (Apis mellifera (bees)): 0.00926 mg/kg End point: Acute contact toxicity

Silicon dioxide:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOELR (Desmodesmus subspicatus (green algae)): 10,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

Ecotoxicology Assessment

Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.

Alkylated Naphthalene Sulfonate Sodium Salt:

Toxicity to fish	:	LC50 (Zebra fish): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
------------------	---	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

docusate sodium:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l
Exposure time: 96 h
Method: Regulation (EC) No. 440/2008, Annex, C.1

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15.2 mg/l
Exposure time: 48 h
Method: Regulation (EC) No. 440/2008, Annex, C.2

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 82.5 mg/l
Exposure time: 72 h
Method: Regulation (EC) No. 440/2008, Annex, C.3

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 9 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Pseudomonas putida): 164 mg/l
Exposure time: 16.5 h
Method: DIN 38 412 Part 8

EC10 (Pseudomonas putida): 122 mg/l
Exposure time: 16.5 h

Quartz (SiO2):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Persistence and degradability

Components:

Bifenthrin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2.2 d
Hydrolysis: at 60 °C

Degradation half life (DT50): 15.6 d
Hydrolysis: at 40 °C

acetamiprid (ISO):

Biodegradability : Result: Not readily biodegradable.

Silicon dioxide:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

Alkylated Naphthalene Sulfonate Sodium Salt:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

docusate sodium:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 91 %
Exposure time: 28 d

Quartz (SiO₂):

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Components:

Bifenthrin:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 1,709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: 6.6

acetamiprid (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version 1.1	Revision Date: 09/30/2025	SDS Number: 50001784	Date of last issue: - Date of first issue: 10/26/2017
----------------	------------------------------	-------------------------	--

Partition coefficient: n-octanol/water : log Pow: 0.80 (77 °F / 25 °C)

Silicon dioxide:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Remarks: Based on data from similar materials

docusate sodium:

Bioaccumulation : Remarks: Not applicable

Partition coefficient: n-octanol/water : log Pow: 1.998 (68 °F / 20 °C)

Quartz (SiO₂):

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

Bifenthrin:

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5.37
Remarks: immobile

Stability in soil :

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Bifenthrin)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Bifenthrin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Bifenthrin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Bifenthrin)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Bifenthrin	82657-04-3	>= 20 - < 30 %
------------	------------	----------------

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Silicon dioxide

112926-00-8

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

Quartz (SiO ₂)	14808-60-7
----------------------------	------------

Pennsylvania Right To Know

Silicon dioxide	112926-00-8
Bifenthrin	82657-04-3
acetamiprid (ISO)	135410-20-7
Alkylated Naphthalene Sulfonate Sodium Salt	68425-94-5

Maine Chemicals of High Concern

Quartz (SiO ₂)	14808-60-7
----------------------------	------------

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including Quartz (SiO₂), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Permissible Exposure Limits for Chemical Contaminants

Silicon dioxide	112926-00-8
-----------------	-------------

California Regulated Carcinogens

Quartz (SiO ₂)	14808-60-7
----------------------------	------------

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

TECI : Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, Causes eye irritation, This pesticide is extremely toxic to fish and aquatic invertebrates., Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., Remove and wash contaminated clothing before reuse.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE


Version
1.1

Revision Date:
09/30/2025

SDS Number:
50001784

Date of last issue: -
Date of first issue: 10/26/2017

NFPA 704:



HMIS® IV:

HEALTH	*	4
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CAL PEL	: California permissible exposure limits for chemical contaminants (Title 8, Article 107)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA CARC	: OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
CAL PEL / PEL	: Permissible exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	: Permissible exposure limit (PEL)
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



TRANSPORT™ GHP INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/30/2025	50001784	Date of first issue: 10/26/2017

System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet