

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

SECTION 1. IDENTIFICATION

Product name : Premio® Star

Manufacturer or supplier's details

Company : FMC QUÍMICA DO BRASIL LTDA.

Address : AVENIDA DR. JOSÉ BONIFÁCIO

ANDAR - JARDIM MADALENA,
CAMPINAS SP BRASIL
TELEFONE: (19) 2042.4500

Registrant details

Company : FMC Química S.A.

Address : Carlos Pellegrini 719, piso 9, CABA, Argentina

Emergency telephone : Argentina: 54-1159839431 (CHEMTREC)
All other countries: +1 651 / 632-6793 (Collect)

Medical Emergency Number : FMC (General) - (011) 5984-3700
Hospital Nacional Prof. Alejandro Posadas, Centro Nacional de Intoxicaciones. (Toxicológica) - 0800- 333 -0160 / (011)4658-7777 / (011) 4654-6648
Hospital de Niños Ricardo Gutierrez, Unidad de Toxicología. (Toxicológica) - 0800-444-8694 / (011)4962-6666 / (011)4962-2247
Hospital General de Agudos J. A. Fernández ,Unidad de Toxicología. (Toxicológica) - (011) 4808-2655 / (011)4808-2606
TAS ,Toxicología , Asesoramiento y Servicios. (Toxicológica) - 0800-888-8694 / (0341) 4242727
Bomberos (General) – 100
Policia (General) – 101 – 911
Defensa Civil (General) – 103
Emergencias médicas (General) – 107

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 5

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 5

Eye irritation : Category 2B

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 1 (Central nervous system)

Specific target organ toxicity - repeated exposure : Category 1 (Central nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : DANGER

Hazard Statements : H303 + H313 May be harmful if swallowed or in contact with skin.
H317 May cause an allergic skin reaction.
H320 Causes eye irritation.
H332 Harmful if inhaled.
H370 Causes damage to organs (Central nervous system).
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical ad-

SAFETY DATA SHEET



Premio® Star

Version 1.0 Revision Date: 02.02.2026 SDS Number: 50002655 Date of last issue: -
Date of first issue: 02.02.2026

vice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Bifenthrin	82657-04-3	>= 10 -< 20
Chlorantraniliprole	500008-45-7	>= 5 -< 10
glycerol	56-81-5	>= 1 -< 5
D-Glucopyranose, oligomeric, C9-11-alkyl glycosides	132778-08-6	>= 3 -< 5
ammonium sulphate	7783-20-2	>= 2,5 -< 5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with soap and plenty of water.
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

SAFETY DATA SHEET



Premio® Star

Version 1.0	Revision Date: 02.02.2026	SDS Number: 50002655	Date of last issue: - Date of first issue: 02.02.2026
----------------	------------------------------	-------------------------	--

- Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Exposure may result in neurotoxicity with symptoms including tremors, impaired gait, and excessive salivation. Tremors may disappear with continued exposure.
Contact with skin may cause tingling, itching, burning, or numbness at the site of contact. Inhalation may irritate the nose, throat, and lungs. Swallowing large quantities may result in throat irritation, nausea, abdominal pain, and vomiting. May be harmful if swallowed or in contact with skin.
May cause an allergic skin reaction.
Causes eye irritation.
Harmful if inhaled.
Causes damage to organs.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapors.
Carbon oxides
Nitrogen oxides (NO_x)
Fluorinated compounds
Chlorinated compounds
Hydrogen chloride
Bromine compounds
Hydrogen cyanide
Sulfur oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Accidental Release Measures : Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Recommended storage temperature : < 40 °C
- Further information on storage : No decomposition if stored and applied as directed.

SAFETY DATA SHEET



Premio® Star

Version 1.0 Revision Date: 02.02.2026 SDS Number: 50002655 Date of last issue: -
Date of first issue: 02.02.2026

age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerol	56-81-5	CMP (Mist)	10 mg/m ³	AR OEL

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
Always have on hand a first-aid kit, together with proper instructions.
- Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Form : liquid
- Color : white
- Odor : mild aromatic
- Odor Threshold : No data available

SAFETY DATA SHEET



Premio® Star

Version 1.0	Revision Date: 02.02.2026	SDS Number: 50002655	Date of last issue: - Date of first issue: 02.02.2026
----------------	------------------------------	-------------------------	--

pH	:	5,61 (25 °C)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1,066 (20 °C)
Solubility(ies)		
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	330,7 mPa.s (20 °C) 30 rpm
		276 mPa.s (40 °C) 30 rpm
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Surface tension	:	29,91 mN/m

SAFETY DATA SHEET



Premio® Star

Version 1.0	Revision Date: 02.02.2026	SDS Number: 50002655	Date of last issue: - Date of first issue: 02.02.2026
----------------	------------------------------	-------------------------	--

Metal corrosion rate : Not corrosive to metals.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.
Avoid formation of aerosol.
Protect from frost, heat and sunlight.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if swallowed or in contact with skin.
Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): > 1,27 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402

Components:

Bifenthrin:

Acute oral toxicity : LD50 (Rat, male and female): 50,2 - 58,8 mg/kg
Symptoms: Convulsions, Tremors

Acute inhalation toxicity : LC50 (Rat, female): 0,6 - 1,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Convulsions

LC50 (Rat, male): 1,10 mg/l

SAFETY DATA SHEET



Premio® Star

Version 1.0	Revision Date: 02.02.2026	SDS Number: 50002655	Date of last issue: - Date of first issue: 02.02.2026
----------------	------------------------------	-------------------------	--

Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Remarks: no mortality

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Remarks: Information source: Internal study report

LD50 (Mouse, female): > 2.000 mg/kg
Method: OECD Test Guideline 425
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information source: Internal study report

LC50 (Rat, male and female): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

LC50 (Rat, male and female): > 5,0 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: GB 15670-1995
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: Information source: Internal study report

LD50 (Rat, male and female): > 5.000 mg/kg

Method: GB 15670-1995

GLP: yes

Remarks: no mortality

LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: no mortality

glycerol:

Acute oral toxicity : LD50 (Rat, female): 11.500 mg/kg

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56.750 mg/kg

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

ammonium sulphate:

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 423

LD50 (Rat): 4.250 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male): 0,0035 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 433

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 434

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

Bifenthrin:

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: slight or no skin irritation.
GLP	: yes

Chlorantraniliprole:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes
Remarks	: Information source: Internal study report

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

Species	: Rabbit
Method	: GB 15670-1995
Result	: No skin irritation
GLP	: yes

glycerol:

Species	: Rabbit
Result	: No skin irritation

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Species	: Rabbit
Result	: slight irritation

ammonium sulphate:

Species	: Rabbit
Exposure time	: 20 h
Method	: Draize Test
Result	: slight irritation

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: slight irritation

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species	: Rabbit
Result	: Mild eye irritation
Method	: OECD Test Guideline 405

Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Components:**Bifenthrin:**

Species	: Rabbit
Result	: Slight or no eye irritation
Method	: OECD Test Guideline 405
GLP	: yes

Chlorantraniliprole:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Information source: Internal study report

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Species	: Rabbit
Result	: Slight or no eye irritation
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
GLP	: yes

glycerol:

Species	: Rabbit
Result	: No eye irritation

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Result	: Irreversible effects on the eye
Method	: in vitro eye irritation test

ammonium sulphate:

Species	: Rabbit
Result	: slight irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Components:

Bifenthrin:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.
GLP	: yes

Chlorantraniliprole:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes
Remarks	: Information source: Internal study report

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

ammonium sulphate:

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Bifenthrin:

Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
-----------------------	---

	Test Type: gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative GLP: yes
--	---

	Test Type: Mouse lymphoma assay Metabolic activation: with and without metabolic activation Result: negative
--	--

Genotoxicity in vivo	: Test Type: Sex-linked Recessive Lethal Test
----------------------	---

Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Species: *Drosophila melanogaster* (vinegar fly)
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Method: OECD Test Guideline 486
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse (male and female)
Method: OECD Test Guideline 474
Result: negative

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

glycerol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

ammonium sulphate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male)
Application Route: Intraperitoneal injection
Exposure time: 4 d

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Bifenthrin:

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 3 mg/kg bw/day
Result : negative

Species : Mouse, male
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 7,6 mg/kg bw/day
Result : positive
Symptoms : malignant tumors

Chlorantraniliprole:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 805 - 1.076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1.155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Dog
Exposure time : 1 Years
NOAEL : 1.164 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

glycerol:

Species : Rat
Application Route : Oral
Exposure time : 2 years Years
Result : negative

Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

ammonium sulphate:

Species : Rat, male
Application Route : Oral
Exposure time : 2 y
Dose : 564, 1288 mg/kg food
Method : OECD Test Guideline 453
Result : negative

Species : Rat, female
Application Route : Oral
Exposure time : 2 y
Dose : 649, 1371 mg/kg food
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified based on available information.

Components:**Bifenthrin:**

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 3 mg/kg bw/day
General Toxicity F1: NOAEL: 5 mg/kg bw/day
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 2,7 mg/kg bw/day
Teratogenicity: NOAEL: 2,7 mg/kg bw/day
Symptoms: Maternal effects.
Result: No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1 mg/kg bw/day
Teratogenicity: NOAEL: 2 mg/kg bw/day
Result: No teratogenic effects.

Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 7,2 mg/kg bw/day
Developmental Toxicity: LOAEL: 7,2 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 9,0 mg/kg bw/day
Method: OECD Test Guideline 426
Result: Animal testing did not show any effects on fertility.,

Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Some evidence of adverse effects on development, based on animal experiments.

Chlorantraniliprole:

- Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOAEL: 20.000 ppm
General Toxicity F1: NOAEL: 20.000 ppm
Method: OECD Test Guideline 416
Result: negative
- Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 Days
General Toxicity Maternal: NOEL: 1.000 mg/kg bw/day
Developmental Toxicity: NOEL: 1.000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

glycerol:

- Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative
- Effects on fetal development : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

ammonium sulphate:

- Effects on fertility : Species: Rat
Application Route: Oral
Dose: 250, 750, 1500 mg/kg
General Toxicity Parent: LOAEL: 250 mg/kg body weight
Fertility: NOAEL: 1.500 mg/kg body weight
Method: OECD Test Guideline 422
Result: No effects on fertility and early embryonic development were detected.
- Effects on fetal development : Species: Rat
Application Route: Oral
Dose: 250, 750, 1500 mg/kg
Developmental Toxicity: NOAEL: 1.500 mg/kg body weight
Method: OECD Test Guideline 415
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Premio® Star



assessment ductive toxicity

Causes damage to organs (Central nervous system).

Target Organs : Central nervous system
Assessment : Causes damage to organs.

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

Target Organs	: Central nervous system
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Species	:	Rat, male and female
NOEL	:	100 ppm
Application Route	:	Oral - feed
Exposure time	:	90 d
Remarks	:	No toxicologically significant effects were found.

Species	: Dog, male and female
NOEL	: 2,5 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 13 w
Symptoms	: Tremors

Species	: Dog, male and female
NOEL	: 1,5 mg/kg
Application Route	: Oral
Exposure time	: 52 w
Dose	: 0.75, 1.5, 3, 5 mg/kg bw/day
GLP	: yes
Symptoms	: Tremors

Species : Rat, male and female
NOEL : 1188 - 1526 mg/kg

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Application Route : Oral
Exposure time : 90 Days
Method : OECD Test Guideline 408

Species : Rat
NOAEL : 1.188 mg/kg
Application Route : Oral
Exposure time : 90 Days

Species : Dog
NOAEL : 1.163 mg/kg
Application Route : Oral
Exposure time : 90 Days

glycerol:

Species : Rat
LOAEL : 1 mg/kg
Application Route : Inhalation
Exposure time : 14 d
Dose : 0, 1, 1.93, 3.91 mg/L
Symptoms : respiratory tract irritation, Fatality

Species : Rat
NOAEL : 0,165 mg/l
LOAEL : 0,662 mg/l
Application Route : Inhalation
Exposure time : 13 w
Dose : 0, 0.033, 0.165, 0.662 mg/L
Symptoms : respiratory tract irritation

ammonium sulphate:

Species : Rat, female
NOAEL : 284 mg/kg
Application Route : Oral
Exposure time : 1 y
Dose : 48, 284, 1490 mg/kg
Method : OECD Test Guideline 453
Symptoms : Liver effects, kidney effects

Species : Rat, male
NOAEL : 256 mg/kg
Application Route : Oral
Exposure time : 1 y
Dose : 42, 256, 1527 mg/kg
Method : OECD Test Guideline 453
Symptoms : Liver effects, kidney effects

Species : Rat
NOAEC : 0,3 mg/l
Application Route : Inhalation
Exposure time : 14 d
Number of exposures : 8 h/d
Dose : 0.3 mg/L
Symptoms : No adverse effects.

Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Aspiration toxicity

Not classified based on available information.

Components:**Bifenthrin:**

The substance does not have properties associated with aspiration hazard potential.

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information**Product:**

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Bifenthrin:**

Toxicity to fish	:	LC50 (Salmo gairdneri): 0,00015 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00035 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Oncorhynchus mykiss (rainbow trout)): 0,000256 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes LC50 (Pimephales promelas (fathead minnow)): 0,000234 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 0,00011 mg/l Exposure time: 48 h LC50 (Daphnia): 0,0016 mg/l Exposure time: 48 h
Toxicity to algae/aquatic	:	EC50 (algae): 0,822 mg/l

SAFETY DATA SHEET



Premio® Star

Version 1.0	Revision Date: 02.02.2026	SDS Number: 50002655	Date of last issue: - Date of first issue: 02.02.2026
----------------	------------------------------	-------------------------	--

plants	Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 1.000
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0,00012 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0,0013 µg/l Exposure time: 21 d NOEC (Daphnia magna (Water flea)): 0,00095 µg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 100.000
Toxicity to soil dwelling organisms	: LD50 (Eisenia fetida (earthworms)): > 16 mg/kg Exposure time: 14 d Method: OECD Test Guideline 216 Remarks: No significant adverse effect on Nitrogen mineralization.
Toxicity to terrestrial organisms	: LD50 (Colinus virginianus (Bobwhite quail)): 1.800 mg/kg LD50 (Anas platyrhynchos (Mallard duck)): > 2.150 mg/kg LD50 (Apis mellifera (bees)): 0,07 µg a.i./bee Exposure time: 48 h End point: Acute oral toxicity Method: OECD Test Guideline 213 LD50 (Apis mellifera (bees)): 0,0201 µg a.i./bee Exposure time: 48 h End point: Acute contact toxicity Method: OECD Test Guideline 214 ED50 (Apis mellifera (bees)): 143 ng ai larva Exposure time: 7 d End point: Acute larval toxicity Method: OECD 237 ED50 (Apis mellifera (bees)): 15,15 ng ai larva/day Exposure time: 22 d End point: Chronic larval toxicity Method: OECD 239 NOAEL (Apis mellifera (bees)): 2,30 ng ai larva/day Exposure time: 22 d End point: Chronic larval toxicity Method: OECD 239

Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

ED50 (*Apis mellifera* (bees)): 300 ng a.i./bee/day
 Exposure time: 10 d
 End point: Chronic oral toxicity
 Method: OECD TG 245

NOAEL (*Apis mellifera* (bees)): 170 ng a.i./bee/day
 Exposure time: 10 d
 End point: Chronic oral toxicity
 Method: OECD TG 245

Chlorantraniliprole:

Toxicity to fish	:	LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 13,8 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: Information source: Internal study report LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): > 15,1 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes Remarks: Information source: Internal study report LC50 (<i>Cyprinodon</i> sp. (minnow)): > 12 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Daphnia magna</i> (Water flea)): 0,0116 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes LC50 (<i>Hyalella azteca</i> (Amphipod)): 0,26 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes LC50 (<i>Ceriodaphnia dubia</i> (water flea)): 0,0067 - 0,011 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 2 mg/l Exposure time: 120 h NOEC (<i>Lemna gibba</i> (duckweed)): > 2 mg/l End point: Biomass Exposure time: 14 d Test Type: static test ErC50 (<i>Selenastrum capricornutum</i> (green algae)): > 2 mg/l Exposure time: 72 h

Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (Skeletonema costatum (Diatom)): > 14,6 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (Navicula pelliculosa (Diatom)): > 15,1 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 1,28 mg/l
Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,110 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,00447 mg/l
Exposure time: 21 d
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1.000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

EC50 (*Hypoaspis aculeifer*): >100 mg/kg dry weight (d.w.)
 Exposure time: 16 d
 Method: OECD Test Guideline 207

NOEC (*Hypoaspis aculeifer*): 100 mg/kg dry weight (d.w.)
 Exposure time: 16 d
 Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 4,0 µg/bee
 Exposure time: 72 h
 End point: Acute contact toxicity
 Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0,005 µg/bee
 Exposure time: 48 h
 End point: Acute contact toxicity
 Remarks: Active substance dissolved in water

LD50 (*Apis mellifera* (bees)): > 104,1 µg/bee
 Exposure time: 48 h
 End point: Acute oral toxicity
 Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0,0274 µg/bee
 Exposure time: 48 h
 End point: Acute oral toxicity
 Remarks: Active substance dissolved in water

LD50 (*Poephila guttata* (zebra finch)): > 2.250 mg/kg

glycerol:

Toxicity to fish : LC50 (Fish): 885 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1.955 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Scenedesmus capricornutum* (fresh water algae)): 2.900 mg/l
 Exposure time: 192 h

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): 10.000 mg/l
 Exposure time: 16 h

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): 2,95 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 26,2 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Skeletonema costatum* (Diatom)): 9,05 mg/l
 Exposure time: 72 h
 Method: ISO 10253

SAFETY DATA SHEET



Premio® Star

Version 1.0	Revision Date: 02.02.2026	SDS Number: 50002655	Date of last issue: - Date of first issue: 02.02.2026
----------------	------------------------------	-------------------------	--

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): > 560 mg/l

ammonium sulphate:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 53 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 169 mg/l
Exposure time: 48 h

EC50 (*Daphnia*): 121,7 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Chlorella vulgaris* (Fresh water algae)): 2.700 mg/l
Exposure time: 18 h

EC50 (*Chlorella vulgaris* (Fresh water algae)): 1.605 mg/l
Exposure time: 5 d

Toxicity to fish (Chronic toxicity) : EC10 (*Lepomis macrochirus* (Bluegill sunfish)): 5,29 mg/l
Exposure time: 30 d
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (*Hyalella azteca* (Amphipod)): 3,12 mg/l
Exposure time: 70 d
Test Type: semi-static test

Toxicity to microorganisms : EC50 (activated sludge): 1.618 mg/l
Exposure time: 0,5 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Persistence and degradability

Components:

Bifenthrin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 2,2 d
Hydrolysis: at 60 °C

Degradation half life (DT50): 15,6 d
Hydrolysis: at 40 °C

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0,3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

glycerol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 24 h

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Biodegradability : Result: Readily biodegradable.

ammonium sulphate:

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Bifenthrin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1.709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: 6,6

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,77 (20 °C)
pH: 4

log Pow: 2,86 (20 °C)
pH: 7

log Pow: 2,80 (20 °C)
pH: 9

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1,75 (25 °C)
pH: 7,4

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Partition coefficient: n-octanol/water : log Pow: 3,7
Method: OECD Test Guideline 117

ammonium sulphate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -5,1 (25 °C)

log Pow: 0,48 (25 °C)

Mobility in soil

Components:

Bifenthrin:

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5,37
Remarks: immobile

Stability in soil :

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2,55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bifenthrin, Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin, Chlorantraniliprole)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bifenthrin, Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

SAFETY DATA SHEET



Premio® Star

Version 1.0	Revision Date: 02.02.2026	SDS Number: 50002655	Date of last issue: - Date of first issue: 02.02.2026
----------------	------------------------------	-------------------------	--

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 500008-45-7 2-METHYLBIPHENYL-3-YLMETHYL (Z)-(1RS,3RS)-3-(2-CHLORO-3,3,3-TRIFLUOROPROP-1-ENYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 02.02.2026
Date format	: dd.mm.yyyy

Full text of other abbreviations

AR OEL	: Argentina. Occupational Exposure Limits
AR OEL / CMP	: TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

SAFETY DATA SHEET



Premio® Star

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002655	Date of first issue: 02.02.2026

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AR / EN