

SAFETY DATA SHEET

ROVRAL 255 SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/02	50000534	Date of first issue: 2026/02/02

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ROVRAL 255 SC

Other means of identification : Iprodione 255 g/L SC

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Taiwan Co. Ltd.

Address : 3F, No. 179, Fuhuiyuan Blvd.,
Xitun Dist., Taichung City, 40758
Taiwan

Telephone : +886 4 2254 2785

Telefax : +886 4 2254 2831

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
00801-14-8954 (CHEMTREC)

Medical emergency:
00886 2 28757525 (in case of chemical spill, fire or poisoning
accident)

2. HAZARDS IDENTIFICATION

GHS Classification

Carcinogenicity : Category 2

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

SAFETY DATA SHEET

ROVRAL 255 SC



Version 1.0 Revision Date: 2026/02/02 SDS Number: 50000534 Date of last issue: -
Date of first issue: 2026/02/02

Hazard pictograms

:



Signal Word

: WARNING

Hazard Statements

: H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
iprodione (ISO)	36734-19-7	>= 20 -< 25
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	72623-86-0	>= 30 -< 50
2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates	114535-82-9	>= 1 -< 10
alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene)	99734-09-5	>= 1 -< 2.5

4. FIRST AID MEASURES

SAFETY DATA SHEET

ROVRAL 255 SC



Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

First aid measures for different exposure routes

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : Suspected of causing cancer.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Hydrogen cyanide
Hydrogen chloride
Chlorinated compounds

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must

SAFETY DATA SHEET

ROVRAL 255 SC



Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

ROVRAL 255 SC



Version 1.0 Revision Date: 2026/02/02 SDS Number: 50000534 Date of last issue: -
Date of first issue: 2026/02/02

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	72623-86-0	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH

Biological occupational exposure limits

Contains no substances with biological exposure indices.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state

: liquid

Form

: suspension

Color

: light green

Odor

: odorless

pH

: 3 - 5
(1% solution in water)

SAFETY DATA SHEET

ROVRAL 255 SC



Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

Melting point/freezing point	: not determined
Boiling point/boiling range	: > 100 °C
Flash point	: > 100 °C
Flammability (solid, gas)	: Not applicable
Self-ignition	: 430 °C
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Density	: 1.02 g/cm ³
Partition coefficient: n-octanol/water	: Not applicable
Viscosity Viscosity, dynamic	: 40 - 100 mPa.s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Particle size	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Protect from frost, heat and sunlight.
Incompatible materials	: Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: Stable under recommended storage conditions.

ROVRAL 255 SC

Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure : None known.

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.88 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

Components:**iprodione (ISO):**

Acute oral toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The component/mixture is minimally toxic after single ingestion. LD50 (Rat, male and female): 3,100 - 4,300 mg/kg Symptoms: ataxia, Diarrhea, Nose bleeding
Acute inhalation toxicity	: LC50 (Rat): > 3.29 mg/l Exposure time: 4 h Test atmosphere: dust/mist Symptoms: Breathing difficulties Assessment: The component/mixture is minimally toxic after short term inhalation. Remarks: no mortality
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: EPA OPP 81-2 Symptoms: Irritation GLP: yes Assessment: The component/mixture is minimally toxic after

ROVRAL 255 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/02	50000534	Date of first issue: 2026/02/02

single contact with skin.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Acute oral toxicity	: LD0 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	: LD0 (Rabbit, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

Components:**iprodione (ISO):**

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: EPA OPP 81-5

SAFETY DATA SHEET



ROVRAL 255 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/02	50000534	Date of first issue: 2026/02/02

Result : No skin irritation
GLP : yes

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Species : Rabbit
Result : No skin irritation

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Components:

iprodione (ISO):

Species : Rabbit
Result : slight irritation
Method : EPA OPP 81-4
GLP : yes

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

ROVRAL 255 SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/02	50000534	Date of first issue: 2026/02/02

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	: Modified Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

Components:

iprodione (ISO):

Test Type	: Buehler Test
Species	: Guinea pig
Assessment	: Not a skin sensitizer.
Method	: EPA OPP 81-6
Result	: Does not cause skin sensitization.
GLP	: yes

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Result	: Does not cause skin sensitization.
--------	--------------------------------------

Chronic toxicity

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity - Assessment	: Contains no ingredient listed as a mutagen
-------------------------------------	--

Components:

iprodione (ISO):

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation
-----------------------	---

ROVRAL 255 SC

Version
1.0

Revision Date:
2026/02/02

SDS Number:
50000534

Date of last issue: -
Date of first issue: 2026/02/02

Result: negative

Test Type: in vitro DNA damage and/or repair study
Test system: Bacillus subtilis
Metabolic activation: with and without metabolic activation
Result: positive

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Result: positive
Remarks: Based on data from similar materials

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: positive
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

SAFETY DATA SHEET



ROVRAL 255 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/02	50000534	Date of first issue: 2026/02/02

Remarks: Based on data from similar materials

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Germ cell mutagenicity - Assessment : No genotoxic potential.

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Suspected of causing cancer.

Components:

iprodione (ISO):

Species : Rat, male
Exposure time : 2 y
: 6.1 mg/kg bw/day
: 12.4 mg/kg bw/day
Result : positive
Symptoms : Testicular effects
Target Organs : Adrenal gland, Testes

Species : Rat, female
Exposure time : 2 y
: 8.4 mg/kg bw/day
: 16.5 mg/kg bw/day
Target Organs : Adrenal gland

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Species : Mouse, female
Application Route : Dermal
Exposure time : 78 weeks
Result : negative
Remarks : Based on data from similar materials

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



ROVRAL 255 SC

Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:

iprodione (ISO):

Effects on fetal development : Species: Rabbit
General Toxicity Maternal: NOAEL: 20 mg/kg bw/day
Developmental Toxicity: NOAEL: 60 mg/kg bw/day
Symptoms: Reduced body weight, Total Resorptions / resorption rate.

Species: Rat
General Toxicity Maternal: NOAEL: 20 mg/kg bw/day
Developmental Toxicity: NOAEL: 20 mg/kg bw/day
Symptoms: Reduced body weight, Fetal mortality.
Target Organs: Adrenal gland

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Oral
Dose: 1000 mg/kg/day
General Toxicity Parent: NOAEL: 1,000 mg/kg body weight
General Toxicity F1: NOAEL: $\geq$ 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Dermal
Dose: 0,8,30,125,500,1000mg/kg/day
Duration of Single Treatment: 20 d
General Toxicity Maternal: LOAEL: 8 mg/kg body weight
Developmental Toxicity: LOAEL: 125 mg/kg bw/day
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
Remarks: Based on data from similar materials

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



ROVRAL 255 SC

Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

Components:

iprodione (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

iprodione (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

iprodione (ISO):

Species : Rat, male
NOAEL : 78 mg/kg
LOAEL : 151 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Reproductive organs

Species : Rat, female
NOAEL : 89 mg/kg
LOAEL : 189 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Reproductive organs

Species : Rat, male
NOAEL : 28 mg/kg
LOAEL : 207 mg/kg
Application Route : Inhalation
Exposure time : 28 d
Target Organs : Adrenal gland

Species : Rat, female
NOAEL : 43 mg/kg
LOAEL : 241 mg/kg

SAFETY DATA SHEET



ROVRAL 255 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/02	50000534	Date of first issue: 2026/02/02

Application Route : Inhalation
Exposure time : 28 d
Target Organs : Adrenal gland

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Species : Rat, male
LOAEL : 125 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 13 weeks
Dose : 125 or 500 mg/kg/day
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 980 mg/m³
Application Route : Inhalation
Test atmosphere : vapor
Exposure time : 28 d
Dose : 0, 50, 220 or 1000 mg/m³
Remarks : Based on data from similar materials

Species : Rabbit, male and female
NOAEL : 1000 mg/kg bw/day
LOAEL : 2000 mg/kg bw/day
Application Route : Skin contact
Exposure time : 28 d
Dose : 200,1000,2000mg/kgbw/day
Method : OECD Test Guideline 410
Remarks : Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Components:

iprodione (ISO):

The substance does not have properties associated with aspiration hazard potential.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

No aspiration toxicity classification

SAFETY DATA SHEET

ROVRAL 255 SC



Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Fish): 24 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia): $\geq$ 0.46 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (algae): 12.8 mg/l Exposure time: 72 h

Components:

iprodione (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 4.1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.25 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Scenedesmus subspicatus): $>$ 0.5 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (Fish): 0.26 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.17 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): $>$ 1,000 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	: LD50 (Colinus virginianus (Bobwhite quail)): $>$ 2,000 mg/kg LD50 (Apis mellifera (bees)): $>$ 250 μ g/bee Exposure time: 48 h

ROVRAL 255 SC

Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

Remarks: Contact

LD50 (Apis mellifera (bees)): > 25 µg/bee

Exposure time: 48 h

Remarks: Oral

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

- | | | |
|--|---|--|
| Toxicity to fish | : | LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
water accommodated fractions (WAF) |
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 (Daphnia): > 10,000 mg/l
Exposure time: 48 h
Test Type: static test
Remarks: Based on data from similar materials
water accommodated fractions (WAF) |
| Toxicity to algae/aquatic plants | : | NOELR (Pseudokirchneriella subcapitata (algae)): >= 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: water accommodated fractions (WAF) |
| Toxicity to fish (Chronic toxicity) | : | NOELR (Oncorhynchus mykiss (rainbow trout)): >= 1,000 mg/l
Exposure time: 14 d
Method: QSAR |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOELR (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Test Type: semi-static test
Remarks: water accommodated fractions (WAF) |
| Toxicity to microorganisms | : | NOEL (Photobacterium phosphoreum): > 1.93 mg/l
Exposure time: 10 min |
| Toxicity to terrestrial organisms | : | NOEC (Anas platyrhynchos (Mallard duck)): 5,000 ppm
Exposure time: 126 d |

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Brachydanio rerio (zebrafish)): 3,000 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 550 mg/l
Exposure time: 24 h
Remarks: Based on data from similar materials |

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

- | | | |
|------------------|---|---|
| Toxicity to fish | : | LC50 (Brachydanio rerio (zebrafish)): 21 mg/l |
|------------------|---|---|

SAFETY DATA SHEET



ROVRAL 255 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/02	50000534	Date of first issue: 2026/02/02

Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to microorganisms : Remarks: No data available

Persistence and degradability

Components:

iprodione (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 146 d pH: 5

Degradation half life (DT50): 0.2 d pH: 8

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Biodegradability : Inoculum: activated sludge
Result: Inherently biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Inoculum: activated sludge
Result: Not inherently biodegradable.
Biodegradation: 2 - 8 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates:

Biodegradability : Result: Not readily biodegradable.

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 8 %
Exposure time: 28 d
Method: OECD Test Guideline 301

Bioaccumulative potential

Components:

iprodione (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 70
Remarks: Bioaccumulation is unlikely.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 3 (20 °C)
pH: 7

SAFETY DATA SHEET



ROVRAL 255 SC

Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil

Components:

iprodione (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Iprodione)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

SAFETY DATA SHEET



ROVRAL 255 SC

Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Iprodione)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Iprodione)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulations on Occupational Safety and Health Facilities	: applicable
Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste	: applicable
Regulations on Labelling and Hazard Communication of Hazardous Chemicals	: applicable
Rules on Road Traffic Safety	: applicable
Standards of Permissible Exposure Limits in Workplace	: Contains no substances with occupational exposure limit values.
Rules on the Prevention of Poisoning from Organic Solvents.	: Not applicable
Standard for the Control of Designated Hazardous and Dangerous Chemicals	: Not applicable
Establishment Standards and Safety Control Regulations for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases Places	: Quantity subject to control
Toxic and Concerned Chemical Substances Control Act	
Toxic chemical substances	: Not applicable

SAFETY DATA SHEET



ROVRAL 255 SC

Version 1.0	Revision Date: 2026/02/02	SDS Number: 50000534	Date of last issue: - Date of first issue: 2026/02/02
----------------	------------------------------	-------------------------	--

Concerned chemical substances	: Not applicable
Regulations for Governing Designating and Handling of Priority Management Chemicals	: applicable
Rules on Labour Health Protection	: Not applicable

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 2,4,6-tris(1-Phenylethyl)polyoxyethylenated phosphates
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Responsible Department	: FMC Corporation
Contact person	: Bee Huang
Revision Date	: 2026/02/02
Date format	: yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

SAFETY DATA SHEET



ROVRAL 255 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/02	50000534	Date of first issue: 2026/02/02

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

TW / EN