

SAFETY DATA SHEET



REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

SECTION 1. IDENTIFICATION

Product name : REATOR® 360 CS

Manufacturer or supplier's details

Company : FMC QUÍMICA DO BRASIL LTDA.

Address : AVENIDA DR. JOSÉ BONIFÁCIO
COUTINHO NOGUEIRA 150 - 1º
ANDAR - JARDIM MADALENA,
CAMPINAS SP BRASIL
TELEFONE: (19) 2042.4500

Emergency telephone : Argentina: 54-1159839431 (CHEMTREC)
All other countries: +1 651 / 632-6793 (Collect)

Medical Emergency Number : FMC (General) - (011) 5984-3700
Hospital Nacional Prof. Alejandro Posadas, Centro Nacional de
Intoxicaciones. (Toxicológica) - 0800- 333 -0160 / (011)4658-
7777 / (011) 4654-6648
Hospital de Niños Ricardo Gutierrez, Unidad de Toxicología.
(Toxicológica) - 0800-444-8694 / (011)4962-6666 / (011)4962-
2247
Hospital General de Agudos J. A. Fernández ,Unidad de Toxi-
cología. (Toxicológica) - (011) 4808-2655 / (011)4808-2606
TAS ,Toxicología , Asesoramiento y Servicios. (Toxicológica) -
0800-888-8694 / (0341) 4242727
Bomberos (General) – 100
Policia (General) – 101 – 911
Defensa Civil (General) – 103
Emergencias médicas (General) – 107

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 5

Acute toxicity (Dermal) : Category 5

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic : Category 1

SAFETY DATA SHEET

REATOR® 360 CS



Version 1.0 Revision Date: 30.01.2026 SDS Number: 50002075 Date of last issue: -
Date of first issue: 30.01.2026

hazard

GHS label elements

Hazard pictograms



Signal Word

: WARNING

Hazard Statements

: H303 + H313 May be harmful if swallowed or in contact with skin.
H402 Harmful to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P273 Avoid release to the environment.

Response:

P312 Call a POISON CENTER/ doctor if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
clomazone (ISO)	81777-89-1	>= 25 -< 30
Corn oil	8001-30-7	>= 5 -< 10
sodium nitrate	7631-99-4	>= 5 -< 10
calcium chloride	10043-52-4	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled

: If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

-
- | | | |
|---|---|---|
| In case of skin contact | : | Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : | May be harmful if swallowed or in contact with skin. |
| Protection of first-aiders | : | Avoid inhalation, ingestion and contact with skin and eyes.
Avoid inhalation, ingestion and contact with skin and eyes. |
| Notes to physician | : | Treat symptomatically. |
-

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|---------------------------------------|---|--|
| Suitable extinguishing media | : | Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : | Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Fire may produce irritating, corrosive and/or toxic gases.
Chlorinated compounds
Nitrogen oxides (NO _x)
Carbon oxides
Hydrogen chloride
Hydrogen cyanide
Sodium oxides |
| Specific extinguishing methods | : | Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment | : | Firefighters should wear protective clothing and self-contained |

SAFETY DATA SHEET



REATOR® 360 CS

Version 1.0	Revision Date: 30.01.2026	SDS Number: 50002075	Date of last issue: - Date of first issue: 30.01.2026
----------------	------------------------------	-------------------------	--

for fire-fighters breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.
Avoid formation of respirable particles.
Do not breathe vapors/dust.
Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Corn oil	8001-30-7	CMP (Mist)	10 mg/m3	AR OEL

SAFETY DATA SHEET



REATOR® 360 CS

Version 1.0	Revision Date: 30.01.2026	SDS Number: 50002075	Date of last issue: - Date of first issue: 30.01.2026
----------------	------------------------------	-------------------------	--

Personal protective equipment

Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter.
Hand protection	:	
Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	:	Plan first aid action before beginning work with this product.
Hygiene measures	:	Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Form	:	encapsulated suspension
Color	:	green
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	8,86 (ca. 20 °C)
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 99,8 °C
Evaporation rate	:	No data available

SAFETY DATA SHEET



REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

Flammability (liquids)	:	Will not burn
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1,1592 (20 °C)
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	379,8 mPa.s (20 °C) 277,3 mPa.s (40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Metal corrosion rate	:	Not corrosive to metals.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Vapors may form explosive mixture with air. No decomposition if stored and applied as directed.

REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

Conditions to avoid : Avoid extreme temperatures.
Heat, flames and sparks.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

May be harmful if swallowed or in contact with skin.

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423
Symptoms: hyperexcitability
Assessment: The component/mixture is minimally toxic after single ingestion.
Remarks: no mortality

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Components:**clomazone (ISO):**

Acute oral toxicity : LD50 (Rat, female): 768 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): 300 - 2.000 mg/kg
Method: OECD Test Guideline 423
Target Organs: Liver
Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1.564 mg/kg
Symptoms: ataxia

Acute inhalation toxicity : LC50 (Rat): > 5,02 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

LC50 (Rat, female): 4,23 mg/l
Exposure time: 4 h

SAFETY DATA SHEET



REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Corn oil:

Acute oral toxicity : Remarks: No data available

sodium nitrate:

Acute oral toxicity : LD50 (Rat, male and female): 3.430 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LD50 (Rat): > 0,527 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402

calcium chloride:

Acute oral toxicity : LD50 (Rat, male): 2.120 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404

Components:

clomazone (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight or no skin irritation.

calcium chloride:

Species : Rabbit

REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405

Components:**clomazone (ISO):**

Species	:	Rabbit
Result	:	Slight or no eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes

sodium nitrate:

Species	:	Rabbit
Result	:	Eye irritation
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405

calcium chloride:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 406

Components:**clomazone (ISO):**

Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	US EPA Test Guideline OPP 81-6

SAFETY DATA SHEET



REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

Result : Not a skin sensitizer.

sodium nitrate:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Components:

clomazone (ISO):

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat
Method: OECD Test Guideline 473
Result: negative

sodium nitrate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Mouse
Application Route: Oral
Result: negative

REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

calcium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**clomazone (ISO):**

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Method : OECD Test Guideline 453
Result : negative

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

Components:**clomazone (ISO):**

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Symptoms: Maternal effects.
Result: negative

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Symptoms: Maternal effects.
Result: negative

sodium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral

SAFETY DATA SHEET



REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Result: negative

calcium chloride:

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Remarks: No significant adverse effects were reported

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

clomazone (ISO):

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 d
Symptoms : increased liver weight

Species : Rat
LOAEL : 400 mg/kg
Exposure time : 90 d
Method : OECD Test Guideline 408
Symptoms : Liver effects

Aspiration toxicity

Not classified based on available information.

Components:

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

Components:**clomazone (ISO):**

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish	: LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Crustaceans): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 32,7 mg/l Exposure time: 72 h EbC50 (Pseudokirchneriella subcapitata (green algae)): 20,4 mg/l Exposure time: 72 h EyC50 (Pseudokirchneriella subcapitata (green algae)): 21,4 mg/l Exposure time: 72 h
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): 4.830,2 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	: LD50 (Birds): > 2.000 mg/kg LD50 (Apis mellifera (bees)): >313.9 Exposure time: 48 h

Components:**clomazone (ISO):**

Toxicity to fish	: LC50 (Menidia beryllina (Silverside)): 6,3 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): > 45 mg/l Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 40,8 mg/l Exposure time: 48 h

SAFETY DATA SHEET



REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

		EC50 (Daphnia): 5,2 mg/l Exposure time: 48 h
		EC50 (Daphnia magna (Water flea)): 12,7 mg/l Exposure time: 48 h Test Type: static test
		EC50 (Mysidopsis bahia (opossum shrimp)): 9,8 mg/l Exposure time: 48 h
		LC50 (Americamysis bahia (mysid shrimp)): 0,57 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to algae/aquatic plants	:	EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l Exposure time: 72 h
		ErC50 (Selenastrum capricornutum (green algae)): 4,1 mg/l Exposure time: 72 h
		ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l Exposure time: 120 h
		EC50 (Lemna gibba (duckweed)): 13,9 mg/l Exposure time: 7 d
		NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l End point: Growth rate Exposure time: 120 h
		NOEC (algae): 0,05 mg/l Exposure time: 96 h
		EC50 (Lemna gibba (duckweed)): 13,9 mg/l Exposure time: 7 d
		EC50 (algae): 0,136 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 2,3 mg/l Exposure time: 21 d Test Type: flow-through test
		NOEC (Oncorhynchus mykiss (rainbow trout)): 2,29 mg/l Exposure time: 57 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 2,2 mg/l Exposure time: 21 d
		NOEC (Americamysis bahia (mysid shrimp)): 0,032 mg/l Exposure time: 28 d

SAFETY DATA SHEET



REATOR® 360 CS

Version 1.0	Revision Date: 30.01.2026	SDS Number: 50002075	Date of last issue: - Date of first issue: 30.01.2026
----------------	------------------------------	-------------------------	--

Test Type: flow-through test

NOEC (*Daphnia magna* (Water flea)): 1,25 mg/l

Exposure time: 21 d

Test Type: static test

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 156 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (*Anas platyrhynchos* (Mallard duck)): > 2.510 mg/kg

LC50 (*Anas platyrhynchos* (Mallard duck)): > 5620 ppm
Remarks: Dietary

LD50 (*Coturnix japonica* (Japanese quail)): > 2000

NOEC (*Colinus virginianus*): 94 mg/kg
End point: Reproduction Test

LC50 (*Apis mellifera* (bees)): > 85.29

LC50 (*Apis mellifera* (bees)): > 100
Remarks: Contact

Corn oil:

Toxicity to fish : Remarks: No data available

sodium nitrate:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 8.600 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 157 mg/l
Exposure time: 32 d

Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

calcium chloride:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 4.630 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 2.400 mg/l

SAFETY DATA SHEET



REATOR® 360 CS

Version 1.0	Revision Date: 30.01.2026	SDS Number: 50002075	Date of last issue: - Date of first issue: 30.01.2026
----------------	------------------------------	-------------------------	--

aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Chlorella vulgaris (Fresh water algae)): 2.900 mg/l Exposure time: 72 h EC10 (Chlorella vulgaris (Fresh water algae)): 1.000 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10: 320 mg/l Exposure time: 21 d

Persistence and degradability

Components:

clomazone (ISO):

Biodegradability	: Result: Not readily biodegradable. Remarks: Substance/product is moderately persistent in the environment. Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.
------------------	--

sodium nitrate:

Biodegradability	: Remarks: The methods for determining biodegradability are not applicable to inorganic substances.
------------------	---

Bioaccumulative potential

Product:

Bioaccumulation	: Remarks: No data available Remarks: No data available
-----------------	--

Components:

clomazone (ISO):

Bioaccumulation	: Bioconcentration factor (BCF): 27 - 40 Remarks: Low potential for bioaccumulation
Partition coefficient: n-octanol/water	: log Pow: 2,61 - 2,69 (20 - 21 °C) pH: 4 - 10 Method: Regulation (EC) No. 440/2008, Annex, A.8

Mobility in soil

Product:

Mobility	: Remarks: Groundwater contamination is possible.
Distribution among environmental compartments	: Remarks: Highly mobile in soils

REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

Components:**clomazone (ISO):**

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2,47
Remarks: Moderately mobile in soils

Stability in soil :

Other adverse effects**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Very toxic to aquatic life with long lasting effects.

Components:**clomazone (ISO):**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

SAFETY DATA SHEET



REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Clomazone)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry.	: Not applicable
---	------------------

Control of precursors and essential chemicals for the	: Not applicable
---	------------------

SAFETY DATA SHEET



REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

preparation of drugs.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 2,(2-chlorobenzyl)-4,4-dimethyl-1,2-oxazolidin-3-on
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 30.01.2026
Date format	: dd.mm.yyyy

Full text of other abbreviations

AR OEL	: Argentina. Occupational Exposure Limits
AR OEL / CMP	: TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-

SAFETY DATA SHEET



REATOR® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	30.01.2026	50002075	Date of first issue: 30.01.2026

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AR / EN