

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

1. IDENTIFICATION

Product name : AMBLISA®

Manufacturer or supplier's details

Company : FMC LATINOAMERICA S.A.

Address : (SUCURSAL BOLIVIA)
EQUIPETROL, AV. SAN MARTÍN,
EDIF. AMBASSADOR P-19,
SANTA CRUZ – BOLIVIA
+591 (3) 337-7474

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)

Medical Emergency Number : CALL 800-10-6966, JAPANESE UNIVERSITY HOSPITAL
POISON INFORMATION CENTER. SANTA CRUZ-BOLIVIA.

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as fungicide only.
Fungicide

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version 1.0 Revision Date: 02.02.2026 SDS Number: 50002631 Date of last issue: -
Date of first issue: 02.02.2026

Hazard pictograms



Signal Word

: WARNING

Hazard Statements

: H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P261 Avoid breathing mist or vapors.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or with adequate ventilation.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing.

Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help.
Rinse mouth.
P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.
Get medical help.
P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Hazard Statements required by Andean Technical Manual for the Registration and Control of Chemical Pesticides for Agricultural Use (Resolution no. 2075):
Harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Flutriafol	76674-21-0	>= 25 - < 30
Fluindapyr	1383809-87-7	>= 10 - < 20
Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt	68186-36-7	>= 1 - < 2,5
Alkylated Naphthalene Sulfonate Sodium Salt	68425-94-5	>= 1 - < 2,5

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0,0025 - < 0,025
------------------------------	-----------	---------------------

4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| If inhaled | : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : Take off contaminated clothing and shoes immediately.
Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed, in contact with skin or if inhaled.
Contains a triazole. Symptoms may include nausea, vomiting, diarrhea, visual changes, hallucinations, rash, itching, and alopecia. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| Notes to physician | : Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|---|
| Suitable extinguishing media | : Dry chemical, CO2, water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Hydrogen fluoride
Nitrogen oxides (NOx)
Carbon oxides |

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Fluorinated compounds
Hydrogen cyanide
Sulfur oxides
Fluorine compounds

- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.
Never return spills in original containers for re-use.

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection	: In the case of dust or aerosol formation use respirator with an approved filter.
Hand protection	
Material	: Protective gloves
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product.
Hygiene measures	: Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: liquid
Color	: off-white
Odor	: No data available
Odor Threshold	: No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version 1.0	Revision Date: 02.02.2026	SDS Number: 50002631	Date of last issue: - Date of first issue: 02.02.2026
----------------	------------------------------	-------------------------	--

pH	:	6,69
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 100 °C
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Density	:	1,147 g/cm3
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Conditions to avoid	: Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

Product:

Acute oral toxicity	: LD50(Rat): 1.098 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	: LC50(Rat): > 2,07 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	: LD50(Rat): > 5.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Assessment: The component/mixture is moderately toxic after single contact with skin. Remarks: Resolution no. 2075

Components:

Flutriafol:

Acute oral toxicity	: LD50 (Rat, female): 300 - 2.000 mg/kg Method: OECD Test Guideline 423 Target Organs: Liver, Gastrointestinal tract Symptoms: Fatality GLP: yes Assessment: The component/mixture is moderately toxic after single ingestion. LD50 (Rat, female): 1.030 mg/kg Method: OECD Test Guideline 425 Target Organs: Liver, Gastrointestinal tract Symptoms: Breathing difficulties
Acute inhalation toxicity	: LC50 (Rat): > 5,2 mg/l Exposure time: 4 h

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Fatality, ataxia, Breathing difficulties
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: no mortality

LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Fluindapyr:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Assessment: The component/mixture is minimally toxic after single ingestion.
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,19 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: ataxia, Breathing difficulties
GLP: yes
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt:

Acute oral toxicity : Assessment: Toxic effects cannot be excluded

Alkylated Naphthalene Sulfonate Sodium Salt:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Assessment	: No skin irritation
Result	: No skin irritation

Components:

Flutriafol:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes
Species	: Rabbit
Result	: No skin irritation

Fluindapyr:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
GLP	: yes
Assessment	: Not classified as irritant
Method	: EPISKIN Human Skin Model Test

Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt:

Result	: Skin irritation
--------	-------------------

Alkylated Naphthalene Sulfonate Sodium Salt:

Remarks	: No data available
---------	---------------------

1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Exposure time	: 72 h
Method	: OECD Test Guideline 404
Result	: No skin irritation

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Assessment	:	No eye irritation
Result	:	No eye irritation

Components:

Flutriafol:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	slight irritation
GLP	:	yes

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	Slight or no eye irritation
GLP	:	yes

Species	:	Rabbit
Result	:	slight irritation

Fluindapyr:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

Method	:	Bovine cornea (BCOP)
Result	:	not corrosive
GLP	:	yes

Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt:

Result	:	Irreversible effects on the eye
--------	---	---------------------------------

Alkylated Naphthalene Sulfonate Sodium Salt:

Result	:	Eye irritation
--------	---	----------------

1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Assessment	:	Not a skin sensitizer.
Result	:	Not a skin sensitizer.

Components:

Flutriafol:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Assessment	:	Did not cause sensitization on laboratory animals.
Method	:	OECD Test Guideline 406
GLP	:	yes
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Fluindapyr:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Method	:	OECD Test Guideline 429
Result	:	May cause sensitization by skin contact.
GLP	:	yes

1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.
Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitization by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

Genotoxicity in vivo	:	Test Type: dominant lethal test
----------------------	---	---------------------------------

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Method: OECD Test Guideline 478

Result: negative

Fluindapyr:

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro
Test system: lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 490

Result: negative

Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Genotoxicity in vivo

: Test Type: Mammalian bone marrow sister chromatid exchange
Species: Mouse
Result: negative

Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro

: Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

Species : Mouse
Exposure time : 2 Years
NOAEL : 1,2 mg/kg bw/day
Result : negative

Species : Rat
Exposure time : 2 Years
NOAEL : 1 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Fluindapyr:

Species : Mouse
Application Route : Oral
Exposure time : 18 month(s)
Method : OECD Test Guideline 451
Result : Not a carcinogenic hazard

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : Not a carcinogenic hazard
GLP : yes

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

Effects on fertility	:	Test Type: reproductive and developmental toxicity study Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Method: OECD Test Guideline 414 Result: negative

Fluindapyr:

Effects on fertility	:	Test Type: Two-generation study General Toxicity Parent: NOEL: ca. 100 ppm Fertility: NOAEL: ca. 400 ppm Early Embryonic Development: NOAEL: ca. 400 ppm Method: OECD Test Guideline 416 GLP: yes
----------------------	---	--

1,2-benzisothiazol-3(2H)-one:

Effects on fertility	:	Species: Rat, male Application Route: Ingestion General Toxicity Parent: NOAEL: 18,5 mg/kg body weight General Toxicity F1: NOAEL: 48 mg/kg body weight Fertility: NOAEL: 112 mg/kg bw/day Symptoms: No effects on reproduction parameters. Method: OPPTS 870.3800 Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

Assessment	:	May cause respiratory irritation.
------------	---	-----------------------------------

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

1,2-benzisothiazol-3(2H)-one:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	---	--

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Repeated dose toxicity

Components:

Flutriafol:

Species	: Rat
NOAEL	: 13.3 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Symptoms	: anemia, Liver effects

Species	: Dog
NOAEL	: 5 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Symptoms	: blood effects, Liver effects

Fluindapyr:

Species	: Rat
NOAEL	: 1.000 mg/kg
Application Route	: Dermal
Exposure time	: 21 d
Number of exposures	: 5 d/w for 6 hr
Dose	: 0,100,300,1000 mg/kg bw/d
Method	: OECD Test Guideline 410
GLP	: yes
Symptoms	: Skin irritation

1,2-benzisothiazol-3(2H)-one:

Species	: Rat, male and female
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: Irritation

Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

The substance does not have properties associated with aspiration hazard potential.

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Neurological effects

Components:

Flutriafol:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Components:

Flutriafol:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 33 mg/l Exposure time: 96 h LC50 (Danio rerio (zebra fish)): 22,97 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 67 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes EC50 (Daphnia magna (Water flea)): 42,21 mg/l End point: Immobilization Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: IC50 (Selenastrum capricornutum (green algae)): 12 mg/l Exposure time: 96 h IC50 (Scenedesmus subspicatus): 1,9 mg/l Exposure time: 72 h EbC50 (Lemna gibba (duckweed)): 0,65 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Exposure time: 7 d

EyC50 (*Pseudokirchneriella subcapitata* (algae)): 3,69 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC: 4,8 mg/l
Exposure time: 28 d
Species: *Lepomis macrochirus* (Bluegill sunfish)

NOEC: 20 mg/l
Exposure time: 14 d
Species: *Danio rerio* (zebra fish)
Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,31 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

NOEC: 0,45 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 211

Toxicity to soil dwelling organisms : NOEC: 0.01 mg/cm²
Exposure time: 180 d
Species: *Eisenia fetida* (earthworms)

LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: > 144 µg/bee
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 213
GLP: yes

LD50: > 150 µg/bee
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 214
GLP: yes

LD50: > 100 µg/bee
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 214

LD50: 872,53 µg/bee
Exposure time: 48 h

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213

LD50: > 5.000 mg/kg
Species: Anas platyrhynchos (Mallard duck)

LD50: ca. 385 mg/kg
Species: Coturnix japonica (Japanese quail)
Method: US EPA Test Guideline OPPTS 850.2100

LD50: 4260 ppm
Species: Coturnix japonica (Japanese quail)
Method: OPPTS 850.2200

Fluindapyr:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 0,121 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Oryzias latipes (Japanese medaka)): > 1,8 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Danio rerio (zebra fish)): 0,424 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,43 mg/l
Exposure time: 96 h
Test Type: static test
Method: OPPTS 850.1075
GLP: yes

LC50 (Cyprinus carpio (Carp)): 0,11 mg/l
Exposure time: 96 h
Test Type: Static renewal test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,286 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

		LC50 (Pimephales promelas (fathead minnow)): 0,19 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,141 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 LC50 (Americamysis bahia (mysid shrimp)): 0,33 mg/l Exposure time: 96 h Test Type: static test Method: OCSP 850.1035 GLP: yes
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 4,83 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes NOEC (Lemna gibba (duckweed)): 2 mg/l Exposure time: 7 d Method: OECD Test Guideline 221 GLP: yes EC50 (Skeletonema costatum (Diatom)): > 2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,031 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow) Test Type: Early-life Stage Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,062 mg/l Exposure time: 28 d Species: Americamysis bahia (mysid shrimp) Test Type: flow-through test Method: OPPTS 850.1350 GLP: yes NOEC: 0,12 mg/l End point: reproduction Exposure time: 21 d

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 211
GLP: yes

NOEC: 68 mg/l
Exposure time: 42 d
Species: *Hyalella azteca* (Amphipod)
Test Type: Static renewal test
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Species: *Eisenia fetida* (earthworms)

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50: 1.612 mg/kg
Species: *Colinus virginianus* (Bobwhite quail)
Method: OECD Test Guideline 205
GLP: yes

LD50: 2.250 mg/kg
Species: *Colinus virginianus* (Bobwhite quail)
Method: OPPTS 850.2100
GLP: yes

LD50: > 300 µg/bee
Exposure time: 48 h
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 214
GLP: yes
Remarks: Contact

LD50: > 32,8 µg/bee
Exposure time: 48 h
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 213
GLP: yes
Remarks: Oral

NOEC: 679 mg/kg
End point: Reproduction Test
Species: *Anas platyrhynchos* (Mallard duck)
Method: OECD Test Guideline 206
GLP: yes

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

NOEC: 174 mg/kg
End point: Reproduction Test
Species: *Colinus virginianus* (Bobwhite quail)
Method: OECD Test Guideline 206
GLP: yes

Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Alkylated Naphthalene Sulfonate Sodium Salt:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (*Pseudokirchneriella subcapitata* (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 - 100 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (*Cyprinodon variegatus* (sheepshead minnow)): 16,7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2,15 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Flutriafol:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Does not readily hydrolyze

Fluindapyr:

Biodegradability : Result: Not readily biodegradable.

Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
Remarks: Based on data from similar materials

Alkylated Naphthalene Sulfonate Sodium Salt:

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Flutriafol:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 7
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,29

Fluindapyr:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: > 3

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7

log Pow: 0,99 (20 °C)
pH: 5

Mobility in soil

Components:

Flutriafol:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Stability in soil : Remarks: Very persistent in soil.

Fluindapyr:

Distribution among environmental compartments : Remarks: Low mobility in soil.

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Components:

Flutriafol:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2,66
100-year global warming potential: 0,739
500-year global warming potential: 0,211
Atmospheric lifetime: 0,027 yr
Radiative efficiency: 0,12 Wm²ppb
Further information: Miscellaneous compounds

decamethylcyclopentasiloxane:

20-year global warming potential: 1,04
100-year global warming potential: 0,289
500-year global warming potential: 0,082
Atmospheric lifetime: 0,016 yr
Radiative efficiency: 0,098 Wm²ppb
Further information: Miscellaneous compounds

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

dodecamethylcyclohexasiloxane:

20-year global warming potential: 0,51
100-year global warming potential: 0,142
500-year global warming potential: 0,04
Atmospheric lifetime: 0,011 yr
Radiative efficiency: 0,086 Wm²ppb
Further information: Miscellaneous compounds

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluindapyr, Flutriafol)

Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Fluindapyr, Flutriafol)

Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluindapyr, Flutriafol)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Flutriafol Fluindapyr Smectite-group minerals
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

TECI : Not in compliance with the inventory


16. OTHER INFORMATION

Revision Date : 02.02.2026

Date format : dd.mm.yyyy

Further information

NFPA:



HMIS® IV:

HEALTH	/	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

SAFETY DATA SHEET

according to the Globally Harmonized System



AMBLISA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02.02.2026	50002631	Date of first issue: 02.02.2026

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

BO / EN